



SAMPLE ACKNOWLEDGMENT

575 Broad Hollow Road
Melville, NY 11747
516-370-6000

Report To:

Chatham Central School District
Ethan Stalter
50 Woodbridge Ave
Chatham, NY 12037

Phone: 518-788-6264

Email: chudym@chatham.k12.ny.us

Invoice To:

70-703090
Chatham Central School District
Michael Chudy
50 Woodbridge Ave
Chatham, NY 12037

Phone: 518-392-1534

Email: chudym@chatham.k12.ny.us

Pace Project Manager: Alexandria Correa
Phone 516-370-6000
alexandria.correa@pacelabs.com

Client Project ID: CHATHAM CENTRAL SCHOOL DIST

Client PO#:

PO Required: N

State Samples collected in: New York

CC: Ethan Stalter, Holly Sherman, Lisa Lyons, Michael Chudy

Pace Analytical Project ID: 70408849

Samples Received: February 28, 2026 07:40 AM

Estimated Completion: March 16, 2026

Customer Sample ID	Pace Analytical Lab ID	Matrix	Date/Time Collected	Method
CHS-F-1	70408849001	Drinking Water	02/27/26 05:49	200.8 ICP Metals Beryllium, Chromium, Nickel, Arsenic, Selenium, Silver, Cadmium, Antimony, Barium, Thallium, Lead
CHS-DW-3	70408849002	Drinking Water	02/27/26 05:50	200.8 ICP Metals Beryllium, Chromium, Nickel, Arsenic, Selenium, Silver, Cadmium, Antimony, Barium, Thallium, Lead
CHS-F-6	70408849003	Drinking Water	02/27/26 05:54	200.8 ICP Metals Beryllium, Chromium, Nickel, Arsenic, Selenium, Silver, Cadmium, Antimony, Barium, Thallium, Lead
CHS-F-7	70408849004	Drinking Water	02/27/26 05:57	200.8 ICP Metals Beryllium, Chromium, Nickel, Arsenic, Selenium, Silver, Cadmium, Antimony, Barium, Thallium, Lead
NO SAMPLE	70408849005	Drinking Water	02/27/26 00:00	200.8 ICP Metals
MED-F-2	70408849006	Drinking Water	02/27/26 06:05	200.8 ICP Metals Beryllium, Chromium, Nickel, Arsenic, Selenium, Silver, Cadmium, Antimony, Barium, Thallium, Lead
MED-DW-10	70408849007	Drinking Water	02/27/26 06:09	200.8 ICP Metals Beryllium, Chromium, Nickel, Arsenic, Selenium, Silver, Cadmium, Antimony, Barium, Thallium, Lead
MED-DW-12	70408849008	Drinking Water	02/27/26 06:10	200.8 ICP Metals Beryllium, Chromium, Nickel, Arsenic, Selenium, Silver, Cadmium, Antimony, Barium, Thallium, Lead
MED-DW-18	70408849009	Drinking Water	02/27/26 06:11	200.8 ICP Metals Beryllium, Chromium, Nickel, Arsenic, Selenium, Silver, Cadmium, Antimony, Barium, Thallium, Lead
NO SAMPLE	70408849010	Drinking Water	02/27/26 00:00	200.8 ICP Metals
NO SAMPLE	70408849011	Drinking Water	02/27/26 00:00	200.8 ICP Metals
MED-DW-110	70408849012	Drinking Water	02/27/26 06:13	200.8 ICP Metals Beryllium, Chromium, Nickel, Arsenic, Selenium, Silver, Cadmium, Antimony, Barium, Thallium, Lead

Please contact your project manager if you recognize any discrepancy in this form or have any questions about your project.

Confidentiality Statement: The Parties agree that they will take all reasonable precautions to prevent the unauthorized disclosure of any proprietary or confidential information of each other and that they will not disclose such information except to those employees, subcontractors, or agents who have expressly agreed to maintain confidentiality.

Thank you for choosing Pace Analytical Services, LLC.



SAMPLE ACKNOWLEDGMENT

575 Broad Hollow Road
Melville, NY 11747
516-370-6000

Customer Sample ID	Pace Analytical Lab ID	Matrix	Date/Time Collected	Method
MS-1B-DW-L-26	70408849013	Drinking Water	02/27/26 06:24	200.8 ICP Metals Beryllium, Chromium, Nickel, Arsenic, Selenium, Silver, Cadmium, Antimony, Barium, Thallium, Lead
MS-1B-DW-R-27	70408849014	Drinking Water	02/27/26 06:25	200.8 ICP Metals Beryllium, Chromium, Nickel, Arsenic, Selenium, Silver, Cadmium, Antimony, Barium, Thallium, Lead
MS-2A-F-33	70408849015	Drinking Water	02/27/26 06:27	200.8 ICP Metals Beryllium, Chromium, Nickel, Arsenic, Selenium, Silver, Cadmium, Antimony, Barium, Thallium, Lead
CHS-F-6	70408849016	Drinking Water	02/27/26 05:54	200.8 ICP Metals Beryllium, Chromium, Nickel, Arsenic, Selenium, Silver, Cadmium, Antimony, Barium, Thallium, Lead
MED-DW-110B	70408849017	Drinking Water	02/27/26 06:14	200.8 ICP Metals Beryllium, Chromium, Nickel, Arsenic, Selenium, Silver, Cadmium, Antimony, Barium, Thallium, Lead
MS-1B-DW-BF-27B	70408849018	Drinking Water	02/27/26 06:26	200.8 ICP Metals Beryllium, Chromium, Nickel, Arsenic, Selenium, Silver, Cadmium, Antimony, Barium, Thallium, Lead

Please contact your project manager if you recognize any discrepancy in this form or have any questions about your project.

Confidentiality Statement: The Parties agree that they will take all reasonable precautions to prevent the unauthorized disclosure of any proprietary or confidential information of each other and that they will not disclose such information except to those employees, subcontractors, or agents who have expressly agreed to maintain confidentiality.

Thank you for choosing Pace Analytical Services, LLC.



SAMPLE ACKNOWLEDGMENT

575 Broad Hollow Road
Melville, NY 11747
516-370-6000

Analyte List

Customer Sample ID	Method	Compound	Reporting	
			Limit	Units
CHS-F-1	200.8 MET ICPMS Drinking Water	Beryllium	0.3	ug/L
		Chromium	7	ug/L
		Nickel	0.5	ug/L
		Arsenic	1	ug/L
		Selenium	2	ug/L
		Silver	1	ug/L
		Cadmium	1	ug/L
		Antimony	0.4	ug/L
		Barium	2	ug/L
		Thallium	0.3	ug/L
		Lead	1	ug/L
CHS-DW-3	200.8 MET ICPMS Drinking Water	Beryllium	0.3	ug/L
		Chromium	7	ug/L
		Nickel	0.5	ug/L
		Arsenic	1	ug/L
		Selenium	2	ug/L
		Silver	1	ug/L
		Cadmium	1	ug/L
		Antimony	0.4	ug/L
		Barium	2	ug/L
		Thallium	0.3	ug/L
		Lead	1	ug/L
CHS-F-6	200.8 MET ICPMS Drinking Water	Beryllium	0.3	ug/L
		Chromium	7	ug/L
		Nickel	0.5	ug/L
		Arsenic	1	ug/L
		Selenium	2	ug/L
		Silver	1	ug/L
		Cadmium	1	ug/L
		Antimony	0.4	ug/L
		Barium	2	ug/L
		Thallium	0.3	ug/L
		Lead	1	ug/L
CHS-F-7	200.8 MET ICPMS Drinking Water	Beryllium	0.3	ug/L
		Chromium	7	ug/L
		Nickel	0.5	ug/L
		Arsenic	1	ug/L
		Selenium	2	ug/L
		Silver	1	ug/L
		Cadmium	1	ug/L
		Antimony	0.4	ug/L
		Barium	2	ug/L
		Thallium	0.3	ug/L
		Lead	1	ug/L
MED-F-2	200.8 MET ICPMS Drinking Water	Beryllium	0.3	ug/L
		Chromium	7	ug/L
		Nickel	0.5	ug/L
		Arsenic	1	ug/L
		Selenium	2	ug/L
		Silver	1	ug/L

Please contact your project manager if you recognize any discrepancy in this form or have any questions about your project.

Confidentiality Statement: The Parties agree that they will take all reasonable precautions to prevent the unauthorized disclosure of any proprietary or confidential information of each other and that they will not disclose such information except to those employees, subcontractors, or agents who have expressly agreed to maintain confidentiality.

Thank you for choosing Pace Analytical Services, LLC.



SAMPLE ACKNOWLEDGMENT

575 Broad Hollow Road
Melville, NY 11747
516-370-6000

Analyte List

Customer Sample ID	Method	Compound	Reporting	
			Limit	Units
MED-DW-10	200.8 MET ICPMS Drinking Water	Cadmium	1	ug/L
		Antimony	0.4	ug/L
		Barium	2	ug/L
		Thallium	0.3	ug/L
		Lead	1	ug/L
		Beryllium	0.3	ug/L
		Chromium	7	ug/L
		Nickel	0.5	ug/L
		Arsenic	1	ug/L
		Selenium	2	ug/L
		Silver	1	ug/L
		Cadmium	1	ug/L
MED-DW-12	200.8 MET ICPMS Drinking Water	Antimony	0.4	ug/L
		Barium	2	ug/L
		Thallium	0.3	ug/L
		Lead	1	ug/L
		Beryllium	0.3	ug/L
		Chromium	7	ug/L
		Nickel	0.5	ug/L
		Arsenic	1	ug/L
		Selenium	2	ug/L
		Silver	1	ug/L
		Cadmium	1	ug/L
		Antimony	0.4	ug/L
MED-DW-18	200.8 MET ICPMS Drinking Water	Barium	2	ug/L
		Thallium	0.3	ug/L
		Lead	1	ug/L
		Beryllium	0.3	ug/L
		Chromium	7	ug/L
		Nickel	0.5	ug/L
		Arsenic	1	ug/L
		Selenium	2	ug/L
		Silver	1	ug/L
		Cadmium	1	ug/L
		Antimony	0.4	ug/L
		Barium	2	ug/L
MED-DW-110	200.8 MET ICPMS Drinking Water	Thallium	0.3	ug/L
		Lead	1	ug/L
		Beryllium	0.3	ug/L
		Chromium	7	ug/L
		Nickel	0.5	ug/L
		Arsenic	1	ug/L
		Selenium	2	ug/L
		Silver	1	ug/L
		Cadmium	1	ug/L
		Antimony	0.4	ug/L
		Barium	2	ug/L
		Thallium	0.3	ug/L
MS-1B-DW-L-26	200.8 MET ICPMS Drinking Water	Lead	1	ug/L
		Beryllium	0.3	ug/L

Please contact your project manager if you recognize any discrepancy in this form or have any questions about your project.

Confidentiality Statement: The Parties agree that they will take all reasonable precautions to prevent the unauthorized disclosure of any proprietary or confidential information of each other and that they will not disclose such information except to those employees, subcontractors, or agents who have expressly agreed to maintain confidentiality.

Thank you for choosing Pace Analytical Services, LLC.



SAMPLE ACKNOWLEDGMENT

575 Broad Hollow Road
Melville, NY 11747
516-370-6000

Analyte List

Customer Sample ID	Method	Compound	Reporting	
			Limit	Units
MS-1B-DW-R-27	200.8 MET ICPMS Drinking Water	Chromium	7	ug/L
		Nickel	0.5	ug/L
		Arsenic	1	ug/L
		Selenium	2	ug/L
		Silver	1	ug/L
		Cadmium	1	ug/L
		Antimony	0.4	ug/L
		Barium	2	ug/L
		Thallium	0.3	ug/L
		Lead	1	ug/L
		Beryllium	0.3	ug/L
		Chromium	7	ug/L
		Nickel	0.5	ug/L
		Arsenic	1	ug/L
		Selenium	2	ug/L
		Silver	1	ug/L
MS-2A-F-33	200.8 MET ICPMS Drinking Water	Cadmium	1	ug/L
		Antimony	0.4	ug/L
		Barium	2	ug/L
		Thallium	0.3	ug/L
		Lead	1	ug/L
		Beryllium	0.3	ug/L
		Chromium	7	ug/L
		Nickel	0.5	ug/L
		Arsenic	1	ug/L
		Selenium	2	ug/L
		Silver	1	ug/L
		Cadmium	1	ug/L
		Antimony	0.4	ug/L
		Barium	2	ug/L
		Thallium	0.3	ug/L
		Lead	1	ug/L
CHS-F-6	200.8 MET ICPMS Drinking Water	Beryllium	0.3	ug/L
		Chromium	7	ug/L
		Nickel	0.5	ug/L
		Arsenic	1	ug/L
		Selenium	2	ug/L
		Silver	1	ug/L
		Cadmium	1	ug/L
		Antimony	0.4	ug/L
		Barium	2	ug/L
		Thallium	0.3	ug/L
		Lead	1	ug/L
		Beryllium	0.3	ug/L
		Chromium	7	ug/L
		Nickel	0.5	ug/L
		Arsenic	1	ug/L
		Selenium	2	ug/L
MED-DW-110B	200.8 MET ICPMS Drinking Water	Silver	1	ug/L
		Cadmium	1	ug/L
		Antimony	0.4	ug/L
		Barium	2	ug/L
		Thallium	0.3	ug/L
		Lead	1	ug/L
		Beryllium	0.3	ug/L
		Chromium	7	ug/L
		Nickel	0.5	ug/L
		Arsenic	1	ug/L
		Selenium	2	ug/L
		Silver	1	ug/L
		Cadmium	1	ug/L
		Antimony	0.4	ug/L
		Barium	2	ug/L
		Thallium	0.3	ug/L

Please contact your project manager if you recognize any discrepancy in this form or have any questions about your project.

Confidentiality Statement: The Parties agree that they will take all reasonable precautions to prevent the unauthorized disclosure of any proprietary or confidential information of each other and that they will not disclose such information except to those employees, subcontractors, or agents who have expressly agreed to maintain confidentiality.

Thank you for choosing Pace Analytical Services, LLC.



SAMPLE ACKNOWLEDGMENT

575 Broad Hollow Road
Melville, NY 11747
516-370-6000

Analyte List

Customer Sample ID	Method	Compound	Reporting	
			Limit	Units
MS-1B-DW-BF-27B	200.8 MET ICPMS Drinking Water	Antimony	0.4	ug/L
		Barium	2	ug/L
		Thallium	0.3	ug/L
		Lead	1	ug/L
		Beryllium	0.3	ug/L
		Chromium	7	ug/L
		Nickel	0.5	ug/L
		Arsenic	1	ug/L
		Selenium	2	ug/L
		Silver	1	ug/L
		Cadmium	1	ug/L
		Antimony	0.4	ug/L
		Barium	2	ug/L
		Thallium	0.3	ug/L
		Lead	1	ug/L

Please contact your project manager if you recognize any discrepancy in this form or have any questions about your project.

Confidentiality Statement: The Parties agree that they will take all reasonable precautions to prevent the unauthorized disclosure of any proprietary or confidential information of each other and that they will not disclose such information except to those employees, subcontractors, or agents who have expressly agreed to maintain confidentiality.

Thank you for choosing Pace Analytical Services, LLC.