



December 11, 2025

Ethan Stalter
Chatham Central School District
50 Woodbridge Ave
Chatham, NY 12037

RE: Project: MARY E. DARDESS
Pace Project No.: 70392558

Dear Ethan Stalter:

Enclosed are the analytical results for sample(s) received by the laboratory on November 18, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

Some analyses were subcontracted outside of the Pace Network. The test report from the external subcontractor is attached to this report in its entirety.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Alexandria Correa
alexandria.correa@pacelabs.com
516-370-6000
Project Manager

Enclosures

cc: Michael Chudy, Chatham Central School District
Lisa Lyons, Questar III BOCES
Holly Sherman, Chatham Central School District



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

WO#: 70392558



70392558

PACE LABS

Pace Labs address: 14 Walker Way, Albany, NY 12205

District Name: Chatham CSD

School Name: Mary E. Dardess

Street address: 50 Woodbridge Ave, Chatham, NY 12037

Customer Project #

Project Name: Lead in Water testing

Site collection: Lisa Lyons 518 337 7722

Contact/Report to: Ethan Stalter and Lisa Lyons

Phone: 518-788-6264

Email: staltere@chatham.k12.ny.us lisa.lyons@questar.org

Invoice to: Holly Sherman

Email: shermanh@chatham.k12.ny.us

Purchase order #26-0085

Quote # \$14.25 per sample

County State of origin of sample: Columbia County, New York

Chain of Custody

Number	Sample ID	Mary E. Dardess School - MED	Collection		Grab	# of Con tainers	Analysis Required
			Date	Time			
1	MED-F-1	Kitchen Pot Filler	11/15/2025	7:55 AM	X	1	Lead
2	MED-F-2	Kitchen Brazing Pan	11/15/2025	7:56 AM	X	1	Lead
3	MED-F-3	Kitchen Kettle	11/15/2025	7:57 AM	X	1	Lead
4	MED-KS-4	Kitchen Prep Sink	11/15/2025	7:58 AM	X	1	Lead
5	MED-F-5	Kitchen Handwashing Sink	11/15/2025	7:59 AM	X	1	Lead
6	MED-F-6	Kitchen Veggie Washing Sink Left	11/15/2025	8:00 AM	X	1	Lead
7	n/a	n/a					
8	MED-DW-8	Cafetorium Water Fountain	11/15/2025	8:06 AM	X	1	Lead
9	MED-F-9	Room 211 Sink Faucet	11/15/2025	8:11 AM	X	1	Lead
10	MED-DW-10	Room 211 Water Fountain	11/15/2025	8:12 AM	X	1	Lead
11	MED-F-11	Room 212 Sink Faucet	11/15/2025	8:13 AM	X	1	Lead
12	MED-DW-12	Room 212 Water Fountain	11/15/2025	8:14 AM	X	1	Lead
13	MED-F-13-R	Room 213 Right Sink Faucet	11/15/2025	8:16 AM	X	1	Lead
14	Removed	Removed					
15	MED-DW-15	Room 213 Water Fountain	11/15/2025	8:17 AM	X	1	Lead
16	MED-F-16-R	Room 214 Right Sink Faucet	11/15/2025	8:19 AM	X	1	Lead
17	n/a	n/a					
18	MED-DW-18	Room 214 Water Fountain	11/15/2025	8:20 AM	X	1	Lead
19	MED-F-19-R	Room 215 Right Sink Faucet	11/15/2025	8:21 AM	X	1	Lead
20	MED-F-20-L	Room 215 Left Sink Faucet	11/15/2025	8:22 AM	X	1	Lead
21	MED-DW-21	Room 215 Water Fountain	11/15/2025	8:23 AM	X	1	Lead
22	MED-DW-22	Lobby Between Rest Rooms Water Fountain	11/15/2025	8:24 AM	X	1	Lead
23	MED-DW-23	Lobby Between Rest Rooms Bottle Filler	11/15/2025	8:25 AM	X	1	Lead
24	MED-F-24	Custodial Break Room Sink Faucet	11/15/2025	8:26 AM	X	1	Lead
25	MED-F-25-R	Room 218 Right Sink Faucet	11/15/2025	8:27 AM	X	1	Lead
26	MED-F-26-L	Room 218 Left Sink Faucet	11/15/2025	8:28 AM	X	1	Lead
27	MED-DW-27	Room 218 Water Fountain	11/15/2025	8:29 AM	X	1	Lead
28	MED-F-28	Room 219 Right Sink Faucet	11/15/2025	8:30 AM	X	1	Lead
29	MED-F-29	Room 219 Left Sink Faucet	11/15/2025	8:31 AM	X	1	Lead
30	MED-DW-30	Room 219 Water Fountain	11/15/2025	8:32 AM	X	1	Lead
31	MED-F-31-R	Room 220 Right Sink Faucet	11/15/2025	8:33 AM	X	1	Lead
32	MED-F-32-L	Room 220 Left Sink Faucet	11/15/2025	8:34 AM	X	1	Lead

Relinquished by/Company: (Signature)

Relinquished by/Company: (Signature)

Relinquished by/Company: (Signature)

Received by: Date/Time

Received by: Date/Time

Received by: Date/Time

Tracking Number:

Delivered by:

Page 1 of 4

11/15/25

allison Day PACE 4 11/18/25 600

Number	Sample ID	Mary E. Dardess School - MED	Collection		Grab	# of Containers	Analysis Required
			Date	Time			
33	MED-DW-33	Room 220 Water Fountain	11/15/2025	8:35 AM	X	1	Lead
34	n/a	n/a					
35	MED-F-35	Room 221 Left Sink Faucet	11/15/2025	8:36 AM	X	1	Lead
36	MED-DW-36	Room 221 Water Fountain	11/15/2025	8:37 AM	X	1	Lead
37	MED-F-37	Room 222 Right Sink Faucet	11/15/2025	8:38 AM	X	1	Lead
38	MED-F-38	Room 222 Left Sink Faucet	11/15/2025	8:39 AM	X	1	Lead
39	MED-DW-39	Room 222 Water Fountain	11/15/2025	8:40 AM	X	1	Lead
40	MED-F-40-R	Room 223 Right Sink Faucet	11/15/2025	8:41 AM	X	1	Lead
41	MED-F-41-L	Room 223 Left Sink Faucet	11/15/2025	8:42 AM	X	1	Lead
42	MED-DW-42	Room 223 Water Fountain	11/15/2025	8:43 AM	X	1	Lead
43	MED-F-43-R	Room 224 Right Sink Faucet	11/15/2025	8:44 AM	X	1	Lead
44	MED-F-44-L	Room 224 Left Sink Faucet	11/15/2025	8:45 AM	X	1	Lead
45	MED-DW-45	Room 224 Water Fountain	11/15/2025	8:46 AM	X	1	Lead
46	MED-F-46-R	Room 225 Right Sink Faucet	11/15/2025	8:47 AM	X	1	Lead
47	MED-F-47-L	Room 225 Left Sink Faucet	11/15/2025	8:48 AM	X	1	Lead
48	MED-DW-48	Room 225 Water Fountain	11/15/2025	8:49 AM	X	1	Lead
49	MED-F-49-R	Room 226 Right Sink Faucet	11/15/2025	9:08 AM	X	1	Lead
50	MED-F-50-L	Room 226 Left Sink Faucet	11/15/2025	9:09 AM	X	1	Lead
51	MED-DW-51	Room 226 Water Fountain	11/15/2025	9:10 AM	X	1	Lead
52	MED-F-52	Room 227 Right Sink Faucet	11/15/2025	9:11 AM	X	1	Lead
53	MED-F-53	Room 227 Left Sink Faucet	11/15/2025	9:12 AM	X	1	Lead
54	MED-DW-54	Room 227 Water Fountain	11/15/2025	9:13 AM	X	1	Lead
55	MED-F-55-R	Room 228 Right Sink Faucet	11/15/2025	9:14 AM	X	1	Lead
56	MED-F-56-L	Room 228 Left Sink Faucet	11/15/2025	9:15 AM	X	1	Lead
57	MED-DW-57	Room 228 Water Fountain	11/15/2025	9:16 AM	X	1	Lead
58	n/a	n/a					
59	MED-DW-59	Corridor Outside room 229 Bottle Filler Spout	11/15/2025	9:17 AM	X	1	Lead
60	MED-F-60-R	Room 230 Right Sink Faucet	11/15/2025	9:18 AM	X	1	Lead
61	MED-F-61-L	Room 230 Left Sink Faucet	11/15/2025	9:19 AM	X	1	Lead
62	MED-DW-62	Room 230 Water Fountain	11/15/2025	9:20 AM	X	1	Lead
63	MED-F-63-R	Room 231 Right Sink Faucet	11/15/2025	9:21 AM	X	1	Lead
64	MED-F-64-L	Room 231 Left Sink Faucet	11/15/2025	9:22 AM	X	1	Lead
65	MED-DW-65	Room 231 Water Fountain	11/15/2025	9:23 AM	X	1	Lead
66	MED-F-66-R	Room 232 Right Sink Faucet	11/15/2025	9:24 AM	X	1	Lead
67	MED-F-67-L	Room 232 Left Sink Faucet	11/15/2025	9:25 AM	X	1	Lead
68	MED-DW-68	Room 232 Water Fountain	11/15/2025	9:26 AM	X	1	Lead
Relinquished by/Company: (Signature) <i>David Lyons QIII</i>			Received by: Date/Time NOV 17 2025		Tracking Number:		
Relinquished by/Company: (Signature) <i>Jim & Cathy</i>			Received by: Date/Time NOV 17 2025		Delivered by:		
Relinquished by/Company: (Signature) <i>Jim & Cathy</i>			Received by: Date/Time NOV 17 2025		Page <u>2</u> of <u>4</u>		

165 11/15/25 La

Allen Dy PACE 11/18/25 600

Number	Sample ID	Mary E. Dardess School - MED	Collection		Grab	# of Containers	Analysis Required
			Date	Time			
69	MED-DW-69	Room 245 Faculty Room Sink Faucet	11/15/2025	9:37 AM	X	1	Lead
70	MED-F-70	Nurse's Office Sink basin Sink Faucet	11/15/2025	9:35 AM	X	1	Lead
71	MED-F-71	Nurses office Ice Maker Ice Maker	11/15/2025	9:36 AM	X	1	Lead
72	MED-DW-72	Corridor Across from Room 302 Water Fountain	11/15/2025	9:39 AM	X	1	Lead
73	MED-F-73	Room 303 Sink Faucet	11/15/2025	9:40 AM	X	1	Lead
74	MED-DW-74	Room 303 Water Fountain	11/15/2025	9:41 AM	X	1	Lead
75	MED-F-75	Room 304 Sink Faucet	11/15/2025	9:42 AM	X	1	Lead
76	MED-DW-76	Room 304 Water Fountain	11/15/2025	9:43 AM	X	1	Lead
77	MED-F-77	Outside Room 305A Sink Faucet	11/15/2025	9:44 AM	X	1	Lead
78	MED-DW-78	Outside Room 305A Water Fountain	11/15/2025	9:45 AM	X	1	Lead
79	MED-F-79	Room 306 Sink Faucet	11/15/2025	9:46 AM	X	1	Lead
80	MED-DW-80	Room 306 Water Fountain	11/15/2025	9:47 AM	X	1	Lead
81	MED-F-81-R	Room 307 Right Sink Faucet	11/15/2025	9:48 AM	X	1	Lead
82	MED-F-82-L	Room 307 Left Sink Faucet	11/15/2025	9:49 AM	X	1	Lead
83	MED-DW-83	Room 307 Water Fountain	11/15/2025	9:50 AM	X	1	Lead
84	MED-F-84	Room 308 Sink Faucet	11/15/2025	9:51 AM	X	1	Lead
85	MED-DW-85	Room 308 Water Fountain	11/15/2025	9:52 AM	X	1	Lead
86	MED-F-86	Room 309 Sink Faucet	11/15/2025	9:53 AM	X	1	Lead
87	MED-DW-87	Room 309 Water Fountain	11/15/2025	9:54 AM	X	1	Lead
88	MED-F-88	Room 310 Sink Faucet	11/15/2025	9:55 AM	X	1	Lead
89	MED-DW-89	Room 310 Water Fountain	11/15/2025	9:56 AM	X	1	Lead
90	MED-F-90	Room 311 Sink Faucet	11/15/2025	9:57 AM	X	1	Lead
91	MED-DW-91	Room 311 Water Fountain	11/15/2025	9:58 AM	X	1	Lead
92	MED-F-92	Room 312 Sink Faucet	11/15/2025	9:59 AM	X	1	Lead
93	MED-DW-93	Room 312 Water Fountain	11/15/2025	10:00 AM	X	1	Lead
94	MED-F-94	Room 313 Sink Faucet	11/15/2025	10:01 AM	X	1	Lead
95	MED-DW-95	Room 313 Water Fountain	11/15/2025	10:02 AM	X	1	Lead
96	MED-F-96	Room 316 Sink Faucet	11/15/2025	10:03 AM	X	1	Lead
97	MED-DW-97	Room 316 Water Fountain	11/15/2025	10:04 AM	X	1	Lead
98	MED-DW-98-L	by 314/5 bathrm Water Fountain L across from 305	11/15/2025	10:05 AM	X	1	Lead
99	MED-DW-99-R	by 314/5 bathrm Water Fountain R across from 305	11/15/2025	10:06 AM	X	1	Lead
100	MED-F-100	Room 101 Sink Faucet	11/15/2025	9:01 AM	X	1	Lead
101	MED-F-101	Room 101 Sink Faucet	11/15/2025	9:00 AM	X	1	Lead
102	MED-F-102	Room 102 Sink Faucet	11/15/2025	8:59 AM	X	1	Lead
103	MED-F-103	Room 103 Sink Faucet	11/15/2025	8:58 AM	X	1	Lead
104	MED-F-104	Room 104 Sink Faucet	11/15/2025	8:54 AM	X	1	Lead

Relinquished by/Company: (Signature) <i>Lisa Lyons</i> <i>QIII</i>	Received by: <i>Nov 17 2025</i> Date/Time	Tracking Number:
Relinquished by/Company: (Signature) <i>Jan & Aly</i>	Received by: <i>Nov 17 2025</i> Date/Time	Delivered by:
Relinquished by/Company: (Signature) <i>Jan & Aly</i>	Received by: <i>Nov 17 2025</i> Date/Time	Page <u>3</u> of <u>4</u>

KS 11/15/25 6

allison Day PAGE 4 11/18/25 6000

DC#_Title ENV-FRM-MELV-0024 v07_SCUR
Effective Date 4/12/2024

WO#: 70392558

PM: ALC Due Date: 12/04/25
CLIENT: CCSD_QIII

Client Name:

CCSD-QIII

Project #

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☐ Pace ☐ Other

Tracking #:

Custody Seal on Cooler/Box Present: ☒ Yes ☐ No Seals intact: ☐ Yes ☐ No Temperature Blank Present: ☐ Yes ☐ No
Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ Ziploc ☐ None ☐ Other Type of Ice: Wet Blue ☒ None

Thermometer Used: THQ11 Correction Factor: +1 ☐ Samples on ice cooling process has begun

Cooler Temperature(°C): 19.0 Cooler Temperature Corrected(°C): 19.1 Date/Time 5035A kits placed in freezer

Temp should be above freezing to 6 °C

USDA Regulated Soil ☒ N/A water sample)

Did samples originate in a quarantine zone within the United States. AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or
VA (check map)? ☐ Yes ☐ No

Did samples originate from a foreign source including Hawaii and Puerto Rico? ☐ Yes ☐ No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents:

AD 11/20/25

				COMMENTS:
Chain of Custody Present	☒ Yes	☐ No	1	
Chain of Custody Filled Out	☒ Yes	☐ No	2	
Chain of Custody Relinquished	☒ Yes	☐ No	3	
Sampler Name & Signature on COC	☒ Yes	☐ No	4	☐ N/A
Samples Arrived within Hold Time	☒ Yes	☐ No	5	
Short Hold Time Analysis (<72hr)	☒ Yes	☐ No	6	
Rush Turn Around Time Requested	☒ Yes	☐ No	7	
Sufficient Volume (Triple volume provided for MS/MSD)	☒ Yes	☐ No	8	
Correct Containers Used	☒ Yes	☐ No	9	
Pace Containers Used	☒ Yes	☐ No	10	
Containers Intact	☒ Yes	☐ No	11	
Filtered volume received for Dissolved tests	☒ Yes	☐ No	12	☒ N/A Note: if sediment is visible in the dissolved container
Sample Labels match COC	☒ Yes	☐ No	13	
Includes date/time/ID/Analysis Matrix	☒ Yes	☐ No	14	☒ N/A

Date and Initials of person checking preservation:

AD 11/20/25

All containers needing preservation have been	☒ Yes	☐ No	☐ N/A	13	☐ HNO ₃ ☐ H ₂ SO ₄ ☐ NaOH ☐ HCl
pH paper Lot #	810525				Sample #
All containers needing preservation are found to be in compliance with method recommendation?	☒ Yes ☐ No ☐ N/A				
(HNO ₃ , H ₂ SO ₄ , HCl, NaOH>9 Sulfide	☒ Yes ☐ No ☐ N/A				
NaOH>12 Cyanide)					
Exceptions VOA Coliform TOC/DOC Oil and Grease DRO/8015 (water)					Initial when completed
Per Method VOA pH is checked after analysis					Lot # of added preservative
Samples checked for dechlorination	☒ Yes	☐ No	☒ N/A	14	Date/Time preservative added
KI starch test strips Lot #					
Residual chlorine strips Lot #					Positive for Res. Chlorine? Y N
SM 4500 CN samples checked for sulf	☒ Yes	☐ No	☒ N/A	*5	Positive for Sulfide? Y N
Lead Acetate Strips Lot #					
Headspace in ALK Bottle (>6mm)	☒ Yes	☐ No	☒ N/A	16	
Headspace in VOA Vials (>6mm)	☒ Yes	☐ No	☒ N/A	17	
Trip Blank Present	☒ Yes	☐ No	☒ N/A		
Trip Blank Custody Seals Present	☒ Yes	☐ No	☒ N/A		

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted:

Date/Time:

Comments/ Resolution:

* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

CERTIFICATE OF ANALYSIS

Brianna Rivera

**Pace Analytical Services, LLC Melville,
NY
575 Broadhollow Rd
Melville, NY 11747**

Project Name and Number: **Mary E. Dardess**

Workorder: **25K1934**

Purchase Order: **70392558**

December 05, 2025

This report relates only to the sample(s) as received by the laboratory on November 24, 2025. Laboratory reports may not be reproduced, except in full, without the written approval of the laboratory.

The issuance of the final Certificate of Analysis takes precedence over any previous Preliminary Report. Caution is advised for the utilization of preliminary data included in reports labeled as "Preliminary Report" and should not be used for regulatory purposes. A laboratory signature is provided on final reports only.

If you have any questions in reference to this laboratory report, please contact your Pace Analytical Services, LLC-Fairfield project coordinator.

Note: This cover page is included as part of the Analytical Report and must be retained as a permanent record thereof.



Timothy Swavely For Mary Ellen Nealy, Project
Coordinator

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1934-01 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:53
Sample ID: MED-F-105 (70392558100) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00394		mg/L	0.000492	0.00200	EPA 200.8	11/26/2025 11:20	11/26/2025 11:20	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1934-02 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:52
Sample ID: MED-F-106 (70392558101) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.0111		mg/L	0.000492	0.00200	EPA 200.8	11/26/2025 11:23	11/26/2025 11:23	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1934-03 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:51
Sample ID: MED-F-107 (70392558102) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00244		mg/L	0.000492	0.00200	EPA 200.8	11/26/2025 11:30	11/26/2025 11:30	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1934-04 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:50
Sample ID: MED-F-108 (70392558103) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/26/2025 11:32	11/26/2025 11:32	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1934-05 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:08
Sample ID: MED-F-109 (70392558104) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.0439		mg/L	0.000492	0.00200	EPA 200.8	11/26/2025 11:34	11/26/2025 11:34	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1934-06 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:02
Sample ID: MED-DW-110 (70392558105) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.0107		mg/L	0.000492	0.00200	EPA 200.8	11/26/2025 11:37	11/26/2025 11:37	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1934-07 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:18
Sample ID: MED-F-111 (70392558106) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.0363		mg/L	0.000492	0.00200	EPA 200.8	11/26/2025 11:39	11/26/2025 11:39	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1934-08 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:19
Sample ID: MED-F-112 (70392558107) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00424		mg/L	0.000492	0.00200	EPA 200.8	11/26/2025 11:41	11/26/2025 11:41	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1934-09 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:28
Sample ID: MED-F-113 (70392558108) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00953		mg/L	0.000492	0.00200	EPA 200.8	11/26/2025 11:44	11/26/2025 11:44	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1934-10 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 10:07
Sample ID: MED-DW-114 (70392558109) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/26/2025 11:46	11/26/2025 11:46	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Qualifiers

U Compound not detected

Abbreviations

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the Reporting Detection Limit (RDL)
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
<	Less than reporting limit
≤	Less than or equal to reporting limit
>	Greater than reporting limit
≥	Greater than or equal to reporting limit
MDL	Method Detection Limit
RDL	Reporting Detection Limit
MCL/AL	Maximum Contaminant Level/Action Level
mg/kg wet	Results reported as wet weight
TTLC	Total Threshold Limit Concentration
STLC	Soluble Threshold Limit Concentration
TCLP	Toxicity Characteristic Leachate Procedure

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Laboratory Certification List for this report.

Laboratory	Certification			CT
	NJ	NY	PA	
Pace Analytical Services, LLC Ewing 812 Silvia Street Ewing, NJ 08628	11005	12046	68-05417	
Pace Analytical Services, LLC-Fairfield 1275 Bloomfield Ave, Ste 37D Fairfield, NJ 07004	07010	11634	68-02903	

Chain of Custody

PASI New York Laboratory



25K1934

Pace Analytical Services, LLC Melville, NY
Mary E. Dardess



Workorder: 70392558


Workorder Name: MARY E. DARDESS

Results Requested By: 12/4/2025

Report / Invoice To		Subcontract To		Requested Analysis															
Alexandria Correa Pace Analytical Melville 575 Broad Hollow Road Melville, NY 11747 Phone 516-370-6000 Email: alexandria.correa@pacelabs.com		Pace Fairfield 1275 Bloomfield Ave Suite 37D Fairfield NJ 07004		P.O. 70392558ALC															
Send Invoice To: invoices@pacelabs.coupahost.com																			
State of Sample Origin: NY																			
Item	Sample ID	Collect Date/Time	Lab ID	Matrix	HNO3	Preserved Containers										200.8 LEAD ONLY	LAB USE ONLY		
100	MED-F-105	11/15/2025 08:53	70392558100	Drinking													X		
101	MED-F-106	11/15/2025 08:52	70392558101	Drinking													X		
102	MED-F-107	11/15/2025 08:51	70392558102	Drinking													X		
103	MED-F-108	11/15/2025 08:50	70392558103	Drinking													X		
104	MED-F-109	11/15/2025 08:08	70392558104	Drinking													X		
105	MED-DW-110	11/15/2025 09:02	70392558105	Drinking													X		
106	MED-F-111	11/15/2025 09:18	70392558106	Drinking													X		
107	MED-F-112	11/15/2025 09:19	70392558107	Drinking													X		
108	MED-F-113	11/15/2025 09:28	70392558108	Drinking													X		
109	MED-DW-114	11/15/2025 10:07	70392558109	Drinking													X		
110																			
111																			
112																			
113																			

					Comments
Transfers	Released By	Date/Time	Received By	Date/Time	
1	<i>[Signature]</i>	11/21/25 1800	<i>[Signature]</i>	11/24/25 0630	NY BOCES SCHOOL EDD
2	<i>[Signature]</i>	11/24/25 0500	<i>[Signature]</i>	11/24/25 0609	
3					
Cooler Temperature on Receipt °C		Custody Seal Y or N		Received on Ice Y or N	Samples Intact Y or N

WO# : 70392558



70392558

PACE LABS

Pace Labs address: 14 Walker Way, Albany, NY 12205

District Name: Chatham CSD

School Name: Mary E. Dardess

Street address: 50 Woodbridge Ave, Chatham, NY 12037

Customer Project #

Project Name: Lead in Water testing

Site collection: Lisa Lyons 518 337 7722

Contact/Report to: Ethan Stalter and Lisa Lyons

Phone: 518-788-6264

Email: staltere@chatham.k12.ny.us lisa.lyons@questar.org

Invoice to: Holly Sherman

Email: shermanh@chatham.k12.ny.us

Purchase order #26-0085

Quote # \$14.25 per sample

County State of origin of sample: Columbia County, New York

Chain of Custody

Number	Sample ID	Mary E. Dardess School - MED	Collection		Grab	# of Containers	Analysis Required
			Date	Time			
1	MED-F-1	Kitchen Pot Filler	11/15/2025	7:55 AM	X	1	Lead
2	MED-F-2	Kitchen Brazing Pan	11/15/2025	7:56 AM	X	1	Lead
3	MED-F-3	Kitchen Kettle	11/15/2025	7:57 AM	X	1	Lead
4	MED-KS-4	Kitchen Prep Sink	11/15/2025	7:58 AM	X	1	Lead
5	MED-F-5	Kitchen Handwashing Sink	11/15/2025	7:59 AM	X	1	Lead
6	MED-F-6	Kitchen Veggie Washing Sink Left	11/15/2025	8:00 AM	X	1	Lead
7	n/a	n/a					
8	MED-DW-8	Cafetorium Water Fountain	11/15/2025	8:06 AM	X	1	Lead
9	MED-F-9	Room 211 Sink Faucet	11/15/2025	8:11 AM	X	1	Lead
10	MED-DW-10	Room 211 Water Fountain	11/15/2025	8:12 AM	X	1	Lead
11	MED-F-11	Room 212 Sink Faucet	11/15/2025	8:13 AM	X	1	Lead
12	MED-DW-12	Room 212 Water Fountain	11/15/2025	8:14 AM	X	1	Lead
13	MED-F-13-R	Room 213 Right Sink Faucet	11/15/2025	8:16 AM	X	1	Lead
14	Removed	Removed					
15	MED-DW-15	Room 213 Water Fountain	11/15/2025	8:17 AM	X	1	Lead
16	MED-F-16-R	Room 214 Right Sink Faucet	11/15/2025	8:19 AM	X	1	Lead
17	n/a	n/a					
18	MED-DW-18	Room 214 Water Fountain	11/15/2025	8:20 AM	X	1	Lead
19	MED-F-19-R	Room 215 Right Sink Faucet	11/15/2025	8:21 AM	X	1	Lead
20	MED-F-20-L	Room 215 Left Sink Faucet	11/15/2025	8:22 AM	X	1	Lead
21	MED-DW-21	Room 215 Water Fountain	11/15/2025	8:23 AM	X	1	Lead
22	MED-DW-22	Lobby Between Rest Rooms Water Fountain	11/15/2025	8:24 AM	X	1	Lead
23	MED-DW-23	Lobby Between Rest Rooms Bottle Filler	11/15/2025	8:25 AM	X	1	Lead
24	MED-F-24	Custodial Break Room Sink Faucet	11/15/2025	8:26 AM	X	1	Lead
25	MED-F-25-R	Room 218 Right Sink Faucet	11/15/2025	8:27 AM	X	1	Lead
26	MED-F-26-L	Room 218 Left Sink Faucet	11/15/2025	8:28 AM	X	1	Lead
27	MED-DW-27	Room 218 Water Fountain	11/15/2025	8:29 AM	X	1	Lead
28	MED-F-28	Room 219 Right Sink Faucet	11/15/2025	8:30 AM	X	1	Lead
29	MED-F-29	Room 219 Left Sink Faucet	11/15/2025	8:31 AM	X	1	Lead
30	MED-DW-30	Room 219 Water Fountain	11/15/2025	8:32 AM	X	1	Lead
31	MED-F-31-R	Room 220 Right Sink Faucet	11/15/2025	8:33 AM	X	1	Lead
32	MED-F-32-L	Room 220 Left Sink Faucet	11/15/2025	8:34 AM	X	1	Lead
Relinquished by/Company: (Signature)			Received by:	Date/Time	Tracking Number:		
<i>Lisa Lyons</i>				NOV 17 2025			
Relinquished by/Company: (Signature)			Received by:	Date/Time	Delivered by:		
<i>Janet E. Lyons</i>				NOV 17 2025			
Relinquished by/Company: (Signature)			Received by:	Date/Time	Page 1 of 4		
<i>Janet E. Lyons</i>				NOV 17 2025			

11/15/25/6

adden D-g PACE 4 11/18/25 600

Number	Sample ID	Mary E. Dardess School - MED	Collection		Grab	# of Con tainers	Analysis Required
			Date	Time			
33	MED-DW-33	Room 220 Water Fountain	11/15/2025	8:35 AM	X	1	Lead
34	n/a	n/a					
35	MED-F-35	Room 221 Left Sink Faucet	11/15/2025	8:36 AM	X	1	Lead
36	MED-DW-36	Room 221 Water Fountain	11/15/2025	8:37 AM	X	1	Lead
37	MED-F-37	Room 222 Right Sink Faucet	11/15/2025	8:38 AM	X	1	Lead
38	MED-F-38	Room 222 Left Sink Faucet	11/15/2025	8:39 AM	X	1	Lead
39	MED-DW-39	Room 222 Water Fountain	11/15/2025	8:40 AM	X	1	Lead
40	MED-F-40-R	Room 223 Right Sink Faucet	11/15/2025	8:41 AM	X	1	Lead
41	MED-F-41-L	Room 223 Left Sink Faucet	11/15/2025	8:42 AM	X	1	Lead
42	MED-DW-42	Room 223 Water Fountain	11/15/2025	8:43 AM	X	1	Lead
43	MED-F-43-R	Room 224 Right Sink Faucet	11/15/2025	8:44 AM	X	1	Lead
44	MED-F-44-L	Room 224 Left Sink Faucet	11/15/2025	8:45 AM	X	1	Lead
45	MED-DW-45	Room 224 Water Fountain	11/15/2025	8:46 AM	X	1	Lead
46	MED-F-46-R	Room 225 Right Sink Faucet	11/15/2025	8:47 AM	X	1	Lead
47	MED-F-47-L	Room 225 Left Sink Faucet	11/15/2025	8:48 AM	X	1	Lead
48	MED-DW-48	Room 225 Water Fountain	11/15/2025	8:49 AM	X	1	Lead
49	MED-F-49-R	Room 226 Right Sink Faucet	11/15/2025	9:08 AM	X	1	Lead
50	MED-F-50-L	Room 226 Left Sink Faucet	11/15/2025	9:09 AM	X	1	Lead
51	MED-DW-51	Room 226 Water Fountain	11/15/2025	9:10 AM	X	1	Lead
52	MED-F-52	Room 227 Right Sink Faucet	11/15/2025	9:11 AM	X	1	Lead
53	MED-F-53	Room 227 Left Sink Faucet	11/15/2025	9:12 AM	X	1	Lead
54	MED-DW-54	Room 227 Water Fountain	11/15/2025	9:13 AM	X	1	Lead
55	MED-F-55-R	Room 228 Right Sink Faucet	11/15/2025	9:14 AM	X	1	Lead
56	MED-F-56-L	Room 228 Left Sink Faucet	11/15/2025	9:15 AM	X	1	Lead
57	MED-DW-57	Room 228 Water Fountain	11/15/2025	9:16 AM	X	1	Lead
58	n/a	n/a					
59	MED-DW-59	Corridor Outside room 229 Bottle Filler Spout	11/15/2025	9:17 AM	X	1	Lead
60	MED-F-60-R	Room 230 Right Sink Faucet	11/15/2025	9:18 AM	X	1	Lead
61	MED-F-61-L	Room 230 Left Sink Faucet	11/15/2025	9:19 AM	X	1	Lead
62	MED-DW-62	Room 230 Water Fountain	11/15/2025	9:20 AM	X	1	Lead
63	MED-F-63-R	Room 231 Right Sink Faucet	11/15/2025	9:21 AM	X	1	Lead
64	MED-F-64-L	Room 231 Left Sink Faucet	11/15/2025	9:22 AM	X	1	Lead
65	MED-DW-65	Room 231 Water Fountain	11/15/2025	9:23 AM	X	1	Lead
66	MED-F-66-R	Room 232 Right Sink Faucet	11/15/2025	9:24 AM	X	1	Lead
67	MED-F-67-L	Room 232 Left Sink Faucet	11/15/2025	9:25 AM	X	1	Lead
68	MED-DW-68	Room 232 Water Fountain	11/15/2025	9:26 AM	X	1	Lead
Relinquished by/Company: (Signature)			Received by: Date/Time		Tracking Number:		
<i>Alvin D. PARE</i>			NOV 17 2025				
Relinquished by/Company: (Signature)			Received by: Date/Time		Delivered by:		
<i>John & Cathy</i>			NOV 17 2025				
Relinquished by/Company: (Signature)			Received by: Date/Time		Page 2 of 4		
<i>John & Cathy</i>			NOV 17 2025				

165 11/15/25 La

Alvin D. PARE 11/18/25 600

Number	Sample ID	Mary E. Dardess School - MED	Collection		Grab	# of Containers	Analysis Required
			Date	Time			
69	MED-DW-69	Room 245 Faculty Room Sink Faucet	11/15/2025	9:37 AM	X	1	Lead
70	MED-F-70	Nurse's Office Sink basin Sink Faucet	11/15/2025	9:35 AM	X	1	Lead
71	MED-F-71	Nurses office Ice Maker Ice Maker	11/15/2025	9:36 AM	X	1	Lead
72	MED-DW-72	Corridor Across from Room 302 Water Fountain	11/15/2025	9:39 AM	X	1	Lead
73	MED-F-73	Room 303 Sink Faucet	11/15/2025	9:40 AM	X	1	Lead
74	MED-DW-74	Room 303 Water Fountain	11/15/2025	9:41 AM	X	1	Lead
75	MED-F-75	Room 304 Sink Faucet	11/15/2025	9:42 AM	X	1	Lead
76	MED-DW-76	Room 304 Water Fountain	11/15/2025	9:43 AM	X	1	Lead
77	MED-F-77	Outside Room 305A Sink Faucet	11/15/2025	9:44 AM	X	1	Lead
78	MED-DW-78	Outside Room 305A Water Fountain	11/15/2025	9:45 AM	X	1	Lead
79	MED-F-79	Room 306 Sink Faucet	11/15/2025	9:46 AM	X	1	Lead
80	MED-DW-80	Room 306 Water Fountain	11/15/2025	9:47 AM	X	1	Lead
81	MED-F-81-R	Room 307 Right Sink Faucet	11/15/2025	9:48 AM	X	1	Lead
82	MED-F-82-L	Room 307 Left Sink Faucet	11/15/2025	9:49 AM	X	1	Lead
83	MED-DW-83	Room 307 Water Fountain	11/15/2025	9:50 AM	X	1	Lead
84	MED-F-84	Room 308 Sink Faucet	11/15/2025	9:51 AM	X	1	Lead
85	MED-DW-85	Room 308 Water Fountain	11/15/2025	9:52 AM	X	1	Lead
86	MED-F-86	Room 309 Sink Faucet	11/15/2025	9:53 AM	X	1	Lead
87	MED-DW-87	Room 309 Water Fountain	11/15/2025	9:54 AM	X	1	Lead
88	MED-F-88	Room 310 Sink Faucet	11/15/2025	9:55 AM	X	1	Lead
89	MED-DW-89	Room 310 Water Fountain	11/15/2025	9:56 AM	X	1	Lead
90	MED-F-90	Room 311 Sink Faucet	11/15/2025	9:57 AM	X	1	Lead
91	MED-DW-91	Room 311 Water Fountain	11/15/2025	9:58 AM	X	1	Lead
92	MED-F-92	Room 312 Sink Faucet	11/15/2025	9:59 AM	X	1	Lead
93	MED-DW-93	Room 312 Water Fountain	11/15/2025	10:00 AM	X	1	Lead
94	MED-F-94	Room 313 Sink Faucet	11/15/2025	10:01 AM	X	1	Lead
95	MED-DW-95	Room 313 Water Fountain	11/15/2025	10:02 AM	X	1	Lead
96	MED-F-96	Room 316 Sink Faucet	11/15/2025	10:03 AM	X	1	Lead
97	MED-DW-97	Room 316 Water Fountain	11/15/2025	10:04 AM	X	1	Lead
98	MED-DW-98-L	by 314/5 bathrm Water Fountain L across from 305	11/15/2025	10:05 AM	X	1	Lead
99	MED-DW-99-R	by 314/5 bathrm Water Fountain R across from 305	11/15/2025	10:06 AM	X	1	Lead
100	MED-F-100	Room 101 Sink Faucet	11/15/2025	9:01 AM	X	1	Lead
101	MED-F-101	Room 101 Sink Faucet	11/15/2025	9:00 AM	X	1	Lead
102	MED-F-102	Room 102 Sink Faucet	11/15/2025	8:59 AM	X	1	Lead
103	MED-F-103	Room 103 Sink Faucet	11/15/2025	8:58 AM	X	1	Lead
104	MED-F-104	Room 104 Sink Faucet	11/15/2025	8:54 AM	X	1	Lead
Relinquished by/Company: (Signature)			Received by: Date/Time		Tracking Number:		
Lisa Lyons QIII			NOV 17 2025				
Relinquished by/Company: (Signature)			Received by: Date/Time		Delivered by:		
James & Kelly			NOV 17 2025				
Relinquished by/Company: (Signature)			Received by: Date/Time		Page 3 of 4		
James & Kelly			NOV 17 2025				

KS 11/15/25 6

allison Day PAGE 4 11/18/25 600

Alison Dy Page 11 11/18/25
6000

DC# Title ENV-FRM-MELV-0024 v07_SCUR
Effective Date 4/11/2024

WO#: 70392558

Client Name:

CCSD-QIII

Project #

PM: ALC

Due Date: 12/04/25

CLIENT: CCSD-QIII

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☐ Pace ☐ Other

Tracking #:

Custody Seal on Cooler/Box Present: ☒ Yes ☐ No Seals Intact: ☒ Yes ☐ No Temperature Blank Present: ☐ Yes ☒ No

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ Ziploc ☒ None ☐ Other Type of Ice: Wet Blue ☒ None

Thermometer Used: TH011 Correction Factor: +1 ☐ Samples on ice cooling process has begun

Cooler Temperature (°C): 19.0 Cooler Temperature Corrected (°C): 19.1 Date/Time 5035A kits placed in freezer

Temp should be above freezing to 5 °C

USDA Regulated Soil ☒ N/A water sample

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? ☐ Yes ☒ No

Did samples originate from a foreign source including Hawaii and Puerto Rico? ☐ Yes ☒ No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents:

AD 11/20/25

			COMMENTS:
Chain of Custody Present	☒ Yes	☐ No	1
Chain of Custody Filled Out	☒ Yes	☐ No	2
Chain of Custody Relinquished	☒ Yes	☐ No	3
Sampler Name & Signature on COC	☒ Yes	☐ No	4
Samples Arrived within Hold Time	☒ Yes	☐ No	5
Short Hold Time Analysis (<72hr)	☒ Yes	☐ No	6
Rush Turn Around Time Requested	☒ Yes	☐ No	7
Sufficient Volume (Triple volume provided for MS/MSD)	☒ Yes	☐ No	8
Correct Containers Used	☒ Yes	☐ No	9
Pace Containers Used	☒ Yes	☐ No	10
Containers Intact	☒ Yes	☐ No	11
Filtered volume received for Dissolved tests	☒ Yes	☐ No	12
Sample Labels match COC	☒ Yes	☐ No	
Includes date/time of Analysis	Matrix	SL WT OIL OTHER	

Date and Initials of person checking preservation:

AD 11/20/25

All containers needing preservation have been	☒ Yes	☐ No	☐ N/A	13	☐ HNO ₃ ☐ H ₂ SO ₄ ☐ NaOH ☐ HCl
pH paper Lot # <u>Q10525</u>					Sample #
All containers needing preservation are found to be in compliance with method recommendation?	☒ Yes	☐ No	☐ N/A		
(HNO ₃ , H ₂ SO ₄ , HCl, NaOH > 9 Sulfide > 12 Cyanide)					
Exceptions VOA Coliform TOC/DOC Oil and Grease DRO/8015 (water)					
Per Method VOA pH is checked after analysis					
Samples checked for dechlorination	☒ Yes	☐ No	☒ N/A	14	Positive for Res Chlorine? Y N
KI starch test strips Lot #					
Residual chlorine strips Lot #					
SM 4500 CN samples checked for sulf	☒ Yes	☐ No	☒ N/A	15	Positive for Sulfide? Y N
Lead Acetate Strips Lot #					
Headspace in ALK Bottle (>6mm)	☒ Yes	☐ No	☒ N/A	16	
Headspace in VOA Vials (>6mm)	☒ Yes	☐ No	☒ N/A	17	
Trip Blank Present	☒ Yes	☐ No	☒ N/A		
Trip Blank Custody Seals Present	☒ Yes	☐ No	☒ N/A		

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted:

Date/Time:

Comments/ Resolution:

* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS

25K1934



Sample Condition Upon Receipt Form (SCUR)

Affix Sample Label Here

Date and Initials of person:

Examining contents: KE

Label: _____

Deliver to location: _____

pH: _____

Thermometer Used: 71TR05 Date: 11/24/25 Time: 8:00 Initials: KE

State of Origin: _____

Cooler #1 Temp. °C 18.4 (Visual) -1.5 (Correction Factor) 16.9 (Actual)

NO KE

☒ Samples on ice, cooling process has begun

☐ Other _____

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☒ Pace

Shipping Method: ☐ First Overnight ☐ Priority Overnight ☐ Standard Overnight ☐ Ground

☐ Other _____

Tracking # _____

Custody Seal on Cooler/Box Present: ☐ Yes ☒ No

Seals intact: ☐ Yes ☐ No

Ice: Wet Blue Melted None

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☒ None ☐ Other _____

Samples were collected by Pace employee ☐ Yes ☒ No ☐ N/A

Comments:

Chain of Custody Present	☒ Yes ☐ No ☐ N/A	
Chain of Custody Filled Out	☒ Yes ☐ No ☐ N/A	
Relinquished Signature on COC	☒ Yes ☐ No ☐ N/A	
Sampler Name and Signature on COC	☐ Yes ☒ No ☐ N/A	
Samples Arrived within Hold Time	☒ Yes ☐ No ☐ N/A	
Rush TAT requested on COC	☒ Yes ☐ No ☐ N/A	<u>12/4/25</u>
Sufficient Volume	☒ Yes ☐ No ☐ N/A	
Correct Containers Used	☒ Yes ☐ No ☐ N/A	
Containers Intact	☒ Yes ☐ No ☐ N/A	
Sample Labels match COC (sample IDs & date/time of collection)	☒ Yes ☐ No ☐ N/A	
All containers needing acid/base preservation have been checked.	☒ Yes ☐ No ☐ N/A	Preservation Information:
All Containers needing preservation are found to be in compliance with EPA recommendation:	☒ Yes ☐ No ☐ N/A	Preservative: _____
Exceptions: Vials, Microbiology, O&G, Metals		Lot #/Trace #: _____
		Date: _____ Time: _____
		Initials: _____
Headspace in VOA Vials? (>6mm):	☐ Yes ☐ No ☒ N/A	
Trip Blank Present:	☐ Yes ☐ No ☒ N/A	

Additional Login Comments:

Client notification/ Resolution

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

CERTIFICATE OF ANALYSIS

Brianna Rivera

**Pace Analytical Services, LLC Melville,
NY
575 Broadhollow Rd
Melville, NY 11747**

Project Name and Number: **Mary E. Dardess**
Workorder: **25K1896**
Purchase Order: **70392558**

November 26, 2025

This report relates only to the sample(s) as received by the laboratory on November 24, 2025. Laboratory reports may not be reproduced, except in full, without the written approval of the laboratory.

The issuance of the final Certificate of Analysis takes precedence over any previous Preliminary Report. Caution is advised for the utilization of preliminary data included in reports labeled as "Preliminary Report" and should not be used for regulatory purposes. A laboratory signature is provided on final reports only.

If you have any questions in reference to this laboratory report, please contact your Pace Analytical Services, LLC-Fairfield project coordinator.

Note: This cover page is included as part of the Analytical Report and must be retained as a permanent record thereof.



Timothy Swavely For Mary Ellen Nealy, Project
Coordinator

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-01 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 07:55
Sample ID: MED-F-1 (70392558001) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00816		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 15:12	11/25/2025 15:12	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-02 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 07:56
Sample ID: MED-F-2 (70392558002) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00856		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 15:15	11/25/2025 15:15	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-03 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 07:57
Sample ID: MED-F-3 (70392558003) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 15:17	11/25/2025 15:17	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-04 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 07:58
Sample ID: MED-KS-4 (70392558004) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 15:19	11/25/2025 15:19	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-05 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 07:59
Sample ID: MED-F-5 (70392558005) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.0115		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 15:22	11/25/2025 15:22	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-06 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:00
Sample ID: MED-F-6 (70392558006) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 15:24	11/25/2025 15:24	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-07 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:06
Sample ID: MED-DW-8 (70392558007) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 15:27	11/25/2025 15:27	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-08 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:11
Sample ID: MED-F-9 (70392558008) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00341		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 15:29	11/25/2025 15:29	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-09 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:12
Sample ID: MED-DW-10 (70392558009) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00603		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 14:58	11/25/2025 14:58	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-10 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:13
Sample ID: MED-F-11 (70392558010) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00355		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 15:31	11/25/2025 15:31	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-11 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:14
Sample ID: MED-DW-12 (70392558011) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00677		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 15:34	11/25/2025 15:34	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-12 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:16
Sample ID: MED-F-13-R (70392558012) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00373		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 15:41	11/25/2025 15:41	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-13 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:17
Sample ID: MED-DW-15 (70392558013) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00319		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 15:44	11/25/2025 15:44	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-14 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:19
Sample ID: MED-F-16-R (70392558014) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 15:46	11/25/2025 15:46	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-15 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:20
Sample ID: MED-DW-18 (70392558015) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.0101		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 15:48	11/25/2025 15:48	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-16 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:21
Sample ID: MED-F-19-R (70392558016) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 15:51	11/25/2025 15:51	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-17 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:22
Sample ID: MED-F-20-L (70392558017) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 15:53	11/25/2025 15:53	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-18 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:23
Sample ID: MED-DW-21 (70392558018) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00383		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 15:56	11/25/2025 15:56	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-19 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:24
Sample ID: MED-DW-22 (70392558019) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 15:58	11/25/2025 15:58	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-20 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:25
Sample ID: MED-DW-23 (70392558020) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 16:00	11/25/2025 16:00	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-21 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:26
Sample ID: MED-F-24 (70392558021) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00540		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 16:22	11/25/2025 16:22	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-22 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:27
Sample ID: MED-F-25-R (70392558022) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00221		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 16:25	11/25/2025 16:25	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-23 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:28
Sample ID: MED-F-26-L (70392558023) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 16:27	11/25/2025 16:27	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-24 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:29
Sample ID: MED-DW-27 (70392558024) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00259		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 16:13	11/25/2025 16:13	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-25 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:30
Sample ID: MED-F-28 (70392558025) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.0205		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 16:29	11/25/2025 16:29	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-26 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:31
Sample ID: MED-F-29 (70392558026) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.0125		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 16:32	11/25/2025 16:32	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-27 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:32
Sample ID: MED-DW-30 (70392558027) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00202		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 16:39	11/25/2025 16:39	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-28 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:33
Sample ID: MED-F-31-R (70392558028) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 16:41	11/25/2025 16:41	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-29 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:34
Sample ID: MED-F-32-L (70392558029) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 16:44	11/25/2025 16:44	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-30 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:35
Sample ID: MED-DW-33 (70392558030) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 16:46	11/25/2025 16:46	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-31 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:36
Sample ID: MED-F-35 (70392558031) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00301		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 16:48	11/25/2025 16:48	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-32 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:37
Sample ID: MED-DW-36 (70392558032) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 16:51	11/25/2025 16:51	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-33 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:38
Sample ID: MED-F-37 (70392558033) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 16:53	11/25/2025 16:53	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-34 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:39
Sample ID: MED-F-38 (70392558034) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 16:56	11/25/2025 16:56	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-35 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:40
Sample ID: MED-DW-39 (70392558035) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 16:58	11/25/2025 16:58	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-36 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:41
Sample ID: MED-F-40-R (70392558036) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 17:00	11/25/2025 17:00	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-37 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:42
Sample ID: MED-F-41-L (70392558037) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 17:08	11/25/2025 17:08	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-38 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:43
Sample ID: MED-DW-42 (70392558038) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 17:10	11/25/2025 17:10	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-39 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:44
Sample ID: MED-F-43-R (70392558039) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 17:12	11/25/2025 17:12	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-40 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:45
Sample ID: MED-F-44-L (70392558040) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 17:15	11/25/2025 17:15	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-41 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:46
Sample ID: MED-DW-45 (70392558041) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 17:36	11/25/2025 17:36	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-42 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:47
Sample ID: MED-F-46-R (70392558042) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 17:39	11/25/2025 17:39	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-43 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:48
Sample ID: MED-F-47-L (70392558043) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 17:41	11/25/2025 17:41	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-44 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:49
Sample ID: MED-DW-48 (70392558044) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 17:43	11/25/2025 17:43	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-45 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:08
Sample ID: MED-F-49-R (70392558045) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00210		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 17:46	11/25/2025 17:46	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-46 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:09
Sample ID: MED-F-50-L (70392558046) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 17:48	11/25/2025 17:48	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-47 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:10
Sample ID: MED-DW-51 (70392558047) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 17:50	11/25/2025 17:50	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-48 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:11
Sample ID: MED-F-52 (70392558048) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 17:53	11/25/2025 17:53	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-49 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:12
Sample ID: MED-F-53 (70392558049) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 17:55	11/25/2025 17:55	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-50 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:13
Sample ID: MED-DW-54 (70392558050) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 17:58	11/25/2025 17:58	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-51 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:14
Sample ID: MED-F-55-R (70392558051) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 17:22	11/25/2025 17:22	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-52 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:15
Sample ID: MED-F-56-L (70392558052) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 18:05	11/25/2025 18:05	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-53 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:16
Sample ID: MED-DW-57 (70392558053) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 18:07	11/25/2025 18:07	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-54 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:17
Sample ID: MED-DW-59 (70392558054) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 18:10	11/25/2025 18:10	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-55 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:18
Sample ID: MED-F-60-R (70392558055) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 18:12	11/25/2025 18:12	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-56 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:19
Sample ID: MED-F-61-L (70392558056) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 18:14	11/25/2025 18:14	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-57 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:20
Sample ID: MED-DW-62 (70392558057) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 18:17	11/25/2025 18:17	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-58 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:21
Sample ID: MED-F-63-R (70392558058) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 18:19	11/25/2025 18:19	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-59 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:22
Sample ID: MED-F-64-L (70392558059) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 18:21	11/25/2025 18:21	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-60 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:23
Sample ID: MED-DW-65 (70392558060) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 18:24	11/25/2025 18:24	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-61 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:24
Sample ID: MED-F-66-R (70392558061) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 18:45	11/25/2025 18:45	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-62 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:25
Sample ID: MED-F-67-L (70392558062) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 18:47	11/25/2025 18:47	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-63 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:26
Sample ID: MED-DW-68 (70392558063) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 18:50	11/25/2025 18:50	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-64 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:37
Sample ID: MED-DW-69 (70392558064) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00499		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 18:52	11/25/2025 18:52	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-65 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:35
Sample ID: MED-F-70 (70392558065) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00327		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 18:55	11/25/2025 18:55	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-66 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:36
Sample ID: MED-F-71 (70392558066) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.0139		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 19:02	11/25/2025 19:02	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-67 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:39
Sample ID: MED-DW-72 (70392558067) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00282		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 19:04	11/25/2025 19:04	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-68 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:40
Sample ID: MED-F-73 (70392558068) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.0128		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 19:07	11/25/2025 19:07	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-69 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:41
Sample ID: MED-DW-74 (70392558069) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.0539		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 19:09	11/25/2025 19:09	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-70 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:42
Sample ID: MED-F-75 (70392558070) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.0153		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 19:11	11/25/2025 19:11	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-71 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:43
Sample ID: MED-DW-76 (70392558071) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.0102		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 19:14	11/25/2025 19:14	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-72 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:44
Sample ID: MED-F-77 (70392558072) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.0124		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 19:16	11/25/2025 19:16	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-73 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:45
Sample ID: MED-DW-78 (70392558073) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.0341		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 19:18	11/25/2025 19:18	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-74 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:46
Sample ID: MED-F-79 (70392558074) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.0239		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 19:21	11/25/2025 19:21	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-75 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:47
Sample ID: MED-DW-80 (70392558075) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.0217		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 19:23	11/25/2025 19:23	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-76 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:48
Sample ID: MED-F-81-R (70392558076) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00533		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 19:30	11/25/2025 19:30	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-77 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:49
Sample ID: MED-F-82-L (70392558077) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00803		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 18:36	11/25/2025 18:36	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-78 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:50
Sample ID: MED-DW-83 (70392558078) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.0202		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 19:33	11/25/2025 19:33	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-79 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:51
Sample ID: MED-F-84 (70392558079) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00684		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 19:35	11/25/2025 19:35	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-80 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:52
Sample ID: MED-DW-85 (70392558080) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00918		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 19:37	11/25/2025 19:37	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-81 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:53
Sample ID: MED-F-86 (70392558081) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00405		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 19:59	11/25/2025 19:59	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-82 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:54
Sample ID: MED-DW-87 (70392558082) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00202		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 20:01	11/25/2025 20:01	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-83 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:55
Sample ID: MED-F-88 (70392558083) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 20:03	11/25/2025 20:03	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-84 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:56
Sample ID: MED-DW-89 (70392558084) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 20:06	11/25/2025 20:06	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-85 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:57
Sample ID: MED-F-90 (70392558085) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 20:08	11/25/2025 20:08	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-86 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:58
Sample ID: MED-DW-91 (70392558086) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.181		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 20:11	11/25/2025 20:11	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-87 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:59
Sample ID: MED-F-92 (70392558087) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00932		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 20:13	11/25/2025 20:13	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-88 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 10:00
Sample ID: MED-DW-93 (70392558088) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00703		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 20:15	11/25/2025 20:15	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-89 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 10:01
Sample ID: MED-F-94 (70392558089) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00637		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 19:44	11/25/2025 19:44	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-90 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 10:02
Sample ID: MED-DW-95 (70392558090) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.0121		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 20:18	11/25/2025 20:18	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-91 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 10:03
Sample ID: MED-F-96 (70392558091) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.0117		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 20:20	11/25/2025 20:20	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-92 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 10:04
Sample ID: MED-DW-97 (70392558092) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.0447		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 20:27	11/25/2025 20:27	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-93 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 10:05
Sample ID: MED-DW-98-L (70392558093) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 20:29	11/25/2025 20:29	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-94 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 10:06
Sample ID: MED-DW-99-R (70392558094) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	ND	U	mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 20:32	11/25/2025 20:32	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-95 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:01
Sample ID: MED-F-100 (70392558095) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.0413		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 20:34	11/25/2025 20:34	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-96 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 09:00
Sample ID: MED-F-101 (70392558096) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.0233		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 20:37	11/25/2025 20:37	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-97 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:59
Sample ID: MED-F-102 (70392558097) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.0112		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 20:39	11/25/2025 20:39	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-98 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:58
Sample ID: MED-F-103 (70392558098) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00698		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 20:41	11/25/2025 20:41	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Lab ID: 25K1896-99 **Matrix:** Drinking Water **Date Collected:** 11/15/2025 08:54
Sample ID: MED-F-104 (70392558099) **Date Received:** 11/24/2025 08:02

Total Metals - PAS - Fairfield, NJ

Analyte	Results	Flag	Units	MDL	RDL	Method	Prepared	Analyzed	Dilution
Lead	0.00305		mg/L	0.000492	0.00200	EPA 200.8	11/25/2025 20:44	11/25/2025 20:44	1

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Qualifiers

U Compound not detected

Abbreviations

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the Reporting Detection Limit (RDL)
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
<	Less than reporting limit
≤	Less than or equal to reporting limit
>	Greater than reporting limit
≥	Greater than or equal to reporting limit
MDL	Method Detection Limit
RDL	Reporting Detection Limit
MCL/AL	Maximum Contaminant Level/Action Level
mg/kg wet	Results reported as wet weight
TTLC	Total Threshold Limit Concentration
STLC	Soluble Threshold Limit Concentration
TCLP	Toxicity Characteristic Leachate Procedure

Pace Analytical Services, LLC-Fairfield
1275 Bloomfield Ave, Ste 37D, Fairfield, NJ 07004
(P) (973) 227-0422 - www.pacelabs.com

Laboratory Certification List for this report.

Laboratory	Certification			CT
	NJ	NY	PA	
Pace Analytical Services, LLC Ewing 812 Silvia Street Ewing, NJ 08628	11005	12046	68-05417	
Pace Analytical Services, LLC-Fairfield 1275 Bloomfield Ave, Ste 37D Fairfield, NJ 07004	07010	11634	68-02903	

PASI New York Laboratory



25K1896

Pace Analytical Services, LLC Melville, NY
Mary E. Dardess



Workorder: 70392558

Workorder Name: MARY E. DARDESS

Results Requested By: 12/4/2025

[illegible]

PASI New York Laboratory



Workorder: 70392558

Workorder Name: MARY E. DARDESS

Results Requested By: 12/4/2025

[illegible]

Chain of Custody

PASI New York Laboratory



Workorder: 70392558

Workorder Name: MARY E. DARDESS

Results Requested By: 12/4/2025

Report / Invoice To		Subcontract To		Requested Analysis																LAB USE ONLY																																																																																																																																																																																																																																																																																																																																																																																			
Alexandria Correa Pace Analytical Melville 575 Broad Hollow Road Melville, NY 11747 Phone 516-370-6000 Email: alexandria.correa@pacelabs.com		Pace Fairfield 1275 Bloomfield Ave Suite 37D Fairfield NJ 07004		P.O. 70392558ALC																																																																																																																																																																																																																																																																																																																																																																																																			
Send Invoice To: invoices@pacelabs.coupahost.com State of Sample Origin: NY		<table border="1"> <thead> <tr> <th colspan="16">Preserved Containers</th> </tr> <tr> <th>Item</th> <th>Sample ID</th> <th>Collect Date/Time</th> <th>Lab ID</th> <th>Matrix</th> <th>HNO3</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr><td>40</td><td>MED-F-44-L</td><td>11/15/2025 08:45</td><td>70392558040</td><td>Drinking</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>41</td><td>MED-DW-45</td><td>11/15/2025 08:46</td><td>70392558041</td><td>Drinking</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>42</td><td>MED-F-46-R</td><td>11/15/2025 08:47</td><td>70392558042</td><td>Drinking</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>43</td><td>MED-F-47-L</td><td>11/15/2025 08:48</td><td>70392558043</td><td>Drinking</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>44</td><td>MED-DW-48</td><td>11/15/2025 08:49</td><td>70392558044</td><td>Drinking</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>45</td><td>MED-F-49-R</td><td>11/15/2025 09:08</td><td>70392558045</td><td>Drinking</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>46</td><td>MED-F-50-L</td><td>11/15/2025 09:09</td><td>70392558046</td><td>Drinking</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>47</td><td>MED-DW-51</td><td>11/15/2025 09:10</td><td>70392558047</td><td>Drinking</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>48</td><td>MED-F-52</td><td>11/15/2025 09:11</td><td>70392558048</td><td>Drinking</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>49</td><td>MED-F-53</td><td>11/15/2025 09:12</td><td>70392558049</td><td>Drinking</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>50</td><td>MED-DW-54</td><td>11/15/2025 09:13</td><td>70392558050</td><td>Drinking</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>51</td><td>MED-F-55-R</td><td>11/15/2025 09:14</td><td>70392558051</td><td>Drinking</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>52</td><td>MED-F-56-L</td><td>11/15/2025 09:15</td><td>70392558052</td><td>Drinking</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>53</td><td>MED-DW-57</td><td>11/15/2025 09:16</td><td>70392558053</td><td>Drinking</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>54</td><td>MED-DW-59</td><td>11/15/2025 09:17</td><td>70392558054</td><td>Drinking</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>55</td><td>MED-F-60-R</td><td>11/15/2025 09:18</td><td>70392558055</td><td>Drinking</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>56</td><td>MED-F-61-L</td><td>11/15/2025 09:19</td><td>70392558056</td><td>Drinking</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>57</td><td>MED-DW-62</td><td>11/15/2025 09:20</td><td>70392558057</td><td>Drinking</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>58</td><td>MED-F-63-R</td><td>11/15/2025 09:21</td><td>70392558058</td><td>Drinking</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>59</td><td>MED-F-64-L</td><td>11/15/2025 09:22</td><td>70392558059</td><td>Drinking</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>																Preserved Containers																Item	Sample ID	Collect Date/Time	Lab ID	Matrix	HNO3												40	MED-F-44-L	11/15/2025 08:45	70392558040	Drinking													41	MED-DW-45	11/15/2025 08:46	70392558041	Drinking													42	MED-F-46-R	11/15/2025 08:47	70392558042	Drinking													43	MED-F-47-L	11/15/2025 08:48	70392558043	Drinking													44	MED-DW-48	11/15/2025 08:49	70392558044	Drinking													45	MED-F-49-R	11/15/2025 09:08	70392558045	Drinking													46	MED-F-50-L	11/15/2025 09:09	70392558046	Drinking													47	MED-DW-51	11/15/2025 09:10	70392558047	Drinking													48	MED-F-52	11/15/2025 09:11	70392558048	Drinking													49	MED-F-53	11/15/2025 09:12	70392558049	Drinking													50	MED-DW-54	11/15/2025 09:13	70392558050	Drinking													51	MED-F-55-R	11/15/2025 09:14	70392558051	Drinking													52	MED-F-56-L	11/15/2025 09:15	70392558052	Drinking													53	MED-DW-57	11/15/2025 09:16	70392558053	Drinking													54	MED-DW-59	11/15/2025 09:17	70392558054	Drinking													55	MED-F-60-R	11/15/2025 09:18	70392558055	Drinking													56	MED-F-61-L	11/15/2025 09:19	70392558056	Drinking													57	MED-DW-62	11/15/2025 09:20	70392558057	Drinking													58	MED-F-63-R	11/15/2025 09:21	70392558058	Drinking													59	MED-F-64-L	11/15/2025 09:22	70392558059	Drinking													
Preserved Containers																																																																																																																																																																																																																																																																																																																																																																																																							
Item	Sample ID	Collect Date/Time	Lab ID	Matrix	HNO3																																																																																																																																																																																																																																																																																																																																																																																																		
40	MED-F-44-L	11/15/2025 08:45	70392558040	Drinking																																																																																																																																																																																																																																																																																																																																																																																																			
41	MED-DW-45	11/15/2025 08:46	70392558041	Drinking																																																																																																																																																																																																																																																																																																																																																																																																			
42	MED-F-46-R	11/15/2025 08:47	70392558042	Drinking																																																																																																																																																																																																																																																																																																																																																																																																			
43	MED-F-47-L	11/15/2025 08:48	70392558043	Drinking																																																																																																																																																																																																																																																																																																																																																																																																			
44	MED-DW-48	11/15/2025 08:49	70392558044	Drinking																																																																																																																																																																																																																																																																																																																																																																																																			
45	MED-F-49-R	11/15/2025 09:08	70392558045	Drinking																																																																																																																																																																																																																																																																																																																																																																																																			
46	MED-F-50-L	11/15/2025 09:09	70392558046	Drinking																																																																																																																																																																																																																																																																																																																																																																																																			
47	MED-DW-51	11/15/2025 09:10	70392558047	Drinking																																																																																																																																																																																																																																																																																																																																																																																																			
48	MED-F-52	11/15/2025 09:11	70392558048	Drinking																																																																																																																																																																																																																																																																																																																																																																																																			
49	MED-F-53	11/15/2025 09:12	70392558049	Drinking																																																																																																																																																																																																																																																																																																																																																																																																			
50	MED-DW-54	11/15/2025 09:13	70392558050	Drinking																																																																																																																																																																																																																																																																																																																																																																																																			
51	MED-F-55-R	11/15/2025 09:14	70392558051	Drinking																																																																																																																																																																																																																																																																																																																																																																																																			
52	MED-F-56-L	11/15/2025 09:15	70392558052	Drinking																																																																																																																																																																																																																																																																																																																																																																																																			
53	MED-DW-57	11/15/2025 09:16	70392558053	Drinking																																																																																																																																																																																																																																																																																																																																																																																																			
54	MED-DW-59	11/15/2025 09:17	70392558054	Drinking																																																																																																																																																																																																																																																																																																																																																																																																			
55	MED-F-60-R	11/15/2025 09:18	70392558055	Drinking																																																																																																																																																																																																																																																																																																																																																																																																			
56	MED-F-61-L	11/15/2025 09:19	70392558056	Drinking																																																																																																																																																																																																																																																																																																																																																																																																			
57	MED-DW-62	11/15/2025 09:20	70392558057	Drinking																																																																																																																																																																																																																																																																																																																																																																																																			
58	MED-F-63-R	11/15/2025 09:21	70392558058	Drinking																																																																																																																																																																																																																																																																																																																																																																																																			
59	MED-F-64-L	11/15/2025 09:22	70392558059	Drinking																																																																																																																																																																																																																																																																																																																																																																																																			

Page 132 of 141

Chain of Custody

PASI New York Laboratory



Workorder: 70392558

Workorder Name: MARY E. DARDESS

Results Requested By: 12/4/2025

Report / Invoice To		Subcontract To		Requested Analysis												LAB USE ONLY		
Alexandria Correa Pace Analytical Melville 575 Broad Hollow Road Melville, NY 11747 Phone 516-370-6000 Email: alexandria.correa@pacelabs.com		Pace Fairfield 1275 Bloomfield Ave Suite 37D Fairfield NJ 07004		P.O. 70392558ALC														
Send Invoice To: invoices@pacelabs.couphost.com State of Sample Origin: NY				Preserved Containers								200.8 LEAD ONLY						
Item	Sample ID	Collect Date/Time	Lab ID	Matrix	HNO3													
60	MED-DW-65	11/15/2025 09:23	70392558060	Drinking										X				
61	MED-F-66-R	11/15/2025 09:24	70392558061	Drinking										X				
62	MED-F-67-L	11/15/2025 09:25	70392558062	Drinking										X				
63	MED-DW-68	11/15/2025 09:26	70392558063	Drinking										X				
64	MED-DW-69	11/15/2025 09:37	70392558064	Drinking										X				
65	MED-F-70	11/15/2025 09:35	70392558065	Drinking										X				
66	MED-F-71	11/15/2025 09:36	70392558066	Drinking										X				
67	MED-DW-72	11/15/2025 09:39	70392558067	Drinking										X				
68	MED-F-73	11/15/2025 09:40	70392558068	Drinking										X				
69	MED-DW-74	11/15/2025 09:41	70392558069	Drinking										X				
70	MED-F-75	11/15/2025 09:42	70392558070	Drinking										X				
71	MED-DW-76	11/15/2025 09:43	70392558071	Drinking										X				
72	MED-F-77	11/15/2025 09:44	70392558072	Drinking										X				
73	MED-DW-78	11/15/2025 09:45	70392558073	Drinking										X				
74	MED-F-79	11/15/2025 09:46	70392558074	Drinking										X				
75	MED-DW-80	11/15/2025 09:47	70392558075	Drinking										X				
76	MED-F-81-R	11/15/2025 09:48	70392558076	Drinking										X				
77	MED-F-82-L	11/15/2025 09:49	70392558077	Drinking										X				
78	MED-DW-83	11/15/2025 09:50	70392558078	Drinking										X				
79	MED-F-84	11/15/2025 09:51	70392558079	Drinking										X				

Page 133 of 141

PASI New York Laboratory



Workorder: 70392558


Workorder Name: MARY E. DARDESS

Results Requested By: 12/4/2025

[illegible]

					Comments
Transfers	Released By	Date/Time	Received By	Date/Time	
1	<i>[Signature]</i>	11/21/25 1800	<i>[Signature]</i>	11/24/25 0630	NY BOCES SCHOOL EDD
2	<i>[Signature]</i>	11/24/25 0500	<i>[Signature]</i>	11/24/25 0600	
3					
Cooler Temperature on Receipt °C		Custody Seal Y or N		Received on Ice Y or N	Samples Intact Y or N

WO#: 70392558



70392558

PACE LABS

Pace Labs address: 14 Walker Way, Albany, NY 12205

District Name: Chatham CSD

School Name: Mary E. Dardess

Street address: 50 Woodbridge Ave, Chatham, NY 12037

Customer Project #

Project Name: Lead in Water testing

Site collection: Lisa Lyons 518 337 7722

Contact/Report to: Ethan Stalter and Lisa Lyons

Phone: 518-788-6264

Email: staltere@chatham.k12.ny.us lisa.lyons@questar.org

Invoice to: Holly Sherman

Email: shermanh@chatham.k12.ny.us

Purchase order #26-0085

Quote # \$14.25 per sample

County State of origin of sample: Columbia County, New York

Chain of Custody

Number	Sample ID	Mary E. Dardess School - MED	Collection		Grab	# of Containers	Analysis Required
			Date	Time			
1	MED-F-1	Kitchen Pot Filler	11/15/2025	7:55 AM	X	1	Lead
2	MED-F-2	Kitchen Brazing Pan	11/15/2025	7:56 AM	X	1	Lead
3	MED-F-3	Kitchen Kettle	11/15/2025	7:57 AM	X	1	Lead
4	MED-KS-4	Kitchen Prep Sink	11/15/2025	7:58 AM	X	1	Lead
5	MED-F-5	Kitchen Handwashing Sink	11/15/2025	7:59 AM	X	1	Lead
6	MED-F-6	Kitchen Veggie Washing Sink Left	11/15/2025	8:00 AM	X	1	Lead
7	n/a	n/a					
8	MED-DW-8	Cafetorium Water Fountain	11/15/2025	8:06 AM	X	1	Lead
9	MED-F-9	Room 211 Sink Faucet	11/15/2025	8:11 AM	X	1	Lead
10	MED-DW-10	Room 211 Water Fountain	11/15/2025	8:12 AM	X	1	Lead
11	MED-F-11	Room 212 Sink Faucet	11/15/2025	8:13 AM	X	1	Lead
12	MED-DW-12	Room 212 Water Fountain	11/15/2025	8:14 AM	X	1	Lead
13	MED-F-13-R	Room 213 Right Sink Faucet	11/15/2025	8:16 AM	X	1	Lead
14	Removed	Removed					
15	MED-DW-15	Room 213 Water Fountain	11/15/2025	8:17 AM	X	1	Lead
16	MED-F-16-R	Room 214 Right Sink Faucet	11/15/2025	8:19 AM	X	1	Lead
17	n/a	n/a					
18	MED-DW-18	Room 214 Water Fountain	11/15/2025	8:20 AM	X	1	Lead
19	MED-F-19-R	Room 215 Right Sink Faucet	11/15/2025	8:21 AM	X	1	Lead
20	MED-F-20-L	Room 215 Left Sink Faucet	11/15/2025	8:22 AM	X	1	Lead
21	MED-DW-21	Room 215 Water Fountain	11/15/2025	8:23 AM	X	1	Lead
22	MED-DW-22	Lobby Between Rest Rooms Water Fountain	11/15/2025	8:24 AM	X	1	Lead
23	MED-DW-23	Lobby Between Rest Rooms Bottle Filler	11/15/2025	8:25 AM	X	1	Lead
24	MED-F-24	Custodial Break Room Sink Faucet	11/15/2025	8:26 AM	X	1	Lead
25	MED-F-25-R	Room 218 Right Sink Faucet	11/15/2025	8:27 AM	X	1	Lead
26	MED-F-26-L	Room 218 Left Sink Faucet	11/15/2025	8:28 AM	X	1	Lead
27	MED-DW-27	Room 218 Water Fountain	11/15/2025	8:29 AM	X	1	Lead
28	MED-F-28	Room 219 Right Sink Faucet	11/15/2025	8:30 AM	X	1	Lead
29	MED-F-29	Room 219 Left Sink Faucet	11/15/2025	8:31 AM	X	1	Lead
30	MED-DW-30	Room 219 Water Fountain	11/15/2025	8:32 AM	X	1	Lead
31	MED-F-31-R	Room 220 Right Sink Faucet	11/15/2025	8:33 AM	X	1	Lead
32	MED-F-32-L	Room 220 Left Sink Faucet	11/15/2025	8:34 AM	X	1	Lead
Relinquished by/Company: (Signature)			Received by:	Date/Time	Tracking Number:		
Lisa Lyons				NOV 17 2025			
Relinquished by/Company: (Signature)			Received by:	Date/Time	Delivered by:		
Jean E. Cady				NOV 17 2025			
Relinquished by/Company: (Signature)			Received by:	Date/Time	Page 1 of 4		
Jean E. Cady				NOV 17 2025			

11/15/25 6

Alison D. PACE 4 11/18/25 600

Number	Sample ID	Mary E. Dardess School - MED	Collection		Grab	# of Con tainers	Analysis Required
			Date	Time			
33	MED-DW-33	Room 220 Water Fountain	11/15/2025	8:35 AM	X	1	Lead
34	n/a	n/a					
35	MED-F-35	Room 221 Left Sink Faucet	11/15/2025	8:36 AM	X	1	Lead
36	MED-DW-36	Room 221 Water Fountain	11/15/2025	8:37 AM	X	1	Lead
37	MED-F-37	Room 222 Right Sink Faucet	11/15/2025	8:38 AM	X	1	Lead
38	MED-F-38	Room 222 Left Sink Faucet	11/15/2025	8:39 AM	X	1	Lead
39	MED-DW-39	Room 222 Water Fountain	11/15/2025	8:40 AM	X	1	Lead
40	MED-F-40-R	Room 223 Right Sink Faucet	11/15/2025	8:41 AM	X	1	Lead
41	MED-F-41-L	Room 223 Left Sink Faucet	11/15/2025	8:42 AM	X	1	Lead
42	MED-DW-42	Room 223 Water Fountain	11/15/2025	8:43 AM	X	1	Lead
43	MED-F-43-R	Room 224 Right Sink Faucet	11/15/2025	8:44 AM	X	1	Lead
44	MED-F-44-L	Room 224 Left Sink Faucet	11/15/2025	8:45 AM	X	1	Lead
45	MED-DW-45	Room 224 Water Fountain	11/15/2025	8:46 AM	X	1	Lead
46	MED-F-46-R	Room 225 Right Sink Faucet	11/15/2025	8:47 AM	X	1	Lead
47	MED-F-47-L	Room 225 Left Sink Faucet	11/15/2025	8:48 AM	X	1	Lead
48	MED-DW-48	Room 225 Water Fountain	11/15/2025	8:49 AM	X	1	Lead
49	MED-F-49-R	Room 226 Right Sink Faucet	11/15/2025	9:08 AM	X	1	Lead
50	MED-F-50-L	Room 226 Left Sink Faucet	11/15/2025	9:09 AM	X	1	Lead
51	MED-DW-51	Room 226 Water Fountain	11/15/2025	9:10 AM	X	1	Lead
52	MED-F-52	Room 227 Right Sink Faucet	11/15/2025	9:11 AM	X	1	Lead
53	MED-F-53	Room 227 Left Sink Faucet	11/15/2025	9:12 AM	X	1	Lead
54	MED-DW-54	Room 227 Water Fountain	11/15/2025	9:13 AM	X	1	Lead
55	MED-F-55-R	Room 228 Right Sink Faucet	11/15/2025	9:14 AM	X	1	Lead
56	MED-F-56-L	Room 228 Left Sink Faucet	11/15/2025	9:15 AM	X	1	Lead
57	MED-DW-57	Room 228 Water Fountain	11/15/2025	9:16 AM	X	1	Lead
58	n/a	n/a					
59	MED-DW-59	Corridor Outside room 229 Bottle Filler Spout	11/15/2025	9:17 AM	X	1	Lead
60	MED-F-60-R	Room 230 Right Sink Faucet	11/15/2025	9:18 AM	X	1	Lead
61	MED-F-61-L	Room 230 Left Sink Faucet	11/15/2025	9:19 AM	X	1	Lead
62	MED-DW-62	Room 230 Water Fountain	11/15/2025	9:20 AM	X	1	Lead
63	MED-F-63-R	Room 231 Right Sink Faucet	11/15/2025	9:21 AM	X	1	Lead
64	MED-F-64-L	Room 231 Left Sink Faucet	11/15/2025	9:22 AM	X	1	Lead
65	MED-DW-65	Room 231 Water Fountain	11/15/2025	9:23 AM	X	1	Lead
66	MED-F-66-R	Room 232 Right Sink Faucet	11/15/2025	9:24 AM	X	1	Lead
67	MED-F-67-L	Room 232 Left Sink Faucet	11/15/2025	9:25 AM	X	1	Lead
68	MED-DW-68	Room 232 Water Fountain	11/15/2025	9:26 AM	X	1	Lead
Relinquished by/Company: (Signature) <i>David Lyons RIII</i>			Received by: Date/Time NOV 17 2025		Tracking Number:		
Relinquished by/Company: (Signature) <i>John & Cathy</i>			Received by: Date/Time NOV 17 2025		Delivered by:		
Relinquished by/Company: (Signature) <i>John & Cathy</i>			Received by: Date/Time NOV 17 2025		Page 2 of 4		

165 11/15/25 La

Allen Dy PARE U 11/18/25 bco

Number	Sample ID	Mary E. Dardess School - MED	Collection		Grab	# of Containers	Analysis Required
			Date	Time			
69	MED-DW-69	Room 245 Faculty Room Sink Faucet	11/15/2025	9:37 AM	X	1	Lead
70	MED-F-70	Nurse's Office Sink basin Sink Faucet	11/15/2025	9:35 AM	X	1	Lead
71	MED-F-71	Nurses office Ice Maker Ice Maker	11/15/2025	9:36 AM	X	1	Lead
72	MED-DW-72	Corridor Across from Room 302 Water Fountain	11/15/2025	9:39 AM	X	1	Lead
73	MED-F-73	Room 303 Sink Faucet	11/15/2025	9:40 AM	X	1	Lead
74	MED-DW-74	Room 303 Water Fountain	11/15/2025	9:41 AM	X	1	Lead
75	MED-F-75	Room 304 Sink Faucet	11/15/2025	9:42 AM	X	1	Lead
76	MED-DW-76	Room 304 Water Fountain	11/15/2025	9:43 AM	X	1	Lead
77	MED-F-77	Outside Room 305A Sink Faucet	11/15/2025	9:44 AM	X	1	Lead
78	MED-DW-78	Outside Room 305A Water Fountain	11/15/2025	9:45 AM	X	1	Lead
79	MED-F-79	Room 306 Sink Faucet	11/15/2025	9:46 AM	X	1	Lead
80	MED-DW-80	Room 306 Water Fountain	11/15/2025	9:47 AM	X	1	Lead
81	MED-F-81-R	Room 307 Right Sink Faucet	11/15/2025	9:48 AM	X	1	Lead
82	MED-F-82-L	Room 307 Left Sink Faucet	11/15/2025	9:49 AM	X	1	Lead
83	MED-DW-83	Room 307 Water Fountain	11/15/2025	9:50 AM	X	1	Lead
84	MED-F-84	Room 308 Sink Faucet	11/15/2025	9:51 AM	X	1	Lead
85	MED-DW-85	Room 308 Water Fountain	11/15/2025	9:52 AM	X	1	Lead
86	MED-F-86	Room 309 Sink Faucet	11/15/2025	9:53 AM	X	1	Lead
87	MED-DW-87	Room 309 Water Fountain	11/15/2025	9:54 AM	X	1	Lead
88	MED-F-88	Room 310 Sink Faucet	11/15/2025	9:55 AM	X	1	Lead
89	MED-DW-89	Room 310 Water Fountain	11/15/2025	9:56 AM	X	1	Lead
90	MED-F-90	Room 311 Sink Faucet	11/15/2025	9:57 AM	X	1	Lead
91	MED-DW-91	Room 311 Water Fountain	11/15/2025	9:58 AM	X	1	Lead
92	MED-F-92	Room 312 Sink Faucet	11/15/2025	9:59 AM	X	1	Lead
93	MED-DW-93	Room 312 Water Fountain	11/15/2025	10:00 AM	X	1	Lead
94	MED-F-94	Room 313 Sink Faucet	11/15/2025	10:01 AM	X	1	Lead
95	MED-DW-95	Room 313 Water Fountain	11/15/2025	10:02 AM	X	1	Lead
96	MED-F-96	Room 316 Sink Faucet	11/15/2025	10:03 AM	X	1	Lead
97	MED-DW-97	Room 316 Water Fountain	11/15/2025	10:04 AM	X	1	Lead
98	MED-DW-98-L	by 314/5 bathrm Water Fountain L across from 305	11/15/2025	10:05 AM	X	1	Lead
99	MED-DW-99-R	by 314/5 bathrm Water Fountain R across from 305	11/15/2025	10:06 AM	X	1	Lead
100	MED-F-100	Room 101 Sink Faucet	11/15/2025	9:01 AM	X	1	Lead
101	MED-F-101	Room 101 Sink Faucet	11/15/2025	9:00 AM	X	1	Lead
102	MED-F-102	Room 102 Sink Faucet	11/15/2025	8:59 AM	X	1	Lead
103	MED-F-103	Room 103 Sink Faucet	11/15/2025	8:58 AM	X	1	Lead
104	MED-F-104	Room 104 Sink Faucet	11/15/2025	8:54 AM	X	1	Lead
Relinquished by/Company: (Signature)			Received by: Date/Time		Tracking Number:		
Lisa Lyons QIII			Nov 17 2025				
Relinquished by/Company: (Signature)			Received by: Date/Time		Delivered by:		
Jim & Kelly			Nov 17 2025				
Relinquished by/Company: (Signature)			Received by: Date/Time		Page 3 of 4		
Jim & Kelly			Nov 17 2025				

KS 11/15/25

allison Day PACE 4 11/18/25 600

[illegible]

allison Dy Page 11 11/18/25
600

DC#_Title ENV-FRM-MELV-0024 v07_SCUR
Effective Date 4/11/2024

WO#: 70392558

PM: ALC Due Date: 12/04/25
CLIENT: CCSD_QIII

Client Name:

CCSD-QIII

Project #

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☒ Pace ☐ Other

Tracking #:

Custody Seal on Cooler/Box Present: ☒ Yes ☒ No Seals intact: ☐ Yes ☐ No Temperature Blank Present: ☐ Yes ☒ No

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☒ Ziploc ☐ None ☐ Other Type of Ice: Wet Blue ☒ None

Thermometer Used: TH211 Correction Factor: +1 ☐ Samples on ice, cooling process has begun

Cooler Temperature(°C): 19.0 Cooler Temperature Corrected(°C): 19.1 Date/Time 5035A kits placed in freezer

Temp should be above freezing to 5 °C

USDA Regulated Soil (☐ N/A, water sample)

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check map)? ☐ Yes ☐ No

Did samples originate from a foreign source including Hawaii and Puerto Rico? ☐ Yes ☐ No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents:

AD 11/30/25

		COMMENTS:
Chain of Custody Present	☒ Yes ☐ No	1
Chain of Custody Filled Out	☒ Yes ☐ No	2
Chain of Custody Relinquished	☒ Yes ☐ No	3
Sampler Name & Signature on COC	☒ Yes ☐ No ☐ N/A	4
Samples Arrived within Hold Time	☒ Yes ☐ No	5
Short Hold Time Analysis (<72hr)	☒ Yes ☐ No	6
Rush Turn Around Time Requested	☒ Yes ☐ No	7
Sufficient Volume (Triple volume provided for MS/MSD)	☒ Yes ☐ No	8
Correct Containers Used	☒ Yes ☐ No	9
Pace Containers Used	☒ Yes ☐ No	10
Containers Intact	☒ Yes ☐ No	11
Filtered volume received for Dissolved tests	☒ Yes ☐ No ☐ N/A	Note if sediment is visible in the dissolved container
Sample Labels match COC	☒ Yes ☐ No	12
Includes date/time/ID/Analysis Matrix	SL ☒ WT ☐ OIL ☐ OTHER	

Date and Initials of person checking preservation:

AD 11/30/25

All containers needing preservation have been	☒ Yes ☐ No ☐ N/A	13	☐ HNO ₃ ☐ H ₂ SO ₄ ☐ NaOH ☐ HCl
pH paper Lot # <u>Q10525</u>			Sample #
All containers needing preservation are found to be in compliance with method recommendation?	☒ Yes ☐ No ☐ N/A		
(HNO ₃ , H ₂ SO ₄ , HCl, NaOH > 9 Sulfide	☒ Yes ☐ No ☐ N/A		
NaOH > 12 Cyanide)			
Exceptions VOA Coliform TOC/DOC Oil and Grease DRO/8015 (water)			
Per Method VOA pH is checked after analysis			
Samples checked for dechlorination	☒ Yes ☐ No ☐ N/A	14	
KI starch test strips Lot #			
Residual chlorine strips Lot #			Positive for Res. Chlorine? Y N
SM 4500 CN samples checked for sulf	☒ Yes ☐ No ☐ N/A	15	
Lead Acetate Strips Lot #			Positive for Sulfide? Y N
Headspace in ALK Bottle (>6mm)	☒ Yes ☐ No ☐ N/A	16	
Headspace in VOA Vials (>6mm)	☒ Yes ☐ No ☐ N/A	17	
Trip Blank Present	☒ Yes ☐ No ☐ N/A		
Trip Blank Custody Seals Present	☒ Yes ☐ No ☐ N/A		

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted:

Date/Time:

Comments/ Resolution:

* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS

25K1896



Sample Condition Upon Receipt Form (SCUR)

Affix Sample Label Here

Date and Initials of person:

Examining contents: KR

Label: _____

Deliver to location: _____

pH: _____

Thermometer Used: 71TR05

Date: 11/24/25

Time: 8:00

Initials: KR

State of Origin: _____

Cooler #1 Temp. °C 18.4 (Visual) -1.5 (Correction Factor) 16.9 (Actual)

No KR

☒ Samples on ice, cooling process has begun

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☒ Pace

☐ Other _____

Shipping Method: ☐ First Overnight ☐ Priority Overnight ☐ Standard Overnight ☐ Ground
☐ Other _____

Tracking # _____

Custody Seal on Cooler/Box Present: ☐ Yes ☒ No

Seals intact: ☐ Yes ☐ No

Ice: Wet Blue Melted None

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☒ None ☐ Other _____

Samples were collected by Pace employee ☐ Yes ☒ No ☐ N/A

Comments:

Chain of Custody Present	☒ Yes ☐ No ☐ N/A	
Chain of Custody Filled Out	☒ Yes ☐ No ☐ N/A	
Relinquished Signature on COC	☒ Yes ☐ No ☐ N/A	
Sampler Name and Signature on COC	☐ Yes ☒ No ☐ N/A	
Samples Arrived within Hold Time	☒ Yes ☐ No ☐ N/A	
Rush TAT requested on COC	☒ Yes ☐ No ☐ N/A	<u>12/4/25</u>
Sufficient Volume	☒ Yes ☐ No ☐ N/A	
Correct Containers Used	☒ Yes ☐ No ☐ N/A	
Containers Intact	☒ Yes ☐ No ☐ N/A	
Sample Labels match COC (sample IDs & date/time of collection)	☒ Yes ☐ No ☐ N/A	
All containers needing acid/base preservation have been checked.	☒ Yes ☐ No ☐ N/A	Preservation Information:
All Containers needing preservation are found to be in compliance with EPA recommendation:	☒ Yes ☐ No ☐ N/A	Preservative: _____
Exceptions: Vials, Microbiology, O&G, Metals		Lot #/Trace #: _____
		Date: _____ Time: _____
		Initials: _____
Headspace in VOA Vials? (>6mm):	☐ Yes ☐ No ☒ N/A	
Trip Blank Present:	☐ Yes ☐ No ☒ N/A	

Additional Login Comments:

Client notification/ Resolution

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____