West Morris Regional High School District

Administration Building - 10 South Four Bridges Road
Chester, New Jersey 07930 - 908-879-6404 Fax: 908-879-8861

Annual AHERA Compliance Notification

Dear Parents, Teachers and Employees of the West Morris Regional High School District.

As part of the plan to keep the West Morris Regional High School District aware of the information regarding updates in our asbestos management plan, which are mandated by the Asbestos Hazardous Emergency Response Act (AHERA) signed into law by President Reagan in December of 1987, this letter is being issued.

As required by AHERA law, an accredited management planner prepared an asbestos management plan for our school building. This plan was submitted and accepted by the New Jersey Department of Health. Initial inspections indicated that asbestos containing building materials (ACBM) are present in the building.

Inspections of all areas identified in the plan, whether ACBM or assumed ACBM, are being inspected at least every six months.

As required by AHERA law since July of 1989, a tri-annual re-inspection is conducted by an accredited person every three years. The school building was inspected and a letter of assurance was sent to the New Jersey Department of Health confirming our compliance with AHERA regulations.

During the summer of 2026 there was asbestos removal at West Morris Central but none at West Morris Mendham high school. Currently there are no plans for additional asbestos projects in either high school. If asbestos work is required during the school year, you will be informed prior to commencement of the work.

The West Morris High School District complies with all A.H.E.R.A. regulations in order to provide a safe and healthful environment for all who use the school facilities.

The asbestos management plan, previous tri-annual inspections and six month periodic surveillance reports completed are available for review during office hours Monday through Friday in the main office of each school.