

**CITY OF LATHRUP VILLAGE  
2025 CONSUMERS ANNUAL REPORT  
ON WATER QUALITY**

**ATTENTION: THIS IS AN IMPORTANT REPORT  
ON WATER QUALITY AND SAFETY**

The City of Lathrup Village, the Southeastern Oakland County Water Authority (SOCWA), and the Great Lakes Water Authority (GLWA) are proud of the fine drinking water they supply and are honored to provide this report to you. The 2025 Consumers Annual Report on Water Quality shows the sources of our water, lists the results of our tests, and contains important information about water and health. We will notify you immediately if there is ever any reason for concern about our water. We are pleased to show you how we have surpassed water quality standards as mandated by the Environmental Protection Agency (EPA) and the Michigan Department of Environment, Great Lakes, and Energy (EGLE).

**About the System**

The City of Lathrup Village purchases water from the Southeastern Oakland County Water Authority (SOCWA). SOCWA provides GLWA water through its member distribution systems to a population of 210,000 within a 56 square mile area. Current members are Berkley, Beverly Hills, Bingham Farms, Birmingham, Clawson, Huntington Woods, Lathrup Village, Pleasant Ridge, Royal Oak, Southfield, and Southfield Township.

Your source water comes from the Detroit River, situated within the Lake St. Clair, Clinton River, Detroit River, Rouge River, Ecorse River, watersheds in the U.S., and parts of the Thames River, Little River, Turkey Creek, and Sydenham watersheds in Canada. The Michigan Department of Environmental Quality, in partnership with the U.S. Geological Survey, the Detroit Water and Sewerage Department, and the Michigan Public Health Institute, performed a source water assessment in 2004 to determine the susceptibility of GLWA's Detroit River source water for potential contamination. The susceptibility rating is based on a seven-tiered scale and ranges from very low to very high, determined primarily using geologic sensitivity, water chemistry, and potential contaminant sources. The report described GLWA's Detroit River intakes as highly susceptible to potential contamination. GLWA's water treatment plants, Northeast and Springwells, that draw water from the Detroit River, have historically provided satisfactory treatment and meet drinking water standards.

And/or

Your source water comes from the lower Lake Huron watershed. The watershed includes numerous short, seasonal streams that drain to Lake Huron. The Michigan Department of Environmental Quality, in partnership with the U.S. Geological Survey, the Detroit Water and Sewerage Department, and the Michigan Public Health Institute, performed a source water assessment in 2004 to determine the susceptibility of potential contamination. The susceptibility rating is a seven-tiered scale ranging from "very low" to "very high" based primarily on geologic sensitivity, water chemistry, and contaminant sources. The Lake Huron source water intake is categorized as having a moderately low susceptibility to potential contaminant sources. The Lake Huron water treatment plant has historically provided satisfactory treatment of this source water to meet drinking water standards.

GLWA has initiated source-water protection activities that include chemical containment, spill response, and a mercury reduction program. GLWA participates in the National Pollutant Discharge Elimination System permit discharge program and has an emergency response management plan. GLWA has an updated Surface Water Intake Protection plan for the Lake Huron water intake. The plan has seven elements that include: roles and duties of government units and water supply agencies, delineation of source water protection areas, identification of potential sources of contamination, management approaches for protection, contingency plans, siting of new water sources, public participation, and public education activities. If you would like to know more information

about the Source Water Assessment Report, please contact GLWA at (313-926-8127).

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it can dissolve naturally occurring minerals and, in some cases, radioactive materials, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

Microbial contaminants, such as viruses and bacteria, may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

Inorganic contaminants, such as salts and metals, can be naturally occurring or result from urban stormwater runoff, industrial or domestic wastewater discharge, oil and gas production, mining, or farming.

Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.

Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.

Radioactive contaminants, which can be naturally occurring or the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the EPA prescribes regulations that limit the amount of certain contaminants in the water provided by public water systems. The Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water, which must provide the same protection for public health.

GLWA voluntarily monitors for *Cryptosporidium* and *Giardia* in our source water monthly. The untreated water samples collected from our Belle Isle Intake indicated the presence of one *Giardia* cyst in February 2025. All other samples collected from the Belle Isle Intake in 2025 were absent for the presence of *Cryptosporidium* and *Giardia*. Systems using surface water, like GLWA, must provide treatment so that 99.9 percent of *Giardia lamblia* and *Cryptosporidium* is removed or inactivated. GLWA's drinking water treatment process is designed to remove and inactivate these protozoans.

*Cryptosporidium* is a microbial pathogen found in surface water throughout the U.S. Although filtration removes *Cryptosporidium*, the most commonly used filtration methods cannot guarantee 100 percent removal. Our monitoring indicates the presence of these organisms in our source water. Current test methods do not allow us to determine if the organisms are dead or if they are capable of causing disease. Ingestion of *Cryptosporidium* may cause cryptosporidiosis, an abdominal infection. Symptoms of infection include nausea, diarrhea, and abdominal cramps. Most healthy individuals can overcome the disease within a few weeks. However, immunocompromised people, infants and small children, and the elderly are at greater risk of developing life-threatening illness. We encourage immunocompromised individuals to consult their doctor regarding appropriate precautions to take to avoid infection. *Cryptosporidium* must be ingested to cause disease, and it may be spread through means other than drinking water.

## Key to the Detected Contaminants Table

| Symbol  | Abbreviation                             | Definition/Explanation   |
|---------|--|--|
| AL      | Action Level                             | The concentration of a contaminant, which, if exceeded, triggers treatment or other requirements that a water system must follow.  |
| °C      | Celsius                                  | A scale of temperature in which water freezes at 0° and boils at 100° under standard conditions.   |
| >       | Greater than                             |  |
| HAA5    | Haloacetic Acids                         | HAA5 is the total of bromoacetic, chloroacetic, Dibromoacetic, dichloroacetic, and trichloroacetic acids. Compliance is based on the total.  |
| Level 1 | Level 1 Assessment                       | A study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in the water system.  |
| LRAA    | Locational Running Annual Average        | The average of analytical results for samples at a particular monitoring location during the previous four quarters.   |
| MCL     | Maximum Contaminant Level                | The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.  |
| MCLG    | Maximum Contaminant Level Goal           | The level of contamination in drinking water below which there is no known or expected risk to health.   |
| MRDL    | Maximum Residual Disinfectant Level      | The highest level of disinfectant allowed in drinking water. There is convincing evidence that the addition of a disinfectant is necessary for control of microbial contaminants.  |
| MRDLG   | Maximum Residual Disinfectant Level Goal | The level of a drinking water disinfectant below which there is no known or expected risk to health. MRLDGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.   |
| n/a     | not applicable                           |  |
| ND      | Not Detected                             | Below the detection limit of the method  |
| NTU     | Nephelometric Turbidity Units            | Measures the cloudiness of water.  |
| pCi/L   | Picocuries Per Liter                     | A measure of radioactivity   |
| ppb     | Parts Per Billion (one in one billion)   | The ppb is equivalent to micrograms per liter.<br>A microgram = 1/1000 milligram.  |
| ppm     | Parts Per Million (one in one million)   | The ppm is equivalent to milligrams per liter.<br>A milligram = 1/1000 gram.   |
| RAA     | Running Annual Average                   | The average of analytical results for all samples during the previous four quarters.   |
| SMCL    | Secondary Maximum Contaminant Level      | An MCL that involves a biological, chemical, or physical characteristic of water that may adversely affect the taste, odor, color, or appearance (aesthetics), which may thereby affect public confidence or acceptance of the drinking water. |
| TT      | Treatment Technique                      | A required process intended to reduce the level of a contaminant in drinking water.  |
| TTHM    | Total Trihalomethanes                    | Total Trihalomethanes is the sum of chloroform, bromodichloromethane, dibromochloromethane, and bromoform. Compliance is based on the total.   |
| µmhos   | Micromhos                                | Measure of the electrical conductance of water   |
| ng/L    | Nanograms per liter                      | The ng/L is equivalent to nanograms per liter.<br>A nanogram = 1/1,000,000 milligram.  |

## 2025 Springwells Regulated Detected Contaminants Table

| 2025 Inorganic Chemicals - Annual Monitoring at Plant Finished Tap |            |      |                  |                   |                        |                    |           |   |
|--|------------|------|------------------|-------------------|------------------------|--------------------|-----------|---|
| Regulated Contaminant  | Test Date  | Unit | Health Goal MCLG | Allowed Level MCL | Highest Level Detected | Range of Detection | Violation | Major Sources in Drinking Water   |
| Fluoride   | 02-11-2025 | ppm  | 4                | 4                 | 0.48                   | n/a                | no        | Erosion of natural deposits; Water additive, which promotes strong teeth; Discharge from fertilizer and aluminum factories. |
| Nitrate  | 02-11-2025 | ppm  | 10               | 10                | 0.31                   | n/a                | no        | Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.                                |

| 2025 Disinfection Residual - Monitoring in the Distribution System |           |      |                   |                    |                   |                            |           |   |
|--|-----------|------|-------------------|--------------------|-------------------|----------------------------|-----------|---|
| Regulated Contaminant  | Test Date | Unit | Health Goal MRDLG | Allowed Level MRDL | Highest Level RAA | Range of Quarterly Results | Violation | Major Sources in Drinking Water         |
| Chlorine Residual  | 2025      | ppm  | 4                 | 4                  | 0.88              | 0.78-0.95                  | no        | Water additive used to control microbes |

| 2025 Turbidity - Monitored Every 4 Hours at the Plant Finished Water Tap  |  |  |  |           |                                 |
|---|--|--|--|-----------|---------------------------------|
| Highest Single Measurement Cannot Exceed 1 NTU  | Lowest Monthly % of Samples Meeting Turbidity Limit of 0.3 NTU (minimum 95%) |  |  | Violation | Major Sources in Drinking Water |
| 0.21 NTU  | 100%   |  |  | no        | Soil Runoff                     |
| Turbidity is a measure of the cloudiness of the water. We monitor it because it is a good indicator of the effectiveness of our filtration system |  |  |  |           |                                 |

| 2025 Special Monitoring |            |      |      |     |                        |                             |
|-------------------------|------------|------|------|-----|------------------------|-----------------------------|
| Contaminant             | Test Date  | Unit | MCLG | MCL | Highest Level Detected | Source of Contaminant       |
| Sodium                  | 02-11-2025 | ppm  | n/a  | n/a | 5.4                    | Erosion of natural deposits |

| Regulated Contaminant | Treatment Technique   | Typical Source of Contaminant |
|-----------------------|---|-------------------------------|
| Total Organic Carbon  | The Total Organic Carbon (TOC) removal ratio is calculated as the ratio between the actual TOC removal and the TOC removal requirements. The TOC is measured each quarter, and because the level is low, there is no requirement for TOC removal. | Erosion of natural deposits   |

| Regulated Contaminant         | Test Date  | Unit | Allowed Level MCL | Highest Level Detected | Range of Detection | Violation | Major Sources in Drinking Water   |
|-------------------------------|------------|------|-------------------|------------------------|--------------------|-----------|---|
| Perfluorooctanoic acid (PFOA) | 03-11-2025 | ng/L | 4                 | 2                      | ND-2               | no        | Industrial manufacturing sites, fire-fighting foams (AFFF) used at airports/military bases, and waste management facilities like landfills. |

*These tables are based on tests conducted by GLWA in the year 2025 or the most recent testing done within the last five calendar years. GLWA conducts tests throughout the year. Only tests that show the presence of a substance or require special monitoring are presented in these tables. The State allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. The data is representative of the water quality, but some are more than one year old.*

## 2025 Springwells Tap Water Mineral Analysis

| Parameter              | Units  | Max.  | Min.  | Avg.         | Parameter                    | Units | Max. | Min. | Avg.        |
|------------------------|--------|-------|-------|--------------|------------------------------|-------|------|------|-------------|
| Turbidity              | N.T.U. | 0.16  | 0.02  | <b>0.08</b>  | Phosphorus                   | mg/L  | 1.07 | 0.77 | <b>0.89</b> |
| Total Solids           | mg/L   | 172   | 41    | <b>130</b>   | Free Carbon Dioxide          | mg/L  | 12.5 | 1.7  | <b>9.6</b>  |
| Total Dissolved Solids | mg/L   | 145   | 75    | <b>117</b>   | Total Hardness               | mg/L  | 130  | 97   | <b>106</b>  |
| Aluminum               | mg/L   | 0.122 | 0.019 | <b>0.054</b> | Total Alkalinity             | mg/L  | 76   | 66   | <b>71</b>   |
| Iron                   | mg/L   | 0.3   | ND    | <b>0.2</b>   | Carbonate Alkalinity         | mg/L  | 0    | 0    | <b>0</b>    |
| Copper                 | mg/L   | 0.001 | ND    | <b>0.000</b> | Bi-Carbonate Alkalinity      | mg/L  | 76   | 66   | <b>71</b>   |
| Magnesium              | mg/L   | 8.6   | 6.9   | <b>7.6</b>   | Non-Carbonate Hardness       | mg/L  | 58   | 27   | <b>34</b>   |
| Calcium                | mg/L   | 28.5  | 24.3  | <b>26.4</b>  | Chemical Oxygen Demand       | mg/L  | 9.3  | ND   | <b>2.6</b>  |
| Sodium                 | mg/L   | 6.1   | 0.4   | <b>3.4</b>   | Dissolved Oxygen             | mg/L  | 13.0 | 7.0  | <b>10.1</b> |
| Potassium              | mg/L   | 1.2   | 0.9   | <b>1.0</b>   | Nitrite Nitrogen             | mg/L  | ND   | ND   | <b>0.0</b>  |
| Manganese              | mg/L   | ND    | ND    | <b>0.000</b> | Nitrate Nitrogen             | mg/L  | 0.47 | 0.22 | <b>0.30</b> |
| Lead                   | mg/L   | ND    | ND    | <b>0.000</b> | Fluoride                     | mg/L  | 0.78 | 0.48 | <b>0.61</b> |
| Zinc                   | mg/L   | ND    | ND    | <b>0.000</b> | pH                           |       | 7.92 | 7.05 | <b>7.21</b> |
| Silica                 | mg/L   | 2.6   | 1.3   | <b>1.8</b>   | Specific Conductance @ 25 °C | µmhos | 232  | 135  | <b>211</b>  |
| Sulfate                | mg/L   | 29.5  | 21.7  | <b>25.7</b>  | Temperature                  | °C    | 26.1 | 2.5  | <b>13.6</b> |
| Chloride               | mg/L   | 12.1  | 9.5   | <b>11.0</b>  |                              |       |      |      |             |

## 2025 Northeast Regulated Detected Contaminants Table

| 2025 Inorganic Chemicals - Annual Monitoring at Plant Finished Tap |            |      |                  |                   |                        |                    |           |  |
|--|------------|------|------------------|-------------------|------------------------|--------------------|-----------|--|
| Regulated Contaminant  | Test Date  | Unit | Health Goal MCLG | Allowed Level MCL | Highest Level Detected | Range of Detection | Violation | Major Sources in Drinking Water  |
| <b>Fluoride</b>  | 02-11-2025 | ppm  | 4                | 4                 | <b>0.49</b>            | n/a                | no        | Erosion of natural deposit; Water additive, which promotes strong teeth; Discharge from fertilizer and aluminum factories. |
| <b>Nitrate</b>   | 02-11-2025 | ppm  | 10               | 10                | <b>0.29</b>            | n/a                | no        | Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.                               |

| 2025 Disinfection Residual - Monitoring in the Distribution System |           |      |                   |                    |                   |                            |           |   |
|--|-----------|------|-------------------|--------------------|-------------------|----------------------------|-----------|---|
| Regulated Contaminant  | Test Date | Unit | Health Goal MRDLG | Allowed Level MRDL | Highest Level RAA | Range of Quarterly Results | Violation | Major Sources in Drinking Water         |
| Chlorine Residual  | 2025      | ppm  | 4                 | 4                  | 0.95              | 0.81-1.05                  | no        | Water additive used to control microbes |

| 2025 Turbidity - Monitored Every 4 Hours at the Plant Finished Water Tap  |  |           |                                 |
|---|--|-----------|---------------------------------|
| Highest Single Measurement Cannot Exceed 1 NTU  | Lowest Monthly % of Samples Meeting Turbidity Limit of 0.3 NTU (minimum 95%) | Violation | Major Sources in Drinking Water |
| 0.09 NTU  | 100%   | no        | Soil Runoff                     |
| Turbidity is a measure of the cloudiness of the water. We monitor it because it is a good indicator of the effectiveness of our filtration system |  |           |                                 |

| 2025 Special Monitoring |            |      |      |     |                        |                             |
|-------------------------|------------|------|------|-----|------------------------|-----------------------------|
| Contaminant             | Test Date  | Unit | MCLG | MCL | Highest Level Detected | Source of Contaminant       |
| Sodium                  | 02-11-2025 | ppm  | n/a  | n/a | 5.3                    | Erosion of natural deposits |

| Regulated Contaminant | Treatment Technique   | Typical Source of Contaminant |
|-----------------------|---|-------------------------------|
| Total Organic Carbon  | The Total Organic Carbon (TOC) removal ratio is calculated as the ratio between the actual TOC removal and the TOC removal requirements. The TOC is measured each quarter, and because the level is low, there is no requirement for TOC removal. | Erosion of natural deposits   |

| Regulated Contaminant         | Test Date  | Unit | Allowed Level MCL | Highest Level Detected | Range of Detection | Violation | Major Sources in Drinking Water   |
|-------------------------------|------------|------|-------------------|------------------------|--------------------|-----------|---|
| Perfluorooctanoic acid (PFOA) | 03-11-2025 | ng/L | 4                 | 2                      | ND-2               | no        | Industrial manufacturing sites, fire-fighting foams (AFFF) used at airports/military bases, and waste management facilities like landfills. |

These tables are based on tests conducted by GLWA in the year 2025 or the most recent testing done within the last five calendar years. GLWA conducts tests throughout the year. Only tests that show the presence of a substance or require special monitoring are presented in these tables. The State allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. The data is representative of the water quality, but some are more than one year old.

## 2025 Northeast Tap Water Mineral Analysis

| Parameter              | Units  | Max.  | Min.  | Avg.         | Parameter                    | Units | Max. | Min. | Avg.        |
|------------------------|--------|-------|-------|--------------|------------------------------|-------|------|------|-------------|
| Turbidity              | N.T.U. | 0.09  | 0.04  | <b>0.07</b>  | Phosphorus                   | mg/L  | 0.94 | 0.68 | <b>0.81</b> |
| Total Solids           | mg/L   | 153   | 78    | <b>130</b>   | Free Carbon Dioxide          | mg/L  | 11.6 | 2.2  | <b>8.5</b>  |
| Total Dissolved Solids | mg/L   | 149   | 15    | <b>107</b>   | Total Hardness               | mg/L  | 120  | 96   | <b>105</b>  |
| Aluminum               | mg/L   | 0.109 | 0.020 | <b>0.046</b> | Total Alkalinity             | mg/L  | 74   | 60   | <b>70</b>   |
| Iron                   | mg/L   | 0.3   | ND    | <b>0.2</b>   | Carbonate Alkalinity         | mg/L  | 0    | 0    | <b>0</b>    |
| Copper                 | mg/L   | 0.002 | ND    | <b>0.001</b> | Bi-Carbonate Alkalinity      | mg/L  | 74   | 60   | <b>70</b>   |
| Magnesium              | mg/L   | 8.6   | 7.2   | <b>7.7</b>   | Non-Carbonate Hardness       | mg/L  | 48   | 26   | <b>35</b>   |
| Calcium                | mg/L   | 29.2  | 24.9  | <b>26.6</b>  | Chemical Oxygen Demand       | mg/L  | 11.4 | ND   | <b>2.8</b>  |
| Sodium                 | mg/L   | 6.4   | 0.4   | <b>3.4</b>   | Dissolved Oxygen             | mg/L  | 15.5 | 4.4  | <b>8.3</b>  |
| Potassium              | mg/L   | 1.1   | 0.9   | <b>1.0</b>   | Nitrite Nitrogen             | mg/L  | ND   | ND   | <b>0.0</b>  |
| Manganese              | mg/L   | ND    | ND    | <b>0.000</b> | Nitrate Nitrogen             | mg/L  | 0.44 | 0.21 | <b>0.31</b> |
| Lead                   | mg/L   | ND    | ND    | <b>0.000</b> | Fluoride                     | mg/L  | 0.76 | 0.49 | <b>0.60</b> |
| Zinc                   | mg/L   | 0.001 | ND    | <b>0.000</b> | pH                           |       | 7.81 | 7.07 | <b>7.24</b> |
| Silica                 | mg/L   | 4.0   | 1.2   | <b>2.0</b>   | Specific Conductance @ 25 °C | µmhos | 232  | 166  | <b>217</b>  |
| Sulfate                | mg/L   | 30.1  | 19.5  | <b>24.5</b>  | Temperature                  | °C    | 26.3 | 1.2  | <b>14.2</b> |
| Chloride               | mg/L   | 11.9  | 9.0   | <b>10.7</b>  |                              |       |      |      |             |

## 2025 Lake Huron Regulated Detected Contaminants Table

| 2025 Inorganic Chemicals - Annual Monitoring at Plant Finished Tap |            |      |                  |                   |                        |                    |           |  |
|--|------------|------|------------------|-------------------|------------------------|--------------------|-----------|--|
| Regulated Contaminant  | Test Date  | Unit | Health Goal MCLG | Allowed Level MCL | Highest Level Detected | Range of Detection | Violation | Major Sources in Drinking Water  |
| Fluoride   | 02-11-2025 | ppm  | 4                | 4                 | <b>0.58</b>            | n/a                | no        | Erosion of natural deposit; Water additive, which promotes strong teeth; Discharge from fertilizer and aluminum factories. |
| Nitrate  | 02-11-2025 | ppm  | 10               | 10                | <b>0.33</b>            | n/a                | no        | Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.                               |

| 2025 Disinfection Residual - Monitoring in the Distribution System |           |      |                   |                    |                   |                            |           |   |
|--|-----------|------|-------------------|--------------------|-------------------|----------------------------|-----------|---|
| Regulated Contaminant  | Test Date | Unit | Health Goal MRDLG | Allowed Level MRDL | Highest Level RAA | Range of Quarterly Results | Violation | Major Sources in Drinking Water         |
| Total Chlorine Residual  | 2025      | ppm  | 4                 | 4                  | 1.02              | 0.92-1.07                  | no        | Water additive used to control microbes |

| 2025 Turbidity - Monitored Every 4 Hours at the Plant Finished Water Tap   |  |           |                                 |
|--|--|-----------|---------------------------------|
| Highest Single Measurement Cannot Exceed 1 NTU   | Lowest Monthly % of Samples Meeting Turbidity Limit of 0.3 NTU (minimum 95%) | Violation | Major Sources in Drinking Water |
| 0.14 NTU   | 100 %  | no        | Soil Runoff                     |
| Turbidity is a measure of the cloudiness of water. We monitor it because it is a good indicator of the effectiveness of our filtration system. |  |           |                                 |

| 2025 Special Monitoring |            |      |      |     |                        |                             |
|-------------------------|------------|------|------|-----|------------------------|-----------------------------|
| Contaminant             | Test Date  | Unit | MCLG | MCL | Highest Level Detected | Source of Contaminant       |
| Sodium                  | 02-11-2025 | ppm  | n/a  | n/a | 4.8                    | Erosion of natural deposits |

| Regulated Contaminant    | Treatment Technique   | Typical Source of Contaminant |
|--------------------------|---|-------------------------------|
| Total Organic Carbon ppm | The Total Organic Carbon (TOC) removal ratio is calculated as the ratio between the actual TOC removal and the TOC removal requirements. The TOC is measured each quarter, and because the level is low, there is no requirement for TOC removal. | Erosion of natural deposits   |

| Regulated Contaminant         | Test Date  | Unit | Allowed Level MCL | Highest Level Detected | Range of Detection | Violation | Major Sources in Drinking Water   |
|-------------------------------|------------|------|-------------------|------------------------|--------------------|-----------|---|
| Perfluorooctanoic acid (PFOA) | 03-11-2025 | ng/L | 4                 | 2                      | ND-2               | no        | Industrial manufacturing sites, fire-fighting foams (AFFF) used at airports/military bases, and waste management facilities like landfills. |

*These tables are based on tests conducted by GLWA in the year 2025 or the most recent testing done within the last five calendar years. GLWA conducts tests throughout the year. Only tests that show the presence of a substance or require special monitoring are presented in these tables. The State allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. The data is representative of the water quality, but some are more than one year old.*

## 2025 Lake Huron Tap Water Mineral Analysis

| Parameter              | Units  | Max.  | Min.  | Avg.  | Parameter                    | Units | Max. | Min. | Avg. |
|------------------------|--------|-------|-------|-------|------------------------------|-------|------|------|------|
| Turbidity              | N.T.U. | 0.09  | 0.06  | 0.07  | Phosphorus                   | mg/L  | 0.94 | 0.65 | 0.79 |
| Total Solids           | mg/L   | 155   | 36    | 124   | Free Carbon Dioxide          | mg/L  | 9.1  | 4.7  | 7.0  |
| Total Dissolved Solids | mg/L   | 140   | 77    | 112   | Total Hardness               | mg/L  | 130  | 96   | 105  |
| Aluminum               | mg/L   | 0.220 | 0.013 | 0.061 | Total Alkalinity             | mg/L  | 80   | 70   | 75   |
| Iron                   | mg/L   | 0.3   | ND    | 0.2   | Carbonate Alkalinity         | mg/L  | 0    | 0    | 0    |
| Copper                 | mg/L   | 0.003 | ND    | 0.001 | Bi-Carbonate Alkalinity      | mg/L  | 80   | 70   | 75   |
| Magnesium              | mg/L   | 8.4   | 7.1   | 7.7   | Non-Carbonate Hardness       | mg/L  | 50   | 22   | 30   |
| Calcium                | mg/L   | 28.6  | 23.3  | 26.2  | Chemical Oxygen Demand       | mg/L  | 6.2  | ND   | 2.7  |
| Sodium                 | mg/L   | 5.4   | 0.4   | 3.1   | Dissolved Oxygen             | mg/L  | 10.9 | 7.5  | 9.6  |
| Potassium              | mg/L   | 1.1   | 0.9   | 1.0   | Nitrite Nitrogen             | mg/L  | ND   | ND   | 0.0  |
| Manganese              | mg/L   | 0.001 | ND    | 0.000 | Nitrate Nitrogen             | mg/L  | 0.38 | 0.22 | 0.30 |
| Lead                   | mg/L   | ND    | ND    | 0.000 | Fluoride                     | mg/L  | 0.93 | 0.58 | 0.73 |
| Zinc                   | mg/L   | 0.019 | ND    | 0.008 | pH                           |       | 7.50 | 7.20 | 7.34 |
| Silica                 | mg/L   | 3.6   | 1.3   | 2.1   | Specific Conductance @ 25 °C | µmhos | 225  | 153  | 206  |
| Sulfate                | mg/L   | 21.5  | 12.9  | 18.9  | Temperature                  | °C    | 22.0 | 9.6  | 14.7 |
| Chloride               | mg/L   | 10.7  | 9.0   | 9.6   |                              |       |      |      |      |

**CITY OF LATHRUP VILLAGE**

| <b>2025 Microbiological Contaminants – Monthly Monitoring in Distribution System</b> |             |   |                                |                         |  |
|--|-------------|---|--------------------------------|-------------------------|--|
| <b>Regulated Contaminant</b>   | <b>MCLG</b> | <b>MCL</b>  | <b>Highest Number Detected</b> | <b>Violation yes/no</b> | <b>Major Sources in Drinking Water</b> |
| <b>Total Coliform Bacteria</b>   | 0           | Presence of Coliform bacteria > 5% of monthly samples   | 0                              | no                      | Naturally present in the environment   |
| <b>E. coli Bacteria</b>  | 0           | A routine sample and a repeat sample are total coliform positive, and one is also E. coli positive. | 0                              | no                      | Sanitary defects                       |

| <b>2025 Disinfection By-Products - Stage 2 Disinfection By-Products Monitoring in the Distribution System</b> |                  |             |                         |                          |                           |                                   |                  |   |
|---|------------------|-------------|-------------------------|--------------------------|---------------------------|-----------------------------------|------------------|---|
| <b>Regulated Contaminant</b>  | <b>Test Date</b> | <b>Unit</b> | <b>Health Goal MCLG</b> | <b>Allowed Level MCL</b> | <b>Highest Level LRAA</b> | <b>Range of Quarterly Results</b> | <b>Violation</b> | <b>Major Sources in Drinking Water</b>    |
| <b>(TTHM) Total Trihalomethanes</b>   | 2025             | ppb         | n/a                     | 80                       | 39                        | n/a                               | <b>no</b>        | By-product of drinking water chlorination |
| <b>(HAA5) Haloacetic Acids</b>  | 2025             | ppb         | n/a                     | 60                       | 22                        | n/a                               | <b>no</b>        | By-product of drinking water chlorination |

| <b>Lead and Copper Monitoring at the Customer’s Tap in 2025</b> |             |                     |                         |                        |  |  |                                  |  |
|---|-------------|---------------------|-------------------------|------------------------|--|--|----------------------------------|--|
| <b>Regulated Contaminant</b>                                    | <b>Unit</b> | <b>Year Sampled</b> | <b>Health Goal MCLG</b> | <b>Action Level AL</b> | <b>90<sup>th</sup> Percentile Value*</b> | <b>Range of Individual Samples Results</b> | <b>Number of Samples Over AL</b> | <b>Major Sources in Drinking Water</b>   |
| <b>Lead</b>   | ppb         | 2025                | 0                       | 12                     | 0  | 0  | 0                                | Lead services lines, corrosion of household plumbing including fittings and fixtures; Erosion of natural deposits. |
| <b>Copper</b>   | ppm         | 2025                | 1.3                     | 1.3                    | 0.1                                      | 0.0-0.2                                    | 0                                | Corrosion of household plumbing systems; Erosion of natural deposits   |

\* The 90<sup>th</sup> percentile value means 90 percent of the homes tested have lead and copper levels below the given 90<sup>th</sup> percentile value. If the 90<sup>th</sup> percentile value is above the AL, additional requirements must be met.

| <b>2025 Number of Water Service Connections by Service Line Material</b> |  |                                      |
|--|--|--------------------------------------|
| <b>Number of Lead Service Lines</b>                                      | <b>Number of Service Lines of Unknown Material</b> | <b>Total Number of Service Lines</b> |
| 0  | 17   | 1790                                 |

Call the City of Lathrup Village for more Information about the community water system inventory:  
(248) 557-2600

## About Unregulated Contaminant Monitoring

Unregulated contaminants are those for which the EPA has not established drinking water standards. Monitoring helps the EPA to determine where these contaminants occur and whether it needs to regulate those contaminants.

In 2023, the City of Lathrup Village participated in the Fifth Unregulated Contaminant Monitoring Rule. During this monitoring period, 29 per- and polyfluoroalkyl substances and lithium were analyzed. For the four quarters of monitoring all 29 per- and polyfluoroalkyl substances and lithium sampling results reported as non-detect. All systems are required to report their data to the EPA. The analytical results from the UCMR are stored in the National Contaminant Occurrence Database for drinking water. For a summary of the UCMR results, please refer to the UCMR Occurrence Data webpage.

## Important Information about your Drinking Water

The Great Lakes Water Authority (GLWA) is required to notify water users of any unresolved significant deficiencies identified by the Michigan Department of Environment, Great Lakes, and Energy, Drinking Water and Environmental Health Division (EGLE). Below is the status of significant deficiencies in the GLWA water system identified by EGLE:

| Date Identified by EGLE | Description  | Compliance Agreement Deadline | Status   |
|-------------------------|--|-------------------------------|--|
| 08-02-2022              | Improper rapid mixing and coagulant feed location at the Southwest water plant | 12-31-2027                    | Coagulant feed was completed on 12/11/2024. Rapid mix is in the design phase. <i>On track to meet the deadline.</i>          |
| 08-02-2022              | Inoperable flocculation equipment at the Southwest water plant                 | 07-31-2031                    | A contractor for the design portion of the project will be awarded shortly. <i>On track to meet the deadline.</i>            |
| 05-25-2022              | Inoperable rapid mixing equipment at the Springwells 1930's water plant        | 12-31-2023                    | Completed in December 2023.  |
| 05-25-2022              | Inoperable flocculation equipment at the 1958 Springwells water plant          | 11-11-2027                    | Phase I construction is completed as of December 2024. Phase II is under construction. <i>On track to meet the deadline.</i> |

For more information, please contact GLWA Water Quality at [waterquality@glwater.org](mailto:waterquality@glwater.org)

# Important Health Information

## Lead

*Lead can cause serious health effects in people of all ages, especially pregnant people, infants (both formula-fed and breastfed), and young children. Lead in drinking water is primarily from materials and parts used in service lines and in home plumbing. The city of Lathrup Village is responsible for providing high-quality drinking water and removing lead pipes, but it cannot control the variety of materials used in the plumbing in your home. Because lead levels may vary over time, lead exposure is possible even when your tap sampling results do not detect lead at one point in time. You can help protect yourself and your family by identifying and removing lead materials within your home plumbing and taking steps to reduce your family's risk. Using a filter certified by an American National Standards Institute-accredited certifier to reduce lead is effective in reducing lead exposures. Follow the instructions provided with the filter to ensure the filter is used properly. Use only cold water for drinking, cooking, and making baby formula. Boiling water does not remove lead from water. Before using tap water for drinking, cooking, or making baby formula, flush your pipes for several minutes. You can do this by running your tap, taking a shower, doing laundry, or doing a load of dishes. If you have a lead service line or a galvanized service line requiring replacement, you may need to flush your pipes for at least 5 minutes to flush water from both your home plumbing and the lead service line. If you are concerned about lead in your water and wish to have your water tested, contact the City of Lathrup Village (248) 557-2600 for available resources. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available at <https://www.epa.gov/safewater/lead>.*

*There is no safe level of lead in drinking water. Exposure to lead in drinking water can cause serious health effects in all age groups. Infants and children can have decreases in IQ and attention span. Lead exposure can lead to new learning and behavior problems or exacerbate existing learning and behavior problems. The children of persons who are exposed to lead before or during pregnancy can have an increased risk of these adverse health effects. Adults can have increased risks of heart disease, high blood pressure, kidney problems, or nervous system problems.*

## People with Special Health Concerns

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons, such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants, can be particularly at risk from infections. These people should seek advice about drinking water from their healthcare providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline at (800) 426-4791.

## Questions:

- Local Distribution: City of Lathrup Village (248) 557-2600
- Southeastern Oakland County Water Supply System – Water Authority offices: (248) 288-5150. Visit our website at [www.socwa.org](http://www.socwa.org)
- Great Lakes Water Authority – [www.glwater.org](http://www.glwater.org)
- Michigan Department of Environment, Great Lakes, and Energy (EGLE) - (586) 753-3755 – [www.michigan.gov/egle](http://www.michigan.gov/egle)
- U.S. Environmental Protection Agency – Safe Drinking Water Hotline: (800) 426-4791.
- Water quality data for community water systems throughout the United States is available at <https://www.epa.gov/wqs-tech>

## IMPORTANT INFORMATION ABOUT YOUR DRINKING WATER

### Reporting Requirements Not Met for Lathrup Village (PSWID: MI0003800)

We are required to deliver notification to customers with lead service lines, galvanized service lines previously connected to lead, or service lines of unknown lead status, and certify to the State that these notifications were sent.

Our system delivered the notifications; however, they did not contain all the required information. Although the failure to comply with the reporting requirement does not create a risk to public health, we are required to inform you of this violation and provide additional information, including what we did to correct the situation.

It is important for consumers to know if the water they are receiving has been delivered through a lead, galvanized previously connected to lead, or lead status unknown service line, so they can make decisions on whether and what actions to take to reduce their exposure to lead in drinking water.

#### What should I do?

There is nothing you need to do at this time. You do not need to boil your water or take other actions. Remember, boiling water does not remove lead from water.

#### What is being done?

Customers with lead service lines, galvanized service lines previously connected to lead, or service lines of unknown lead status will be sent a corrected notification letter containing all the required information before July 1, 2026.

For more information, please contact the Lathrup Village Water Department at 248-557-2600 or 27400 Southfield Road, Lathrup Village, MI 48076.

For more information on reducing lead exposure around your home/building and the health effects of lead, visit the EPA's websites at <https://www.epa.gov/ground-water-and-drinking-water/basic-information-about-lead-drinking-water> and <http://www.epa.gov/lead>. Additional resources can also be found at <https://www.michigan.gov/mileadsafe/get-ahead-of-lead>.