

PRO-WEAR® ARC FLASH PROTECTION CLOTHING & KITS



ALL PRO-WEAR® ARC FLASH PROTECTION CLOTHING KITS

SIZING

SALISBURY PRO-HOOD® ARC FLASH PROTECTION HOODS ARE SIZED ONE SIZE FITS ALL.

PRODUCT: COATS & JACKETS


Measurements in inches (minimum allowed)	
CHEST	COAT/JACKET SIZE
34-36"	S
38-40"	M
42-44"	L
46-48"	XL
50-52"	2XL
54-56"	3XL
SPECIAL ORDER SIZES	
58-60"	4XL
62-64"	5XL

PRODUCT: BIB OVERALLS & OVERPANTS

Measurements in inches (minimum allowed)		
WAIST	BIB/OVERPANTS SIZE	INSEAM
28-30"	S	28"
32-34"	M	29"
36-38"	L	30"
40-42"	XL	30"
44-46"	2XL	30"
48-50"	3XL	30"
SPECIAL ORDER SIZES		
52-54"	4XL	30"
56-58"	5XL	30"

PRODUCT: COVERALL

Measurements in inches (minimum allowed)		
CHEST	COVERALL SIZE	INSEAM
34-36"	S	28"
38-40"	M	29"
42-44"	L	30"
46-48"	XL	30"
50-52"	2XL	30"
54-56"	3XL	30"
SPECIAL ORDER SIZES		
58-60"	4XL	30"
62-64"	5XL	30"



HOW TO MEASURE

- A** Chest - Measure around body at the underarm area
- B** Waist - Measure around waist at the largest area
- C** Inseam - Measure from mid crotch down to leg hem

ALL PRO-WEAR® ARC FLASH PROTECTION CLOTHING KITS

MATERIAL WEIGHTS

PRODUCT FEATURE

THE SALISBURY ADVANTAGE

LIGHTER MATERIAL MAKES ALL THE DIFFERENCE

THE SALISBURY 40 CAL/CM² LT ARC FLASH MATERIAL MAKES WORKING MORE COMFORTABLE THEN EVER.

Salisbury has made it even easier to do your job safely and comfortably. Salisbury offers an even lighter 40 cal/cm² option with our LT line. The 40 cal/cm² LT option is 10% lighter than the standard 40 cal/cm² material making your job even more comfortable.

MATERIAL WEIGHT FOR ATPV RATINGS

ATPV Rating cal/cm ²	Material Weight oz./yd ²
8	7 oz./yd ² (237 g/m ²)
12	9 oz./yd ² (305 g/m ²)
20	13 oz./yd ² (441 g/m ²)
31	2 layers - 9 oz./yd ² (305 g/m ²) & 7 oz./yd ² (237 g/m ²)
40	2 layers - 13 oz./yd ² (441 g/m ²) & 5.5 oz./yd ² (186 g/m ²)
40-LT	10% LIGHTER 4 layers - 7 oz./yd ² (237 g/m ²) & 5.5 oz./yd ² (186 g/m ²) & 2 layers - 1.9 oz./yd ² (64 g/m ²)
55	2 layers - 13 oz./yd ² (441 g/m ²) & 13 oz./yd ²
75	3 layers - 2 layers 13 oz./yd ² (441 g/m ²) & 1 layer 7 oz./yd ² (237 g/m ²)
100	3 layers - 10 oz./yd ² (339 g/m ²) & 2 layers 9.4 oz./yd ² (319 g/m ²)

ALL PRO-WEAR® ARC FLASH PROTECTION CLOTHING KITS

QUICK REFERENCE CHARTS & INFORMATION



THE SALISBURY ADVANTAGE

CE MARKING

All Salisbury PRO-WEAR® Arc Flash Protection Clothing has received the coveted CE certification. This Salisbury advantage is one more reason why Salisbury provides the best personal protective equipment available today. All Salisbury PRO-HOOD® Arc Flash Protection Hoods have also been CE certified. Look for the CE marking to see exactly which garments have been CE 0120 certified.

ABOUT CE CERTIFICATION

CE Marking is a mandatory conformity marking and refers to Product Safety.

CE Marking on a product:

- Indicates that the product complies with the essential health and safety requirements of all applicable EU directives.
- A declaration by the manufacturer, or its representative, or the importer that those requirements have been met in full.
- A declaration that all conformity procedures have been completed. The product is allowed in the European market.

QUICK REFERENCE PRODUCT NUMBERING CHART

Salisbury Cat. No.	Size of Garments (choose one below)	ATPV Rating cal/cm ²	HRC
SK8	S, M, L, XL, 2XL or 3XL	8	2
SK8TC	S, M, L, XL, 2XL or 3XL	8	2
SK11	S, M, L, XL, 2XL or 3XL	12	2
SK11TC	S, M, L, XL, 2XL or 3XL	12	2
SKJ8*	S, M, L, XL, 2XL or 3XL	8	2
SKJ11*	S, M, L, XL, 2XL or 3XL	12	2
SKJP8*	S, M, L, XL, 2XL or 3XL	8	2
SKJP11*	S, M, L, XL, 2XL or 3XL	12	2
SKCA8*	S, M, L, XL, 2XL or 3XL	8	2
SKCA8TC*	S, M, L, XL, 2XL or 3XL	8	2
SKCA11*	S, M, L, XL, 2XL or 3XL	12	2
SKCA11TC*	S, M, L, XL, 2XL or 3XL	12	2
SK20	S, M, L, XL, 2XL or 3XL	20	2
SK31	S, M, L, XL, 2XL or 3XL	31	3
SK40	S, M, L, XL, 2XL or 3XL	40	4
SK40TC	S, M, L, XL, 2XL or 3XL	40	4
SK40LT	S, M, L, XL, 2XL or 3XL	40	4
SK55	S, M, L, XL, 2XL or 3XL	55	4
SK75	S, M, L, XL, 2XL or 3XL	75	4
SK100	S, M, L, XL, 2XL or 3XL	100	4
Example: SK20	XL	20	2

SK20XL is a clothing kit with a rating of 20 cal/cm² that contains coat and bib overalls size extra large, hard hat, hood, safety glasses and storage bags.

OPTION: Add suffix "-BP" to replace the SKBAG Large Storage Bag with a SKBACKPACK Specialty Reinforced Back Pack.

* Add suffix "-AS1200" to replace the AS1000HAT with an AS1200HAT



NEW

PREFER A BACKPACK WITH YOUR KIT?

Make any kit a Back Pack kit, by adding suffix "-BP" to your part number or contacting your local Salisbury by Honeywell representative for more.

If You Need it, Request it.
Call customer service if you need something not seen here.



NEW

ADD THE NEW AS1200HAT!

By adding suffix "-1200" to select kits you can include a new AS1200HAT instead of the AS1000HAT.

SALISBURY PRO-WEAR Color Code	Hazard Risk Category (HRC)	Clothing Description (Typical Number of clothing layers given in parentheses)	Minimum Arc Thermal Performance Exposure Value (ATPV) Rating of PPE
Navy Blue	1	FR long-sleeve shirt and FR pants or FR coverall plus arc-rated face shield or switching hood (1)	4 cal/cm ²
	2	FR long-sleeve shirt and FR pants or FR coverall plus arc-rated face shield or switching hood (1 or 2)	8 cal/cm ²
	2*	FR long-sleeve shirt and FR pants or FR coverall plus switching hood (or faceshield with balacava) (1 or 2)	8 cal/cm ²
Royal Blue	3	FR long-sleeve shirt and FR pants and FR coverall and FR jacket and FR pants or total FR clothing system with hood (2 or 3)	25 cal/cm ²
Gray / Khaki	4	FR long-sleeve shirt and FR pants and FR coverall and FR jacket and FR pants or total FR clothing system with hood (2 or 3)	40 cal/cm ²

PRO-HOOD® ARC FLASH PROTECTION HOOD

8 - 100 CAL/CM²



PRO-HOOD® ARC FLASH PROTECTION HOODS ▶

- 8 cal/cm² to 100 cal/cm²* ATPV ratings
- 8 cal/cm² to 75 cal/cm²* hoods are made from arc flash resistant material
- 100 cal/cm²* hood is made from TuffWeld® and Q/9® material layers
- Sewn with Nomex® thread
- Arc rated 10" x 20" anti-fogging replaceable lens
- Slotted bracket
- Hook and pile tabs to attach Salisbury's PRO-AIR™ belt mounted compact air system
- One size fits all.
- Hard hat not included.
- Meet current ASTM F2178 and NFPA 70E standards and the flammability requirements for ASTM F1506.
- All PRO-HOODs are CE 0120 certified.
- Orange color available by special order
- NEW Optional Universal Inner Anti-Fog Lens**
(see page 12 for more information)
- NEW Optional Integrated Air Flow Hood System**
(see page 17 for more information)

IMPROVEMENTS:

NEW Design and Cut on FH8BL, FH11BL & FH20BL
Clearer Lens available on FH8BL, FH11BL, FH20BL, FH31RB, FH40GY, FH40GYLT, and FH55GY

Cat. No.	Description
FH8BL	IMPROVED 8 cal/cm ² , navy blue
FH11BL	IMPROVED 12 cal/cm ² , navy blue
FH20BL	IMPROVED 20 cal/cm ² , navy blue
FH31RB	IMPROVED 31 cal/cm ² , royal blue
FH40GY	IMPROVED 40 cal/cm ² , gray
FH40GYLT	IMPROVED 40 cal/cm ² , lighter weight, gray
FH55GY*	IMPROVED 55 cal/cm ² , gray
FH75GY*	75 cal/cm ² , gray
FH100TW*	100 cal/cm ² , khaki, TuffWeld®

Add suffix "-C" to include integrated air flow hood system.
NOTE: Available in orange upon request. Contact your local Salisbury Representative.

SALISBURY ADVANTAGE

NO OTHER OPTION COMES CLOSE!

IMPROVED

IMPROVED LENS CLARITY!



FH40GY



FH31RB

**40 CAL/CM² & 100 CAL/CM².
LIGHTER MATERIAL THAN EVER.**

NEW

**NEW AIR FLOW SYSTEM
OPTIONAL INTEGRATED
LIGHTWEIGHT AIR SYSTEM**



NEW

**NEW PRO-HOOD® CLEAR
IMPROVED FH8BL
-CLEAREST HOOD AVAILABLE
-LIGHTER WEIGHT
-MEETS NFPA 70E HRC2* 2009**



FH8BL



*IMPORTANT: NFPA 70E does not have a Hazard Risk Category above 40 cal/cm². Working on levels above 40 cal/cm² should be avoided because of the blast hazards caused by arc flash.

PRO-WEAR® FLASH PROTECTION COATS

8 - 100 CAL/CM²



**40 CAL/CM² & 100 CAL/CM².
LIGHTER MATERIAL THAN EVER.**

ACC10032TW



ACC3132RB

EXCLUSIVE FEATURE



Dual stage front closure with high temperature plastic zipper and FR hook & pile storm flap on 31-100 cal/cm² coat designs.



NEW

**NEW 2-COLOR
PRO-WEAR®**

ACC4032TC



ACCA1132TC

◀ ARC FLASH PROTECTION COATS

8 cal/cm² to 100 cal/cm²* ATPV ratings

8 cal/cm² to 75 cal/cm²* coats are made from arc flash resistant material

100 cal/cm²* coat is made from TuffWeld® and Q/9® material layers

Sewn with Nomex® thread

32" long

Nomex® wristlets.

Expansion back for added comfort

Dual stage front closure with high temperature plastic zipper on the

31 - 100 cal/cm²* coats

FR hook & pile storm flap

Coats are intended to be used with PRO-HOODS®

Meets current ASTM F1506 and NFPA 70E standards.

All are CE 0120 certified.

Sizes S, M, L, XL, 2XL, and 3XL available from stock

Other sizes and orange color available by special order

Cat. No.	Description
ACC832BL	8 cal/cm ² , navy blue
ACC832TC	NEW 8 cal/cm ² , navy blue/khaki
ACC1132BL	12 cal/cm ² , navy blue
ACC1132TC	NEW 12 cal/cm ² , navy blue/khaki
ACC2032BL	20 cal/cm ² , navy blue
ACC3132RB	31 cal/cm ² , royal blue
ACC4032GY	40 cal/cm ² , gray
ACC4032TC	NEW 40 cal/cm ² , gray/navy blue
ACC4032GYLT	40 cal/cm ² , lighter weight, gray
ACC5532GY*	55 cal/cm ² , gray
ACC7532GY*	75 cal/cm ² , gray
ACC10032TW*	100 cal/cm ² , khaki, TuffWeld®

NOTE: Add suffix for desired size: S, M, L, XL, 2XL, or 3XL

NOTE: Available in orange upon request. Contact your local Salisbury Representative.

If You Need it, Request it. Call customer service if you need something not seen here.



***IMPORTANT: NFPA 70E does not have a Hazard Risk Category above 40 cal/cm². Working on levels above 40 cal/cm² should be avoided because of the blast hazards caused by arc flash.**

PRO-WEAR® FLASH PROTECTION BIB OVERALLS

8 - 100 CAL/CM²



ARC FLASH PROTECTION BIB OVERALLS ►

8 cal/cm² to 100 cal/cm²* ATPV ratings

8 cal/cm² to 75 cal/cm²* bib overalls are made from arc flash resistant material

100 cal/cm²* bib overalls are made from TuffWeld® and Q/9® material layers

Sewn with Nomex® thread

Integrated heavy duty suspenders

Relaxed cut for greater mobility

30" inseam

Adjustable hook and pile waist straps

Bib front for added protection

Adjustable gussets on pant cuffs.

Meets current ASTM F1506 and NFPA 70E standards.

All are CE 0120 certified.

Sizes S, M, L, XL, 2XL, and 3XL available from stock

Other sizes and orange color available by special order



ACB2030BL



ACB3130RB



Cat. No.	Description
ACB830BL	8 cal/cm ² , navy blue
ACB830TC	NEW 8 cal/cm ² , navy blue/khaki
ACB1130BL	12 cal/cm ² , navy blue
ACB1130TC	NEW 12 cal/cm ² , navy blue/khaki
ACB2030BL	20 cal/cm ² , navy blue
ACB3130RB	31 cal/cm ² , royal blue
ACB4030GY	40 cal/cm ² , gray
ACB4030TC	NEW 40 cal/cm ² , gray/navy blue
ACB4030GYLT	40 cal/cm ² , lighter weight, gray
ACB5530GY*	55 cal/cm ² , gray
ACB7530GY*	75 cal/cm ² , gray
ACB10030TW*	100 cal/cm ² , khaki, TuffWeld®

NOTE: Add suffix for desired size: S, M, L, XL, 2XL, or 3XL

NOTE: Available in orange upon request. Contact your local Salisbury Representative.

If You Need it, Request it. Call customer service if you need something not seen here.

**40 CAL/CM² & 100 CAL/CM².
LIGHTER MATERIAL THAN EVER.**



ACB10030TW



ACB830TC

NEW

**NEW 2-COLOR
PRO-WEAR®**

PRO-WEAR® ARC FLASH PROTECTION PREMIUM COVERALLS

8 - 20 CAL/CM²



◀ ARC FLASH PROTECTION COVERALLS

8 cal/cm² to 20 cal/cm² ATPV ratings

Made from arc flash resistant material

Sewn with Nomex® thread

Full cut with set in sleeves

FR hook and pile front closure

30" inseam

Expansion back

2-ply Nomex® wristlets

Hook and pile cuff opening

Meet current ASTM F1506 and NFPA 70E standards.

All are CE 0120 certified.

Sizes S, M, L, XL, 2XL, and 3XL available from stock

Other sizes and orange color available by special order

Cat. No.	Description
ACCA8BL	8 cal/cm ² , navy blue
ACCA8TC	NEW 8 cal/cm ² , navy blue/khaki
ACCA11BL	12 cal/cm ² , navy blue
ACCA11TC	NEW 12 cal/cm ² , navy blue/khaki
ACCA20BL	20 cal/cm ² , navy blue

NOTE: Add suffix for desired size: S, M, L, XL, 2XL, or 3XL

NOTE: Available in orange upon request. Contact your local Salisbury Representative.



ACCA11BL

NEW



If You Need it, Request it.
Call customer service if you need something not seen here.

ARC FLASH PROTECTION PREMIUM COVERALL KITS

8 & 12 CAL/CM² HRC 2




◀ **SALISBURY PRO-WEAR® ARC FLASH PROTECTION COVERALL KITS** are clothing kits containing arc flash coveralls in an ATPV rating of either 8 cal/cm² or 12 cal/cm², an AS1000HAT, an appropriate ATPV rated AFHOOD, ASBAG, SKBAG and safety glasses.

NEW 2-COLOR PRO-WEAR ARC FLASH PROTECTION COVERALL KITS are clothing kits containing arc flash coveralls in an ATPV rating of either 8 cal/cm² or 12 cal/cm², a **NEW AS1200HAT**, an appropriate ATPV rated AFHOOD, ASBAG, SKBAG and safety glasses.

Sizes S, M, L, XL, 2XL, and 3XL available from stock. Other sizes and orange color available by special order.

THESE KITS MEET NFPA 70E HAZARD RISK CATEGORY 2.

**SALISBURY ADVANTAGE
LARGEST SELECTION OF KIT
OPTIONS AVAILABLE.**



PRODUCT NUMBERING CHART FOR PPE KITS W/ COVERALLS

Salisbury Cat. No.	Size of Garments (choose one below)	ATPV Rating cal/cm ²	HRC	Description
SKCA8	S, M, L, XL, 2XL, 3XL	8	2	Navy
SKCA8TC	S, M, L, XL, 2XL, 3XL	8	2	2-Color
SKCA11	S, M, L, XL, 2XL, 3XL	12	2	Navy
SKCA11TC	S, M, L, XL, 2XL, 3XL	12	2	2-Color
Example:				
SKCA8	L	8	2	

SKCA8L is a large clothing kit containing a coveralls in an ATPV rating of 8 cal/cm², AS1000HAT, AFHOOD, storage bags and safety glasses.

NOTE: Available in orange upon request. Contact your local Salisbury Representative. OPTION: Add suffix "-BP" to replace the SKBAG Large Storage Bag with a SKBACKPACK Specialty Reinforced Back Pack. Add suffix "-1200" to replace AS1000HAT w/ AS1200HAT.

NEW

ADD THE NEW AS1200HAT!

By adding suffix "-1200" to select kits you can include a new AS1200HAT instead of the AS1000HAT.



IMPORTANT: THE MAXIMUM ARC FLASH PROTECTION OF A KIT IS EQUAL TO THE LOWEST CAL/CM² RATING OF ANY COMPONENT IN THE SELECTED SAFETY KIT.

PRO-WEAR® ARC FLASH PROTECTION JACKETS AND OVERPANTS

8 - 20 CAL/CM²



JSHV1132BL



◀ ARC FLASH PROTECTION JACKETS & OVERPANTS

8 cal/cm² to 20 cal/cm² ATPV ratings

Made from arc flash resistant material

Sewn with Nomex® thread

Jackets and overpants meet current ASTM F1506 and NFPA 70E standards.

All are CE 0120 certified.

Sizes S, M, L, XL, 2XL, and 3XL available from stock

Other sizes and orange color available by special order

◀ ARC FLASH PROTECTION JACKETS

Jackets are 32" long and have Nomex® wristlets.

Jackets have hook & pile front closure

Jackets are intended to be used with Salisbury AS1000 / AS1200 / AS1500

Series Faceshield/Hard Hat/Chin Cup Unit

Cat. No.	Description
JSHV832BL	8 cal/cm ² , jacket, navy blue
JSHV1132BL	12 cal/cm ² , jacket, navy blue
JSHV2032BL	20 cal/cm ² , jacket, navy blue

NOTE: Add suffix for desired size: S, M, L, XL, 2XL, or 3XL

NOTE: Available in orange upon request. Contact your local Salisbury Representative.

◀ ARC FLASH PROTECTION OVERPANTS

Overpants have full elastic waistband with FR hook and pile front closure

30" inseam

Overpants have hook and pile cuff adjustment

Salisbury Exclusive

The Salisbury overpants provide a quick and cost-effective way to maximize protection

Loose design and flared legs make it easy to put on and take off over existing work clothing.

Cat. No.	Description
ACP830BL	8 cal/cm ² , overpants, navy blue
ACP1130BL	12 cal/cm ² , overpants, navy blue*
ACP2030BL	20 cal/cm ² , overpants, navy blue*

NOTE: Add suffix for desired size: S, M, L, XL, 2XL, or 3XL

NOTE: Available in orange upon request. Contact your local Salisbury Representative.



Elastic waistband for maximum comfort.

ACP830BL

ARC FLASH PROTECTION JACKET AND OVERPANTS KITS

8 & 12 CAL/CM² HRC 2



◀ **SALISBURY PRO-WEAR® ARC FLASH PROTECTION JACKET KITS AND OVERPANTS KITS** are clothing kits containing an arc flash jacket with hood in an ATPV rating of either 8 cal/cm² or 12 cal/cm², an AS1000HAT, SKBAG and safety glasses. Appropriate ATPV rated overpants are included with SKJP kits.

The SKJP kits provide more protection and comfort than a lab coat and legging solution. These kits provide maximum head-to-toe HRC 2 Protection.

Sizes S, M, L, XL, 2XL, and 3XL available from stock. Other sizes and orange color available by special order.

THESE KITS MEET NFPA 70E HAZARD RISK CATEGORY 2.



PRODUCT NUMBERING CHART FOR PPE KITS W/ JACKET

Salisbury Cat. No.	Size of Garments (choose one below)	ATPV Rating cal/cm ²	HRC
SKJ8	S, M, L, XL, 2XL, 3XL	8	2
SKJ11	S, M, L, XL, 2XL, 3XL	12	2
SKJP8	S, M, L, XL, 2XL, 3XL	8	2
SKJP11	S, M, L, XL, 2XL, 3XL	12	2
Example: SKJ8	L	8	2

SKJ8L is a large clothing kit containing a jacket in an ATPV rating of 8 cal/cm², AS1000HAT, storage bags and safety glasses.

Example: SKJP8	L	8	2
-------------------	---	---	---

SKJP8L is a large clothing kit containing a jacket and overpants in ATPV ratings of 8 cal/cm², AS1000HAT, storage bags and safety glasses.

NOTE: Available in orange upon request. Contact your local Salisbury Representative.

OPTION: Add suffix "-BP" to replace the SKBAG Large Storage Bag with a SKBACKPACK Specialty Reinforced Back Pack. Add suffix "-1200" to replace AS1000HAT w/ AS1200HAT.

If You Need it, Request it.
Call customer service if you need something not seen here.



PRO-WEAR® PERSONAL PROTECTION EQUIPMENT KITS

8 - 12 - 20 CAL/CM² HRC 2



► SALISBURY PRO-WEAR® ARC FLASH PERSONAL PROTECTION EQUIPMENT KITS ARE AVAILABLE IN ATPV RATINGS OF 8, 12, AND 20 CAL/CM². These kits contain arc flash coat, bib overalls, PRO-HOOD®, hard hat, SKBAG, and safety glasses.

NEW 2-COLOR 8 CAL/CM² AND 12 CAL/CM² PRO-WEAR ARC FLASH PROTECTION PPE KITS AVAILABLE.

Sizes S, M, L, XL, 2XL, and 3XL available from stock. Other sizes and orange color available by special order.

THESE KITS MEET NFPA 70E



NEW



If You Need it, Request it.
Call customer service if you need something not seen here.

PRODUCT NUMBERING CHART FOR 8 CAL/CM² TO 20 CAL/CM² PPE KITS

	Size of Garments (choose one below)	ATPV Rating cal/cm ²	HRC	Description
SK8	S, M, L, XL, 2XL, 3XL	8	2	Navy
SK8TC	S, M, L, XL, 2XL, 3XL	8	2	2-Color
SK11	S, M, L, XL, 2XL, 3XL	12	2	Navy
SK11TC	S, M, L, XL, 2XL, 3XL	12	2	2-Color
SK 20	S, M, L, XL, 2XL, 3XL	20	2	Navy
Example: SK8	M	8	2	

SK8M is a clothing kit with a rating of 8 cal/cm² that contains a coat, bib overalls, PRO-HOOD, hard hat, safety glasses and storage bag.

NOTE: Available in orange upon request. Contact your local Salisbury Representative.
OPTION: Add suffix "-BP" to replace the SKBAG Large Storage Bag with a SKBACKPACK Specialty Reinforced Back Pack.

PREFER A BACKPACK WITH YOUR KIT?

Make any kit a Back Pack kit, by adding suffix "-BP" to your part number or contacting your local Salisbury by Honeywell representative for more.

NEW



PRO-WEAR® PERSONAL PROTECTION EQUIPMENT KITS

31 CAL/CM² HRC 3



◀ SALISBURY PRO-WEAR® ARC FLASH PERSONAL PROTECTION EQUIPMENT KITS ARE AVAILABLE IN AN ATPV RATING OF 31 CAL/CM². This kit contains an arc flash coat, bib overalls, PRO-HOOD®, hard hat, SKBAG, and safety glasses.

Sizes S, M, L, XL, 2XL, and 3XL available from stock. Other sizes and orange color available by special order.

**THIS KIT MEETS NFPA 70E
HAZARD RISK CATEGORY 3.**



PRODUCT NUMBERING CHART FOR 31 CAL/CM² PPE KITS

Salisbury Cat. No.	Size of Garments (choose one below)	ATPV Rating cal/cm ²	HRC
SK31	S, M, L, XL, 2XL, 3XL	31	3
Example: SK31	S	31	3

SK31S is a small clothing kit with a rating of 31 cal/cm² that contains a coat, bib overalls, PRO-HOOD, hard hat, safety glasses and storage bag.

NOTE: Available in orange upon request. Contact your local Salisbury Representative.
OPTION: Add suffix "-BP" to replace the SKBAG Large Storage Bag with a SKBACKPACK Specialty Reinforced Back Pack.

If You Need it, Request it.
Call customer service if you need something not seen here.



NEW

PREFER A BACKPACK WITH YOUR KIT?

Make any kit a Back Pack kit, by adding suffix "-BP" to you part number or contacting your local Salisbury by Honeywell representative for more.

PRO-WEAR® PERSONAL PROTECTION EQUIPMENT KITS

40 CAL/CM² HRC 4



► SALISBURY PRO-WEAR® ARC FLASH PERSONAL PROTECTION EQUIPMENT KITS ARE AVAILABLE IN AN ATPV RATING OF 40 CAL/CM². This kit contains an arc flash coat, bib overalls, PRO-HOOD®, hard hat, SKBAG, and safety glasses.

NEW 2-COLOR PRO-WEAR ARC FLASH PROTECTION PPE KITS AVAILABLE.

Sizes S, M, L, XL, 2XL, and 3XL available from stock. Other sizes and orange color available by special order.

THESE KITS MEET NFPA 70E
HAZARD RISK CATEGORY 4.

**LIGHTER MATERIAL THAN EVER.
40 CAL/CM² "LT" MATERIAL OFFERS
EXTREMELY LIGHTWEIGHT OPTION.**

NEW



If You Need it, Request it.
Call customer service if you need something not seen here.

PRODUCT NUMBERING CHART FOR 40 CAL/CM² PPE KITS

Salisbury Cat. No.	Size of Garments (choose one below)	ATPV Rating cal/cm ²	HRC	Description
SK40	S, M, L, XL, 2XL, 3XL	40	4	gray kit
SK40TC	S, M, L, XL, 2XL, 3XL	40	4	2-color
SK40LT	S, M, L, XL, 2XL, 3XL	40	4	lightweight
Example: SK40	2XL	40	4	

SK402XL is an extra extra large clothing kit with a rating of 40 cal/cm² that

NOTE: Available in orange upon request. Contact your local Salisbury Representative.
OPTION: Add suffix "-BP" to replace the SKBAG Large Storage Bag with a SKBACKPACK Specialty Reinforced Back Pack.

NEW

PREFER A BACKPACK WITH YOUR KIT?

Make any kit a Back Pack kit,
by adding suffix "-BP" to you part number
or contacting your local Salisbury by
Honeywell representative for more.



PRO-WEAR® PERSONAL PROTECTION EQUIPMENT KITS

55 - 75 CAL/CM² HRC 4



◀ SALISBURY PRO-WEAR® ARC FLASH PERSONAL PROTECTION EQUIPMENT KITS ARE AVAILABLE IN AN ATPV RATING OF 55 AND 75 CAL/CM²*. These kits contains an arc flash coat, bib overalls, PRO-HOOD®, hard hat, SKBAG, and safety glasses.

Sizes S, M, L, XL, 2XL, and 3XL available from stock. Other sizes and orange color available by special order.

THESE KITS MEET NFPA 70E
HAZARD RISK CATEGORY 4.



PRODUCT NUMBERING CHART FOR 55 CAL/CM² & 75 CAL/CM² PPE KITS

Salisbury Cat. No.	Size of Garments (choose one below)	ATPV Rating cal/cm ²	HRC
SK55*	S, M, L, XL, 2XL, 3XL	55	4
SK75*	S, M, L, XL, 2XL, 3XL	75	4
Example: SK55	2XL	55	4

SK552XL is an extra extra large clothing kit with a rating of 55 cal/cm² that contains a coat, bib overalls, PRO-HOOD, hard hat, safety glasses and storage bag.
NOTE: Available in orange upon request. Contact your local Salisbury Representative.
OPTION: Add suffix "-BP" to replace the SKBAG Large Storage Bag with a SKBACKPACK Specialty Reinforced Back Pack.

If You Need it, Request it.
Call customer service if you need something not seen here.

NEW



PREFER A BACKPACK WITH YOUR KIT?
Make any kit a Back Pack kit, by adding suffix "-BP" to you part number or contacting your local Salisbury by Honeywell representative for more.



*IMPORTANT: NFPA 70E does not have a Hazard Risk Category above 40 cal/cm². Working on levels above 40 cal/cm² should be avoided because of the blast hazards caused by arc flash.

PRO-WEAR® PERSONAL PROTECTION EQUIPMENT KITS

100 CAL/CM² HRC 4



► SALISBURY PRO-WEAR® ARC PERSONAL PROTECTION EQUIPMENT KITS ARE AVAILABLE IN AN ATPV AN RATING OF 100 CAL/CM²*. This kit contains an arc flash coat, bib overalls, PRO-HOOD®, hard hat, SKBAG, and safety glasses. Made from TUFFWELD®, TUFFWELD offers inherent FR protection with a high level of comfort and durability. Exceptional lightweight comfort with superb wicking so you can stay cooler and drier even under demanding conditions.

Sizes S, M, L, XL, 2XL, and 3XL available from stock. Other sizes and orange color available by special order.

THIS KIT MEETS NFPA 70E
HAZARD RISK CATEGORY 4.

**LIGHTER MATERIAL THAN EVER.
100 CAL/CM² MATERIALS OFFERS A
LIGHTER WEIGHT OPTION.**



If You Need it, Request it.
Call customer service if you need something not seen here.



NEW

PREFER A BACKPACK WITH YOUR KIT?

Make any kit a Back Pack kit, by adding suffix "-BP" to your part number or contacting your local Salisbury by Honeywell representative for more.



PRODUCT NUMBERING CHART FOR 100 CAL/CM² PPE KITS

Salisbury Cat. No.	Size of Garments (choose one below)	ATPV Rating cal/cm ²	HRC
SK100*	S, M, L, XL, 2XL, 3XL	100	4
Example: SK100	2XL	100	4

SK1002XL is an extra extra large clothing kit with a rating of 100 cal/cm² that contains a coat, bib overalls, PRO-HOOD, hard hat, safety glasses and storage bag. OPTION: Add suffix "-BP" to replace the SKBAG Large Storage Bag with a SKBACKPACK Specialty Reinforced Back Pack.



*IMPORTANT: NFPA 70E does not have a Hazard Risk Category above 40 cal/cm². Working on levels above 40 cal/cm² should be avoided because of the blast hazards caused by arc flash.


NEW

ARC FLASH AND FLAME RESISTANT HI-VIS VEST & RAIN SUITS

5 CAL/CM² - 7 CAL/CM² - 9 CAL/CM² HRC 2



◀ **SALISBURY'S ARC & FLAME RESISTANT PVC NOMEX® RAIN SUIT** meets all requirements for arc flash protection rainwear standard ASTM F 1891. The orange suits have an ATPV rating of 9 cal/cm², the yellow suits have an ATPV rating of 7 cal/cm². The jacket includes a collar hood, back vent with D-Ring opening, zipper front, two patch pockets with hook and pile flaps and 3M™ Scotchlite™ reflective trim. The pants include a snap fly front, deluxe suspenders system with quick release hardware and slide adjusters, hook and pile cuff adjusters and 3M™ Scotchlite™ reflective trim. The jackets and pants are available in either florescent yellow or florescent orange. PVC Nomex® Rain Suit meets Class 3 ANSI/ISEA 107-2010 standards.



**STAND OUT & BE SAFE.
NEW HI-VIS VEST**



Cat. No.	Description	Sizes
NRJ-O	Orange, PVC Nomex Rain Jacket, 9cal/cm ²	S, M, L, XL, 2XL, 3XL**
NRP-O	Orange, PVC Nomex Rain Pants, 9cal/cm ²	S, M, L, XL, 2XL, 3XL**
NRJ-Y	Yellow, PVC Nomex Rain Jacket, 7cal/cm ²	S, M, L, XL, 2XL, 3XL**
NRP-Y	Yellow, PVC Nomex Rain Pants, 7cal/cm ²	S, M, L, XL, 2XL, 3XL**
HVCA-Y	NEW Yellow, Hi-Vis Mesh Vest, 5cal/cm ² , Canada	S, M, L, XL, 2XL, 3XL
HVUS-Y	NEW Yellow, Hi-Vis Mesh Vest, 5cal/cm ² , United States	S, M, L, XL, 2XL, 3XL
HVCA-O	NEW Orange, Hi-Vis Mesh Vest, 5cal/cm ² , Canada	S, M, L, XL, 2XL, 3XL
HVUS-O	NEW Orange, Hi-Vis Mesh Vest, 5cal/cm ² , United States	S, M, L, XL, 2XL, 3XL

**Other sizes are available, contact factory or local Salisbury representative for availability.

Nomex® is a registered trademark of DuPont or its affiliates.

◀ **SALISBURY'S HI-VIS VEST** has an ATPV rating of 5 cal/cm² and is constructed from a flame retardant mesh fabric and provides cool comfort. The vest's fabric has a 40 Xexon Rating, which is the highest visibility available. No other fabric beats it! The vest is available in hi-vis orange or hi-vis yellow. A 2" silver flame resistant 3M™ Scotchlite™ reflective material trim is sewn over each shoulder and around the entire garment. The vest is available in Class 2 ANSI standard compliant or CSA standard compliant. Meets ASTM F1506 and ANSI/SEA 107-2010.

WORK GLOVES

THE NEXT-GENERATION OF PERFORMANCE WORK GLOVES.

These high quality performance Work Gloves are constructed of a synthetic and natural material blend. These gloves are highly durable and comfortably form-fit to the hand without inhibiting dexterity.

EXTENSIVE REINFORCEMENT: Salisbury by Honeywell Work Gloves have extensive palm and finger coverage. The PVC based Asphalt Reinforcement Material is tacky, making the gloves more dexterous, durable, and provides a secure grip even in wet conditions.

CUFF: Some of these gloves feature a FlexMesh™ cuff which is a protective, breathable, and comfortable cuff closing system that does not require constant adjusting.

THUMB CUT: The unique 3-D palm construction design prevents bunching between the thumb and index finger.

STREAMLINED KNUCKLE PROTECTION: The knuckle protection on the back of the hand is internalized and will NOT get “caught up” when reaching into a tool pouch or pocket.

DURABLE SYNTHETIC LEATHER ON BASE OF PALM: The base layer is synthetic suede called SupraTex™. This material is highly breathable and durable. The material wicks away heat and moisture which prevents sweat and heat from building up.



◀ WORK GLOVES

- Breathable
- Washable
- Form-Fit
- Durable
- Comfortable
- Multi-Task Design



WARNING:
THESE GLOVES ARE NOT INTENDED FOR ENERGIZED ELECTRICAL USE.



UWG-SPP



UWG-KLG



UWG-HVO



UWG-GPU



UWG-SDG



UWG-GLP



UWG-HUXT



UWG-WPGC



UWG-WPSC

◀ UWG-KLG - KEVLAR® UTILITY GLOVE - CUT RESISTANT - ALL PURPOSE

This all-purpose work glove is highly cut-resistant and features a 100% KEVLAR® lining. This glove has great dexterity and durability.

◀ UWG-SPP - PADDED PALM - ABRASION RESISTANT - HD PURPOSE

This all-purpose work glove is built for a wide variety of Heavy Duty work functions. The glove features 3mm Memory Foam sewn in strategic locations under double-stitched non-slip reinforcement on the palm to resist abrasion and provide good grip in various conditions.

◀ UWG-GPU - UTILITY PLUS GLOVE - ABRASION RESISTANT - ALL PURPOSE

This glove features Asphalt reinforcement on the palm to resist abrasion. The top of the hand is made out of a stretchable, light weight, and breathable reinforced nylon for comfort. The glove also features internal knuckle protection.

◀ UWG-HVO - HIGH VISIBILITY - ALL PURPOSE

This all-purpose work glove is built for High Visibility and a wide variety of work functions. The glove features 3M™ Scotchlite™ on the top of hand and palmside cuff. The top of hand is made out of a stretchable Nylon for comfort.

◀ UWG-GLP - ABRASION RESISTANT - ALL PURPOSE

This all-purpose work glove is built for high abrasive tasks where dexterity and tactility is important. The glove features a one-piece goat skin palm. The top of hand is made with a stretchable Nylon for comfort.

◀ UWG-SDG - DEXTERITY - ALL PURPOSE

This all-purpose work glove is built for a wide variety of work functions that are generally lesser abrasive, but require more tactility. The glove features double-stitched synthetic leather reinforcement in strategic locations that offer greater durability, but does not sacrifice dexterity. The top of hand is made out of a stretchable nylon for comfort.

◀ UWG-HUXT - PRO UTILITY GLOVE - MAX ABRASION RESISTANT - ALL PURPOSE

This all-purpose work glove has maximum abrasion resistance, good dexterity, and breathability. The top of the hand features stretch nylon and the extended cuff includes Asphalt reinforcement on the palm side.

◀ UWG-WPSC - WATERPROOF PRO UTILITY GLOVE - WINTER - ALL PURPOSE

This all-purpose waterproof/breathable work glove is designed for cooler weather. It features stretch nylon on the top of the hand and an extended FlexMesh™ cuff. The inner liner is made with a warm Microfleece. The glove is entirely waterproof, windproof, and breathable. The palm features a SupraTex™ base layer with a durable Asphalt palm reinforcement.

◀ UWG-WPGC - WATERPROOF WINTER UTILITY GLOVE - GAUNTLET STYLE

This work glove is a warm and durable glove. This glove is 100% waterproof, windproof, and breathable. It features a Sportwool™ liner that allows the hand to remain comfortable for long periods of time in extreme weather conditions. 3M Thinsulate Insulation lines the top of the hand, fingers, and cuff.

All gloves are available in sizes S-XXL.

Cat. No.	Description
UWG-KLG	KEVLAR Utility Glove - Cut Resistant - All Purpose
UWG-GPU	Utility Plus Glove - Abrasion Resistant - All Purpose
UWG-SPP	Padded Palm - Abrasion Resistant - HD Purpose
UWG-HVO	High Visibility - All Purpose
UWG-GLP	Abrasion Resistant - All Purpose
UWG-SDG	Dexterity - All Purpose
UWG-HUXT	Pro Utility Glove - Max Abrasion Resistant - All Purpose
UWG-WPSC	Waterproof Pro Utility Glove - Winter - All Purpose
UWG-WPGC	Waterproof Winter Utility Glove - Gauntlet Style

Add suffix: "/S" for Small, "/M" for Medium, "/L" for Large, "/XL" for Extra Large, or "/XXL" for 2X Large.



WARNING!
Not Cut Proof, Puncture Proof or Fire Retardant.
Do NOT Expose Near Open Flames, Sparks or Arc Zones.

THE ULTIMATE BACK PACK

► EVERYTHING YOU NEED IN ONE CONVENIENT LIGHTWEIGHT BACKPACK.

The **SALISBURY SKBACKPACK** is specifically designed to hold virtually everything from tools to full Personal Protective Equipment (PPE) kits. Specialized reinforced compartments with flap closures are located on both sides of the pack and include flexible slots designed specifically to keep your hand tools in place. The individual compartments make finding the right tool a snap. The backpack can even be personalized to hold your very own PPE kit - clothing, head and face protection, insulated tool kit, and much more. The interior includes extra large compartments to hold voltage detectors or other specialized tools, as well as numerous smaller partitions. There is even a specific area for first aid items.

The rugged SK BACKPACK is manufactured from water resistant reinforced fabric, which is resistant to cuts and abrasion. The adjustable heavy duty straps are wide and padded making it very comfortable to wear regardless of the load. The SK BACKPACK includes an exterior hard hat strap, D-ring's, and universal snap hook. Even a built-in integrated handle for those on the move.

Thank you to numerous linemen and electricians that provided feedback and guidance to Salisbury during the design process.



BACK PACK

Cat. No.	Description
SKBACKPACK	Reinforced Specialty Backpack (14"L x 8"W x 18"H)

HEAVY DUTY TOOL BAG & STORAGE BAG



◀ SALISBURY'S HEAVY DUTY TOOL BAG HELPS KEEP ALL YOUR SAFETY NEEDS ORGANIZED AND IN ONE PLACE.

The SALISBURY TOOL BAG is designed to easily transport and organize numerous hand tools and specialized equipment. Finding the right tool becomes effortless because of the many unique compartments. Large reinforced pockets are located throughout the interior of the bag. Outside there are nine individual pouches, including three expandable mesh compartments with "D"-ring clips. Great for carrying anything from water bottles to additional tools.

The SK Tool Bag has a black sleek design and is manufactured from heavy duty water resistant fabric, which is slash and cut resistant. The bag opening is large and reinforced with metal framing. Non-locking hinges allow for easy access and visual searching. The adjustable shoulder strap and durable carrying handle makes toting this lightweight (3.5 pounds) bag from job to job trouble-free.

Salisbury, continuing to exceed industry standards.



Wide Mouthed Opening

TOOL BAG

Cat. No.	Description
SKTLBAG	Rugged Bag for Tool and Equipment Storage (19"L x 12"W x 14"H)



SKTLBAG



SKBAG

◀ LARGE STORAGE BAG for storing Salisbury PRO-WEAR® Arc Flash Clothing, gloves and other accessories. Comes standard in most PRO-WEAR kits. Bag is 24" long x 15" high x 12" deep.

Cat. No.	Description
SKBAG	Large storage bag

PRO-WEAR® ARC FLASH GLOVES

12 - 100 CAL/CM²



AFG40

◀ **SALISBURY PRO-WEAR® ARC FLASH GLOVES** are available in ATPV ratings of 12 to 100 cal/cm²*. These gloves are sewn with Nomex® thread. All are made with FR material.

All Arc Flash Gloves are 14" long and designed in a cleft cut style.

One size fits most.



AFG20

Cat. No.	Description
AFG11	12 cal/cm ² , navy blue,
AFG20	20 cal/cm ² , navy blue
AFG31	31 cal/cm ² , royal blue
AFG40	40 cal/cm ² , gray
AFG55*	55 cal/cm ² , gray
AFG100*	100 cal/cm ² , khaki

If You Need it, Request it. Call customer service if you need something not seen here.



CAUTION: ARC FLASH GLOVES DO NOT PROVIDE ELECTRICAL PROTECTION. DO NOT USE WHEN INSULATING RUBBER GLOVES (V RATED GLOVES) ARE REQUIRED.

***IMPORTANT: NFPA 70E does not have a Hazard Risk Category above 40 cal/cm². Working on levels above 40 cal/cm² should be avoided because of the blast hazards caused by arc flash.**