STATE OF FLORIDA DEPARTMENT OF HEALTH **COUNTY HEALTH DEPARTMENT FOOD SERVICE INSPECTION REPORT**



**** McFeeKA 1/16/2024 5:56:04 PM ****

Facility Information

RESULT: Satisfactory

Permit Number: 05-48-04761 Name of Facility: Westside Elem School Cafeteria Address: 2175 Degroodt Road SW City, Zip: Palm Bay 32908

Type: School (9 months or less) Owner: Brevard County School Board Person In Charge: Stacey Ryan Phone: (321) 956-5054 PIC Email: ryan.stacey@brevardschools.org

Inspection Information

Purpose: Routine Inspection Date: 1/16/2024 Correct By: None **Re-Inspection Date: None** Number of Risk Factors (Items 1-29): 0 Number of Repeat Violations (1-57 R): 0 FacilityGrade: N/A StopSale: No

Begin Time: 10:22 AM End Time: 10:55 AM

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- IN 1. Demonstration of Knowledge/Training
- N 2. Certified Manager/Person in charge present EMPLOYEE HEALTH
- IN 3. Knowledge, responsibilities and reporting
- IN 4. Proper use of restriction and exclusion
- IN 5. Responding to vomiting & diarrheal events GOOD HYGIENIC PRACTICES
- IN 6. Proper eating, tasting, drinking, or tobacco use
- T. No discharge from eyes, nose, and mouth PREVENTING CONTAMINATION BY HANDS
- IN 8. Hands clean & properly washed
- No bare hand contact with RTE food IN 10. Handwashing sinks, accessible & supplies APPROVED SOURCE
- IN 11. Food obtained from approved source
- NO 12. Food received at proper temperature
- IN 13. Food in good condition, safe, & unadulterated
- 14. Shellstock tags & parasite destruction NA

PROTECTION FROM CONTAMINATION

IN 15. Food separated & protected; Single-use gloves

- IN 16. Food-contact surfaces; cleaned & sanitized
- IN 17. Proper disposal of unsafe food TIME/TEMPERATURE CONTROL FOR SAFETY
- 18. Cooking time & temperatures
- NO 19. Reheating procedures for hot holding
- IN 20. Cooling time and temperature
- IN 21. Hot holding temperatures N 22. Cold holding temperatures

Client Signature: 1 Dom

- IN 23. Date marking and disposition N 24. Time as PHČ; procedures & records CONSUMER ADVISORY
- NA 25. Advisory for raw/undercooked food HIGHLY SUSCEPTIBLE POPULATIONS
- IN 26. Pasteurized foods used; No prohibited foods ADDITIVES AND TOXIC SUBSTANCES
- IN 27. Food additives: approved & properly used
- 28. Toxic substances identified, stored, & used IN APPROVED PROCEDURES
- NA 29. Variance/specialized process/HACCP

Inspector	Signature:
-----------	------------

L. Lattort

Form Number: DH 4023 03/18

05-48-04761 Westside Elem School Cafeteria

STATE OF FLORIDA DEPARTMENT OF HEALTH **COUNTY HEALTH DEPARTMENT FOOD SERVICE INSPECTION REPORT**



**** McFeeKA 1/16/2024 5:56:04 PM ****

Good Retail Practices

SAFE FOOD AND WATER

- **IN** 30. Pasteurized eggs used where required
- IN 31. Water & ice from approved source
- NA 32. Variance obtained for special processing
- FOOD TEMPERATURE CONTROL
- **IN** 33. Proper cooling methods; adequate equipment
- IN 34. Plant food properly cooked for hot holding
- N 35. Approved thawing methods
- N 36. Thermometers provided & accurate FOOD IDENTIFICATION
- 37. Food properly labeled; original container IN PREVENTION OF FOOD CONTAMINATION
- **IN** 38. Insects, rodents, & animals not present
- **IN** 39. No Contamination (preparation, storage, display)
- IN 40. Personal cleanliness
- IN 41. Wiping cloths: properly used & stored
- NO 42. Washing fruits & vegetables
 - **PROPER USE OF UTENSILS**
- N 43. In-use utensils: properly stored
- IN 44. Equipment & linens: stored, dried, & handled
- IN 45. Single-use/single-service articles: stored & used

- NO 46. Slash resistant/cloth gloves used properly UTENSILS, EQUIPMENT AND VENDING
- IN 47. Food & non-food contact surfaces
- IN 48. Ware washing: installed, maintained, & used; test strips
- IN 49. Non-food contact surfaces clean
- PHYSICAL FACILITIES
- IN 50. Hot & cold water available; adequate pressure
- IN 51. Plumbing installed; proper backflow devices
- IN 52. Sewage & waste water properly disposed
- N 53. Toilet facilities: supplied, & cleaned
- IN 54. Garbage & refuse disposal IN 55. Facilities installed, maintained, & clean

IN 57. Permit; Fees; Application; Plans

IN 56. Ventilation & lighting

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

No Violation Comments Available

General Comments

No violations observed at time of inspection.

City water, city sewer. Seating capacity- 895 people. Training completed 8/2023. 3 compartment sink with quat sanitizer and test strips, 200ppm. Walk-in cooler 30, walk-in freezer 0F, reach-in coooler 34F. Milk 39F, rice 177F, orange chicken 142F, mixed vegetables 145F, chicken nuggets 152F, taco meat 179F, pizza 171F, mozzarella stick 196F.

Email Address(es): ryan.stacey@brevardschools.org

Inspection Conducted By: LeeAnn Latford (84449) Inspector Contact Number: Work: (321) 615-9380 ex. Print Client Name: Stacey Ryan Date: 1/16/2024

Inspector Signature:

L. Lattort

Client Signature:

1 Am

Form Number: DH 4023 03/18

05-48-04761 Westside Elem School Cafeteria