

**30** Year System Warranty  
- No visible sag  
- Mold/mildew protection

**10-Year Panel/30-Year System**  
See Warranty, SC2102, for details.

Technical Service 800 USG.4YOU  
Customer Service 800 950.3839  
Samples, Literature 888 874.2450  
Web Site usg.com

**Radar™ ClimaPlus™ Ceilings**

RADAR ClimaPlus Panels								UL Classified	Grid Profile Options		
Edge	Panel Size	Class	Item No.	VOC Emissions	NRC	CAC Min.	LR	Grid Options	Anti-Mold & Mildew	Recycled Content	
SQ	2' x2' x5/8"	Class A	2210	Low	.55	33	.84	A, B	●	28-44%	
	2' x2' x5/8"	Class A	2215	Low	.55	35	.84	A	●	48-50%	
	2' x4' x5/8" 600x120x15	Class A	2410 ME2410	Low	.55	35	.84	A	●	28-44%	
	2' x4' x5/8"	Class A	2415	Low	.55	35	.84	A	●	48-50%	
	2' x4' x5/8"	Class A	2410P	Low	.55	35	.85	A, B	●	25%	
SLT	2' x2' x5/8" 600x600x15	Class A	2220 ME2220	Low	.55	33	.84	C	●	28-44%	
	2' x2' x5/8"	Class A	2225	Low	.55	35	.84	C	●	48-50%	
	2' x4' x5/8"	Class A	2420	Low	.55	35	.84	C	●	28-44%	
	2' x4' x5/8"	Class A	2425	Low	.55	35	.84	C	●	48-50%	
FLB	2' x2' x5/8"	Class A	2230	Low	.55	33	.84	D, F, G	●	28-44%	
	2' x2' x5/8"	Class A	2235	Low	.55	35	.84	D, F, G	●	48-50%	
<b>RADAR ClimaPlus Tile</b>											
SF	12' x12' x5/8"	Class A	2570	Low	.45	35	.84	Adhesive Staple	●	28-44%	

**Grid Profile Options**

- A DOWN® DX®/DXL™
- B CENTRIOTEE™ DXT
- C DOWN DX/DXL
- D CENTRIOTEE DXT
- E CENTRIOTEE DXLT
- F FINELINE DXF
- G FINELINE® 1/8 DXFF

**Colors**  
All products available in White. Items 2210, 2410 and 2220 also available in Standard colors. Item 2220 not available in Black or Charcoal. Items ME2410 and ME2220 available only in White. Item 2415 available in Black and Charcoal.

**ASTM E1264 classification**  
Type III, Form 2, Pattern C.D.E.

**ASTM E84 surface burning characteristics**  
Class A, Flame spread: 25.  
Smoke developed: 50.

**Thermal resistance**  
R-1.4.  
R-1.6 (Firecode panels)

**Substrate**  
Water-felted mineral fiber.

**Product information**  
See usg.com for the most up-to-date product information.

**Low Emissions (VOC Class)**  
Classified as low-emitting per standards established by the Collaborative for High-Performance Schools (CHPS), following California Specification 01350 testing methods.

**CLIMAPlus™ Superior Performance**  
Contains a broad-spectrum antimicrobial treatment on the face and back of the panel that provides guaranteed resistance against the growth of mold and mildew.

Manufactured by  
USG Interiors, Inc.  
550 West Adams Street  
Chicago, IL 60661

This sample is a general representation of the texture and color of the ceiling product named above. Do not use for dimensional measurement or physical testing.


SC2154/rev. 9-08  
© 2008, USG Interiors, Inc.  
Printed in U.S.A.

If your pattern is - Look on back of tile to verify item number

Panel Size - 2'x2'x5/8" - Item Number 2210

Panel Size - 2'x4'x5/8" - Item Number 2410







If your pattern is - Look on back of tile to verify item number

Panel Size - 2'x2'x5/8" - Item Number 1728

Panel Size - 2'x4'x5/8" - Item Number 1729





If your pattern is - Look on back of tile to verify item number

Panel Size - 2'x2'x5/8" - Item Number 756

Panel Size - 2'x4'x5/8" - Item Number 755