

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



**** McFeeKA 10/6/2023 6:06:53 PM ****

Facility Information

RESULT: Satisfactory

Permit Number: 05-48-01094
Name of Facility: Pinewood Elem School Cafeteria
Address: 3757 Old Dixie Highway
City, Zip: Mims 32754

Type: School (9 months or less)
Owner: Brevard County School Board
Person In Charge: Short, Deborah Phone: (321) 264-6811
PIC Email: short.deborah@brevardschools.org

Inspection Information

Purpose: Routine
Inspection Date: 10/6/2023
Correct By: Next Inspection
Re-Inspection Date: None

Number of Risk Factors (Items 1-29): 0
Number of Repeat Violations (1-57 R): 2
Facility Grade: N/A
Stop Sale: No

Begin Time: 11:38 AM
End Time: 12:18 PM

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- IN** 1. Demonstration of Knowledge/Training
- NA** 2. Certified Manager/Person in charge present

EMPLOYEE HEALTH

- IN** 3. Knowledge, responsibilities and reporting
- IN** 4. Proper use of restriction and exclusion
- IN** 5. Responding to vomiting & diarrheal events

GOOD HYGIENIC PRACTICES

- IN** 6. Proper eating, tasting, drinking, or tobacco use
- IN** 7. No discharge from eyes, nose, and mouth

PREVENTING CONTAMINATION BY HANDS

- IN** 8. Hands clean & properly washed
- IN** 9. No bare hand contact with RTE food
- IN** 10. Handwashing sinks, accessible & supplies

APPROVED SOURCE

- IN** 11. Food obtained from approved source
- NO** 12. Food received at proper temperature
- IN** 13. Food in good condition, safe, & unadulterated
- NA** 14. Shellstock tags & parasite destruction

PROTECTION FROM CONTAMINATION

- IN** 15. Food separated & protected; Single-use gloves

- IN** 16. Food-contact surfaces; cleaned & sanitized

- IN** 17. Proper disposal of unsafe food

TIME/TEMPERATURE CONTROL FOR SAFETY

- IN** 18. Cooking time & temperatures
- IN** 19. Reheating procedures for hot holding
- IN** 20. Cooling time and temperature
- IN** 21. Hot holding temperatures
- IN** 22. Cold holding temperatures
- IN** 23. Date marking and disposition
- IN** 24. Time as PHC; procedures & records

CONSUMER ADVISORY

- NA** 25. Advisory for raw/undercooked food

HIGHLY SUSCEPTIBLE POPULATIONS

- IN** 26. Pasteurized foods used; No prohibited foods

ADDITIVES AND TOXIC SUBSTANCES

- IN** 27. Food additives: approved & properly used
- IN** 28. Toxic substances identified, stored, & used

APPROVED PROCEDURES

- NA** 29. Variance/specialized process/HACCP

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



**** McFeeKA 10/6/2023 6:06:53 PM ****

Good Retail Practices

<p>SAFE FOOD AND WATER</p> <p><u>IN</u> 30. Pasteurized eggs used where required</p> <p><u>IN</u> 31. Water & ice from approved source</p> <p><u>NA</u> 32. Variance obtained for special processing</p> <p>FOOD TEMPERATURE CONTROL</p> <p><u>IN</u> 33. Proper cooling methods; adequate equipment</p> <p><u>IN</u> 34. Plant food properly cooked for hot holding</p> <p><u>IN</u> 35. Approved thawing methods</p> <p><u>IN</u> 36. Thermometers provided & accurate</p> <p>FOOD IDENTIFICATION</p> <p><u>IN</u> 37. Food properly labeled; original container</p> <p>PREVENTION OF FOOD CONTAMINATION</p> <p><u>IN</u> 38. Insects, rodents, & animals not present</p> <p><u>IN</u> 39. No Contamination (preparation, storage, display)</p> <p><u>IN</u> 40. Personal cleanliness</p> <p><u>IN</u> 41. Wiping cloths: properly used & stored</p> <p><u>NO</u> 42. Washing fruits & vegetables</p> <p>PROPER USE OF UTENSILS</p> <p><u>IN</u> 43. In-use utensils: properly stored</p> <p><u>IN</u> 44. Equipment & linens: stored, dried, & handled</p> <p><u>IN</u> 45. Single-use/single-service articles: stored & used</p>	<p><u>NA</u> 46. Slash resistant/cloth gloves used properly</p> <p>UTENSILS, EQUIPMENT AND VENDING</p> <p><u>IN</u> 47. Food & non-food contact surfaces</p> <p><u>IN</u> 48. Ware washing: installed, maintained, & used; test strips</p> <p><u>IN</u> 49. Non-food contact surfaces clean</p> <p>PHYSICAL FACILITIES</p> <p><u>IN</u> 50. Hot & cold water available; adequate pressure</p> <p><u>IN</u> 51. Plumbing installed; proper backflow devices</p> <p><u>IN</u> 52. Sewage & waste water properly disposed</p> <p><u>IN</u> 53. Toilet facilities: supplied, & cleaned</p> <p><u>IN</u> 54. Garbage & refuse disposal</p> <p><u>OUT</u> 55. Facilities installed, maintained, & clean (R)</p> <p><u>OUT</u> 56. Ventilation & lighting (R)</p> <p><u>IN</u> 57. Permit; Fees; Application; Plans</p>
---	--

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

<p>Violation #55. Facilities installed, maintained, & clean</p> <p>Observed water marked ceiling tile in the office. No leak observed at the time. Replace water marked ceiling tile. Repeat violation. Observed peeling on the wall by the mop sink. Ensure to fix it. Work order is in per manager.</p> <p>CODE REFERENCE: 64E-11.003(5). Floors, walls, and ceilings shall be smooth, durable, easily cleanable, and non-absorbent. Exterior areas shall be kept cleaned.</p>
<p>Violation #56. Ventilation & lighting</p> <p>One of the hood light is out; ensure to provide working light bulb. Work order is in per manager.</p> <p>CODE REFERENCE: 64E-11.003(6)(a). Adequate exhaust ventilation hood systems in food prep and warewashing areas shall be provided and designed. 50 foot candles shall be at surfaces where employees work with food and 20 foot candles shall be at surfaces where food is provided to consumers.</p>

General Comments

<p>Ensure all violations are corrected by next routine.</p> <p>Notes: City water and sewer. Full food service. Staff training current; 8/2023. Hot and cold water to the sinks. 3-comp sinks w quat, tested at 200 ppm. All coolers below 41 df, freezers below 0 df. Food temps: String cheese, milk, chicken salad, mixed veggies temped at 39-40 df. Taco meat, cheese sauce, peperoni and cheese pizzas, ham n cheese sandwiches, chicken nuggets temped at 146-165 df. Bathroom sanitary with supplies. No visible sign of vermin observed.</p> <p>Email Address(es): short.deborah@brevardschools.org</p>

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



**** McFeeKA 10/6/2023 6:06:53 PM ****

Inspection Conducted By: Tasneem Wolfe (084201)
Inspector Contact Number: Work: (321) 615-9377 ex.
Print Client Name: Deborah Short
Date: 10/6/2023

Inspector Signature:

Handwritten signature of Tasneem Wolfe in blue ink.

Client Signature:

Handwritten signature of Deborah Short in blue ink.

Form Number: DH 4023 03/18

05-48-01094 Pinewood Elem School Cafeteria