

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



**** McFeeKA 12/18/2023 11:48:52 AM ****

Facility Information

RESULT: Satisfactory

Permit Number: 05-48-01151
 Name of Facility: University Pk Elem School Cafeteria
 Address: 500 University Boulevard W
 City, Zip: Melbourne 32901

 Type: School (9 months or less)
 Owner: Brevard County School Board
 Person In Charge: Shyina Campbell Phone: (321) 723-7836
 PIC Email: campbell.shyina@brevardschools.org

Inspection Information

Purpose: Routine	Number of Risk Factors (Items 1-29): 0	Begin Time: 10:15 AM
Inspection Date: 12/15/2023	Number of Repeat Violations (1-57 R): 0	End Time: 10:55 AM
Correct By: Next Inspection	Facility Grade: N/A	
Re-Inspection Date: None	Stop Sale: No	

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- IN** 1. Demonstration of Knowledge/Training
- NA** 2. Certified Manager/Person in charge present

EMPLOYEE HEALTH

- IN** 3. Knowledge, responsibilities and reporting
- IN** 4. Proper use of restriction and exclusion
- IN** 5. Responding to vomiting & diarrheal events

GOOD HYGIENIC PRACTICES

- IN** 6. Proper eating, tasting, drinking, or tobacco use
- IN** 7. No discharge from eyes, nose, and mouth

PREVENTING CONTAMINATION BY HANDS

- IN** 8. Hands clean & properly washed
- IN** 9. No bare hand contact with RTE food
- IN** 10. Handwashing sinks, accessible & supplies

APPROVED SOURCE

- IN** 11. Food obtained from approved source
- NO** 12. Food received at proper temperature
- IN** 13. Food in good condition, safe, & unadulterated
- NA** 14. Shellstock tags & parasite destruction

PROTECTION FROM CONTAMINATION

- IN** 15. Food separated & protected; Single-use gloves

- IN** 16. Food-contact surfaces; cleaned & sanitized

- NO** 17. Proper disposal of unsafe food

TIME/TEMPERATURE CONTROL FOR SAFETY

- IN** 18. Cooking time & temperatures
- NO** 19. Reheating procedures for hot holding
- IN** 20. Cooling time and temperature
- IN** 21. Hot holding temperatures
- IN** 22. Cold holding temperatures
- IN** 23. Date marking and disposition
- NO** 24. Time as PHC; procedures & records

CONSUMER ADVISORY

- NA** 25. Advisory for raw/undercooked food

HIGHLY SUSCEPTIBLE POPULATIONS

- IN** 26. Pasteurized foods used; No prohibited foods

ADDITIVES AND TOXIC SUBSTANCES

- IN** 27. Food additives: approved & properly used
- IN** 28. Toxic substances identified, stored, & used

APPROVED PROCEDURES

- NA** 29. Variance/specialized process/HACCP

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



**** McFeeKA 12/18/2023 11:48:52 AM ****

Good Retail Practices

SAFE FOOD AND WATER

- IN 30. Pasteurized eggs used where required
- IN 31. Water & ice from approved source
- NA 32. Variance obtained for special processing

FOOD TEMPERATURE CONTROL

- IN 33. Proper cooling methods; adequate equipment
- IN 34. Plant food properly cooked for hot holding
- IN 35. Approved thawing methods
- IN 36. Thermometers provided & accurate

FOOD IDENTIFICATION

- IN 37. Food properly labeled; original container

PREVENTION OF FOOD CONTAMINATION

- IN 38. Insects, rodents, & animals not present
- IN 39. No Contamination (preparation, storage, display)
- IN 40. Personal cleanliness
- IN 41. Wiping cloths: properly used & stored
- NO 42. Washing fruits & vegetables

PROPER USE OF UTENSILS

- IN 43. In-use utensils: properly stored
- IN 44. Equipment & linens: stored, dried, & handled
- IN 45. Single-use/single-service articles: stored & used

- NA 46. Slash resistant/cloth gloves used properly

UTENSILS, EQUIPMENT AND VENDING

- IN 47. Food & non-food contact surfaces
- IN 48. Ware washing: installed, maintained, & used; test strips
- IN 49. Non-food contact surfaces clean

PHYSICAL FACILITIES

- IN 50. Hot & cold water available; adequate pressure
- IN 51. Plumbing installed; proper backflow devices
- IN 52. Sewage & waste water properly disposed
- IN 53. Toilet facilities: supplied, & cleaned
- IN 54. Garbage & refuse disposal
- OUT 55. Facilities installed, maintained, & clean
- IN 56. Ventilation & lighting
- IN 57. Permit; Fees; Application; Plans

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

Violation #55. Facilities installed, maintained, & clean

The ceiling tile in the bathroom is cracked. Ensure ceiling tiles are in good condition.

CODE REFERENCE: 64E-11.003(5). Floors, walls, and ceilings shall be smooth, durable, easily cleanable, and non-absorbent. Exterior areas shall be kept cleaned.

General Comments

All violations to be corrected by next routine inspection.

Refrigerator temped 41 F and 36 F. Freezer temped at 22 F and 0 F.

Chicken sandwich- 154 F. Mac and cheese- 170 F. Green beans- 165 F. Corn- 172 F. Pizza- 154 F, 165 F. Roasted potatoes- 165 F. Milk- 39 F.

3 compartment sink w/ quat sanitizer and test strips (200 ppm)

City water, city sewer.

For important changes to Chapter 64E-11 Food Hygiene, new employee training requirements, Time as a Public Health Control Procedures, and other educational material please visit www.brevardeh.com <<http://www.brevardeh.com>>.

• Hepatitis A Virus Alert for Food Workers: <http://ww11.doh.state.fl.us/comm/_partners/hepatitis_a/Hep_A_Facts/hepA_foodworkers_17x11_4-11.pdf>

• Hepatitis A Disinfection Guide for Public Restrooms:

<http://ww11.doh.state.fl.us/comm/_partners/hepatitis_a/Hep_A_Facts/hepA_disinfection_17x11_public.pdf>

• Please view the following webpage for educational material on proper handwashing: <<https://www.cdc.gov/handwashing/show-me-the-science.html>>

Email Address(es): campbell.shyina@brevardschools.org

Inspector Signature:

Client Signature:

Form Number: DH 4023 03/18

05-48-01151 University Pk Elem School Cafeteria

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



**** McFeeKA 12/18/2023 11:48:52 AM ****

Inspection Conducted By: Margaret Hansotte (002993)
Inspector Contact Number: Work: (321) 615-9375 ex.
Print Client Name: Shyina Campbell
Date: 12/15/2023

Inspector Signature:

Mt A Hansotte

Client Signature:

Shyina Campbell

Form Number: DH 4023 03/18

05-48-01151 University Pk Elem School Cafeteria