

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



**** McFeeKA 12/8/2023 7:10:26 PM ****

Facility Information

RESULT: Satisfactory

Permit Number: 05-48-01163
Name of Facility: Columbia Elem School Cafeteria
Address: 1225 Waco Boulevard E
City, Zip: Palm Bay 32909

Type: School (9 months or less)
Owner: Brevard County School Board
Person In Charge: Acker, Howard Phone: (321) 676-4690
PIC Email: acker.howard@brevardschools.org

Inspection Information

Purpose: Routine
Inspection Date: 12/7/2023
Correct By: Next Inspection
Re-Inspection Date: None

Number of Risk Factors (Items 1-29): 1
Number of Repeat Violations (1-57 R): 0
Facility Grade: N/A
Stop Sale: No

Begin Time: 11:36 AM
End Time: 12:24 PM

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- IN** 1. Demonstration of Knowledge/Training
- NA** 2. Certified Manager/Person in charge present

EMPLOYEE HEALTH

- IN** 3. Knowledge, responsibilities and reporting
- IN** 4. Proper use of restriction and exclusion
- IN** 5. Responding to vomiting & diarrheal events

GOOD HYGIENIC PRACTICES

- IN** 6. Proper eating, tasting, drinking, or tobacco use
- IN** 7. No discharge from eyes, nose, and mouth

PREVENTING CONTAMINATION BY HANDS

- IN** 8. Hands clean & properly washed
- IN** 9. No bare hand contact with RTE food
- IN** 10. Handwashing sinks, accessible & supplies

APPROVED SOURCE

- IN** 11. Food obtained from approved source
- NO** 12. Food received at proper temperature
- IN** 13. Food in good condition, safe, & unadulterated
- NA** 14. Shellstock tags & parasite destruction

PROTECTION FROM CONTAMINATION

- OUT** 15. Food separated & protected; Single-use gloves (**COS**)

- IN** 16. Food-contact surfaces; cleaned & sanitized

- NO** 17. Proper disposal of unsafe food

TIME/TEMPERATURE CONTROL FOR SAFETY

- IN** 18. Cooking time & temperatures
- NO** 19. Reheating procedures for hot holding
- IN** 20. Cooling time and temperature
- IN** 21. Hot holding temperatures
- IN** 22. Cold holding temperatures
- IN** 23. Date marking and disposition
- NO** 24. Time as PHC; procedures & records

CONSUMER ADVISORY

- NA** 25. Advisory for raw/undercooked food

HIGHLY SUSCEPTIBLE POPULATIONS

- IN** 26. Pasteurized foods used; No prohibited foods

ADDITIVES AND TOXIC SUBSTANCES

- IN** 27. Food additives: approved & properly used
- IN** 28. Toxic substances identified, stored, & used

APPROVED PROCEDURES

- NA** 29. Variance/specialized process/HACCP

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



**** McFeeKA 12/8/2023 7:10:26 PM ****

Good Retail Practices

SAFE FOOD AND WATER	
<u>IN</u> 30. Pasteurized eggs used where required	<u>NA</u> 46. Slash resistant/cloth gloves used properly
<u>IN</u> 31. Water & ice from approved source	UTENSILS, EQUIPMENT AND VENDING
<u>NO</u> 32. Variance obtained for special processing	<u>OUT</u> 47. Food & non-food contact surfaces
FOOD TEMPERATURE CONTROL	<u>IN</u> 48. Ware washing: installed, maintained, & used; test strips
<u>IN</u> 33. Proper cooling methods; adequate equipment	<u>IN</u> 49. Non-food contact surfaces clean
<u>IN</u> 34. Plant food properly cooked for hot holding	PHYSICAL FACILITIES
<u>IN</u> 35. Approved thawing methods	<u>IN</u> 50. Hot & cold water available; adequate pressure
<u>IN</u> 36. Thermometers provided & accurate	<u>IN</u> 51. Plumbing installed; proper backflow devices
FOOD IDENTIFICATION	<u>IN</u> 52. Sewage & waste water properly disposed
<u>IN</u> 37. Food properly labeled; original container	<u>IN</u> 53. Toilet facilities: supplied, & cleaned
PREVENTION OF FOOD CONTAMINATION	<u>IN</u> 54. Garbage & refuse disposal
<u>IN</u> 38. Insects, rodents, & animals not present	<u>OUT</u> 55. Facilities installed, maintained, & clean
<u>IN</u> 39. No Contamination (preparation, storage, display)	<u>IN</u> 56. Ventilation & lighting
<u>IN</u> 40. Personal cleanliness	<u>IN</u> 57. Permit; Fees; Application; Plans
<u>IN</u> 41. Wiping cloths: properly used & stored	
<u>NO</u> 42. Washing fruits & vegetables	
PROPER USE OF UTENSILS	
<u>IN</u> 43. In-use utensils: properly stored	
<u>IN</u> 44. Equipment & linens: stored, dried, & handled	
<u>IN</u> 45. Single-use/single-service articles: stored & used	

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

<p>Violation #15. Food separated & protected; Single-use gloves</p> <p>Staff on the serving line had stored scoops with handles sitting inside the taco meat and inside the corn. This was pointed to the staff. Staff was asked to remove and replace with sanitized clean scoop that was right under the serving counter but she refused to do so. Manager is notified; cross contamination issue was addressed. COS.</p> <p>Ensure staff keeps handles up in the food and not inside the foods. Ensure staff removes the scoop handles that touch the food and replace with clean scoop for serving.</p> <p>CODE REFERENCE: 64E-11.003(2). Foods shall be stored and handled to prevent cross-contamination. Raw animal foods shall be separated from RTE food and from other raw animal food during storage, preparation, holding, and display. Single-use gloves shall be used for only one task and purpose and discarded when damage occurs or the task is interrupted.</p>
<p>Violation #47. Food & non-food contact surfaces</p> <p>Observed back door air curtain not functional; repair it. NOTE: Per manger he has a work order on it for two years now. Correct this violation by next routine. Manager put a third work order in at the time of inspection.</p> <p>CODE REFERENCE: 64E-11.003(4). Equipment and utensils must be properly designed, constructed, and in good repair.</p>
<p>Violation #55. Facilities installed, maintained, & clean</p> <p>Observed a missing and a cracked ceiling tile in the staff break room. Provide missing ceiling tile and replace cracked tile.</p> <p>CODE REFERENCE: 64E-11.003(5). Floors, walls, and ceilings shall be smooth, durable, easily cleanable, and non-absorbent. Exterior areas shall be kept cleaned.</p>

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



**** McFeeKA 12/8/2023 7:10:26 PM ****

General Comments

Correct all violations by next routine.

Notes: City water and sewer. Full food service. Hot and cold water to the sinks. 3-comp sinks with Quat, test strips on hand, tested at 200 ppm. Food temps from serving line: Taco meat, mashed potatoes, gravy, corn, Teriyaki chicken, cheesy bread, cheese pizza, chicken nuggets, fish sandwiches, broccoli temped at 179-198 df. Kale salad, veggie dipper, milk, yogurt parfait temped at 33-37 df. There were boxes on the floor in dry storage and freezer; per manager delivery just came this morning; therefore, this is noted only. Bathroom sanitary with supplies. All coolers below 41 df, milk, yougrt and salad temped at 32-33 df, freezers below 0 df.

For important changes to Chapter 64E-11 Food Hygiene, new employee training requirements, Time as a Public Health Control Procedures, and other educational material please visit www.brevardeh.com.

Hepatitis A Virus Alert for Food Workers: <http://ww11.doh.state.fl.us/comm/_partners/hepatitis_a/Hep_A_Facts/hepA_foodworkers_17x11_4-11.pdf>
Hepatitis A Disinfection Guide for Public Restrooms: <http://ww11.doh.state.fl.us/comm/_partners/hepatitis_a/Hep_A_Facts/hepA_disinfection_17x11_public.pdf>

Please view the following webpage for educational material on proper handwashing: <<https://www.cdc.gov/handwashing/show-me-the-science.html>>

Julian.Jennifer@brevardschools.org;
Burges.Selena@brevardschools.org;
Parks.Nicole@brevardschools.org;

Email Address(es): acker.howard@brevardschools.org;
acker.howard@brevardschools.org

Inspection Conducted By: Tasneem Wolfe (084201)
Inspector Contact Number: Work: (321) 615-9377 ex.
Print Client Name: Howard Ecker
Date: 12/7/2023

Inspector Signature:

Client Signature: