

Manatee ID#	Grade	TEST CODE	DATE/LAB
4157317410	10	S1	10/15 - LAB C
4157429610	10	S1	10/13 - LAB C
4157564510	10	S1	10/14 - LAB MF
4157591190	10	S1	10/15 - LAB MF
4157596090	10	S1	10/14 - LAB D
4157641850	10	S1	10/14 - LAB A
4157869830	10	S1	10/14 - LAB MF
4157877690	10	S1	10/14 - LAB C
4157893510	10	S1	10/14 - LAB C
4157895953	10	S1	10/13 - LAB MF
4157896554	10	S5	10/16 - LAB B
4157896827	10	S1	10/13 - LAB MF
4157897443	10	S1	10/14 - LAB MF
4157897603	10	S1	10/14 - LAB B
4157898741	10	S1	10/13 - LAB C
4157898840	10	S1	10/14 - LAB D
4157898893	10	S1	10/15 - LAB B
4157898940	10	S1	10/14 - LAB C
4157899228	10	S3	10/16 - LAB A
4157899257	10	S5	10/16 - LAB B
4157899451	10	S1	10/13 - LAB MF
4157899548	10	S1	10/13 - LAB MF
4157899590	10	S1	10/14 - LAB C
4157899906	10	S1	10/13 - LAB MF
4157899909	10	S1	10/13 - LAB B
4157900009	10	S1	10/14 - LAB MF
4157900013	10	S1	10/13 - LAB MF
4157900079	10	S1	10/15 - LAB MF
4157900089	10	S1	10/15 - LAB C
4157900091	10	S5	10/16 - LAB B
4157900242	10	S1	10/14 - LAB B
4157900258	10	S1	10/14 - LAB A
4157900281	10	S1	10/13 - LAB MF
4157900355	10	S1	10/14 - LAB B
4157900366	10	S1	10/13 - LAB MF
4157900381	10	S3	10/16 - LAB A
4157900486	10	S1	10/15 - LAB MF
4157900714	10	S1	10/15 - LAB B
4157900857	10	S1	10/14 - LAB MF
4157900911	10	S1	10/13 - LAB A
4157901016	10	S1	10/13 - LAB MF
4157901060	10	S1	10/13 - LAB A
4157901163	10	S1	10/14 - LAB MF

Manatee ID#	Grade	TEST CODE	DATE/LAB
4157901164	10	S1	10/15 - LAB B
4157901186	10	S1	10/13 - LAB MF
4157901188	10	S1	10/13 - LAB B
4157901227	10	S1	10/14 - LAB MF
4157901242	10	S1	10/14 - LAB MF
4157901253	10	S1	10/14 - LAB MF
4157901254	10	S1	10/15 - LAB MF
4157901407	10	S1	10/13 - LAB D
4157901737	10	S1	10/14 - LAB A
4157901742	10	S1	10/15 - LAB A
4157901849	10	S1	10/15 - LAB MF
4157901996	10	S1	10/13 - LAB MF
4157902112	10	S1	10/15 - LAB MF
4157902189	10	S1	10/13 - LAB MF
4157902202	10	S1	10/14 - LAB MF
4157902256	10	S1	10/15 - LAB A
4157902337	10	S1	10/14 - LAB A
4157902454	10	S1	10/15 - LAB MF
4157902751	10	S1	10/14 - LAB MF
4157902854	10	S1	10/15 - LAB B
4157902986	10	S1	10/14 - LAB MF
4157903277	10	S1	10/13 - LAB A
4157903440	10	S1	10/14 - LAB A
4157903542	10	S1	10/13 - LAB B
4157903800	10	S1	10/15 - LAB MF
4157904404	10	S1	10/14 - LAB MF
4157904408	10	S1	10/15 - LAB MF
4157904755	10	S3-ELL	10/16 - LAB MF
4157904768	10	S1	10/15 - LAB MF
4157904864	10	S1	10/15 - LAB A
4157904890	10	S1	10/13 - LAB MF
4157904980	10	S1	10/15 - LAB A
4157905324	10	S1	10/14 - LAB D
4157905401	10	S1	10/13 - LAB MF
4157905747	10	S1	10/15 - LAB MF
4157906273	10	S1	10/14 - LAB A
4157906620	10	S1	10/14 - LAB A
4157906822	10	S1	10/15 - LAB C
4157907542	10	S1	10/13 - LAB MF
4157907664	10	S3-ELL	10/16 - LAB MF
4157907697	10	S1	10/14 - LAB A
4157907700	10	S1	10/15 - LAB A
4157907701	10	S1	10/14 - LAB D

Manatee ID#	Grade	TEST CODE	DATE/LAB
4157907753	10	S1	10/13 - LAB MF
4157907758	10	S1	10/14 - LAB MF
4157907865	10	S1	10/14 - LAB B
4157907870	10	S1	10/15 - LAB B
4157907874	10	S1	10/14 - LAB MF
4157907881	10	S1	10/13 - LAB D
4157907915	10	S1	10/15 - LAB C
4157907920	10	S1	10/13 - LAB MF
4157907922	10	S1	10/13 - LAB A
4157907941	10	S1	10/13 - LAB B
4157907972	10	S1	10/13 - LAB MF
4157907980	10	S1	10/14 - LAB A
4157907985	10	S1	10/14 - LAB C
4157907996	10	S1	10/13 - LAB A
4157908018	10	S1	10/14 - LAB MF
4157908021	10	S5	10/16 - LAB B
4157908023	10	S1	10/14 - LAB B
4157908024	10	S1	10/14 - LAB MF
4157908037	10	S1	10/14 - LAB C
4157908038	10	S1	10/15 - LAB C
4157908039	10	S1	10/15 - LAB C
4157908042	10	S1	10/15 - LAB MF
4157908043	10	S1	10/15 - LAB MF
4157908050	10	S1	10/15 - LAB MF
4157908087	10	S1	10/14 - LAB MF
4157908096	10	S1	10/15 - LAB B
4157908101	10	S1	10/13 - LAB C
4157908148	10	S1	10/15 - LAB B
4157908192	10	S1	10/13 - LAB A
4157908201	10	S5	10/16 - LAB B
4157908207	10	S1	10/13 - LAB D
4157908211	10	S1	10/13 - LAB MF
4157908237	10	S1	10/13 - LAB MF
4157908289	10	S1	10/14 - LAB MF
4157908327	10	S1	10/14 - LAB MF
4157908336	10	S1	10/15 - LAB MF
4157908444	10	S1	10/14 - LAB D
4157908449	10	S1	10/15 - LAB C
4157908463	10	S1	10/14 - LAB MF
4157908475	10	S1	10/15 - LAB MF
4157908476	10	S1	10/15 - LAB MF
4157908487	10	S1	10/14 - LAB MF
4157908491	10	S1	10/13 - LAB MF

Manatee ID#	Grade	TEST CODE	DATE/LAB
4157908492	10	S1	10/13 - LAB MF
4157908511	10	S1	10/15 - LAB C
4157908523	10	S1	10/13 - LAB MF
4157908531	10	S1	10/13 - LAB MF
4157908538	10	S1	10/13 - LAB MF
4157908539	10	S5	10/16 - LAB B
4157908562	10	S1	10/13 - LAB B
4157908595	10	S1	10/14 - LAB C
4157908597	10	S5	10/16 - LAB B
4157908610	10	S1	10/13 - LAB D
4157908611	10	S1	10/14 - LAB MF
4157908687	10	S3	10/16 - LAB A
4157908734	10	S1	10/13 - LAB MF
4157908775	10	S1	10/13 - LAB MF
4157908776	10	S1	10/15 - LAB A
4157908812	10	S1	10/14 - LAB D
4157908904	10	S1	10/13 - LAB MF
4157908925	10	S1	10/13 - LAB B
4157909028	10	S1	10/14 - LAB A
4157909046	10	S1	10/14 - LAB MF
4157909099	10	S1	10/13 - LAB D
4157909169	10	S1	10/13 - LAB MF
4157909201	10	S1	10/13 - LAB MF
4157909223	10	S1	10/13 - LAB MF
4157909242	10	S1	10/14 - LAB MF
4157909257	10	S1	10/15 - LAB B
4157909321	10	S1	10/13 - LAB MF
4157909325	10	S1	10/15 - LAB B
4157909330	10	S1	10/13 - LAB MF
4157909364	10	S1	10/15 - LAB A
4157909369	10	S3	10/16 - LAB A
4157909372	10	S3	10/16 - LAB A
4157909379	10	S1	10/15 - LAB MF
4157909383	10	S1	10/14 - LAB A
4157909397	10	S1	10/13 - LAB MF
4157909408	10	S1	10/13 - LAB C
4157909412	10	S1	10/14 - LAB D
4157909414	10	S1	10/14 - LAB D
4157909419	10	S1	10/13 - LAB A
4157909503	10	S1	10/13 - LAB A
4157909545	10	S1	10/14 - LAB MF
4157909571	10	S1	10/15 - LAB MF
4157909598	10	S1	10/14 - LAB MF

Manatee ID#	Grade	TEST CODE	DATE/LAB
4157909605	10	S1	10/13 - LAB A
4157909607	10	S1	10/14 - LAB A
4157909615	10	S1	10/13 - LAB MF
4157909645	10	S1	10/13 - LAB C
4157909658	10	S1	10/13 - LAB B
4157909659	10	S1	10/14 - LAB MF
4157909681	10	S1	10/13 - LAB C
4157909723	10	S1	10/15 - LAB MF
4157909765	10	S1	10/15 - LAB MF
4157909810	10	S1	10/14 - LAB MF
4157909853	10	S1	10/14 - LAB MF
4157909942	10	S5	10/16 - LAB B
4157909995	10	S1	10/15 - LAB MF
4157909997	10	S1	10/15 - LAB MF
4157910005	10	S1	10/13 - LAB MF
4157910006	10	S1	10/13 - LAB MF
4157910022	10	S1	10/13 - LAB B
4157910054	10	S1	10/15 - LAB MF
4157910097	10	S1	10/15 - LAB A
4157910336	10	S1	10/15 - LAB MF
4157910373	10	S1	10/15 - LAB B
4157910386	10	S1	10/15 - LAB A
4157910575	10	S1	10/13 - LAB A
4157910599	10	S1	10/13 - LAB B
4157910620	10	S1	10/14 - LAB A
4157910638	10	S1	10/14 - LAB C
4157910721	10	S1	10/14 - LAB D
4157910723	10	S1	10/15 - LAB MF
4157910778	10	S1	10/15 - LAB MF
4157910844	10	S1	10/13 - LAB MF
4157910852	10	S1	10/14 - LAB MF
4157910865	10	S1	10/13 - LAB B
4157910928	10	S1	10/14 - LAB MF
4157910987	10	S1	10/13 - LAB B
4157911066	10	S1	10/13 - LAB MF
4157911136	10	S1	10/14 - LAB B
4157911194	10	S1	10/15 - LAB C
4157911197	10	S1	10/14 - LAB D
4157911303	10	S1	10/14 - LAB B
4157911317	10	S1	10/13 - LAB D
4157911326	10	S1	10/13 - LAB MF
4157911443	10	S1	10/14 - LAB C
4157911447	10	S1	10/13 - LAB MF

Manatee ID#	Grade	TEST CODE	DATE/LAB
4157911651	10	S3-ELL	10/16 - LAB MF
4157911674	10	S1	10/13 - LAB D
4157911804	10	S1	10/14 - LAB MF
4157911965	10	S1	10/15 - LAB B
4157912012	10	S3-ELL	10/16 - LAB MF
4157912018	10	S1	10/14 - LAB A
4157912058	10	S1	10/13 - LAB C
4157912097	10	S1	10/13 - LAB D
4157912140	10	S1	10/14 - LAB MF
4157912157	10	S1	10/13 - LAB D
4157912541	10	S1	10/14 - LAB D
4157912682	10	S1	10/13 - LAB MF
4157912850	10	S1	10/14 - LAB D
4157913121	10	S1	10/14 - LAB B
4157913558	10	S1	10/13 - LAB MF
4157913966	10	S1	10/13 - LAB A
4157913999	10	S1	10/13 - LAB MF
4157914198	10	S1	10/14 - LAB B
4157914361	10	S5	10/16 - LAB B
4157914595	10	S1	10/15 - LAB MF
4157914647	10	S1	10/14 - LAB MF
4157914743	10	S1	10/13 - LAB B
4157915518	10	S1	10/14 - LAB C
4157916459	10	S1	10/13 - LAB MF
4157917623	10	S1	10/13 - LAB MF
4157917923	10	S1	10/14 - LAB MF
4157917924	10	S1	10/15 - LAB A
4157918479	10	S1	10/13 - LAB MF
4157918670	10	S1	10/13 - LAB D
4157918673	10	S1	10/13 - LAB A
4157919897	10	S1	10/14 - LAB C
4157920170	10	S5	10/16 - LAB B
4157920184	10	S1	10/13 - LAB A
4157920215	10	S5	10/16 - LAB B
4157920992	10	S1	10/15 - LAB MF
4157921153	10	S1	10/13 - LAB MF
4157921172	10	S3	10/16 - LAB A
4157921195	10	S1	10/15 - LAB A
4157921405	10	S1	10/14 - LAB MF
4157921606	10	S1	10/15 - LAB MF
4157921647	10	S1	10/15 - LAB MF
4157921828	10	S1	10/15 - LAB B
4157922183	10	S1	10/14 - LAB C

Manatee ID#	Grade	TEST CODE	DATE/LAB
4157923657	10	S1	10/14 - LAB C
4157923664	10	S1	10/14 - LAB MF
4157923728	10	S1	10/15 - LAB B
4157924952	10	S1	10/13 - LAB MF
4157925155	10	S1	10/14 - LAB C
4157925214	10	S1	10/14 - LAB D
4157925278	10	S1	10/14 - LAB C
4157925819	10	S1	10/13 - LAB A
4157926715	10	S1	10/14 - LAB B
4157926881	10	S1	10/14 - LAB C
4157926950	10	S1	10/15 - LAB A
4157927987	10	S1	10/13 - LAB MF
4157928185	10	S1	10/14 - LAB A
4157928562	10	S3	10/16 - LAB A
4157928961	10	S1	10/14 - LAB D
4157929245	10	S1	10/14 - LAB MF
4157929384	10	S1	10/15 - LAB C
4157929385	10	S1	10/15 - LAB B
4157929388	10	S1	10/15 - LAB C
4157929797	10	S1	10/14 - LAB A
4157929798	10	S1	10/13 - LAB C
4157929799	10	S1	10/14 - LAB MF
4157929905	10	S1	10/14 - LAB MF
4157929948	10	S1	10/14 - LAB D
4157930481	10	S1	10/13 - LAB MF
4157930516	10	S1	10/14 - LAB C
4157930590	10	S1	10/14 - LAB C
4157930650	10	S1	10/13 - LAB C
4157931399	10	S1	10/15 - LAB A
4157932123	10	S1	10/13 - LAB MF
4157932840	10	S3-ELL	10/16 - LAB MF
4157933131	10	S1	10/13 - LAB A
4157933202	10	S1	10/14 - LAB MF
4157933665	10	S1	10/14 - LAB C
4157934072	10	S1	10/13 - LAB D
4157936506	10	S1	10/14 - LAB MF
4157936631	10	S1	10/14 - LAB MF
4157936633	10	S1	10/13 - LAB MF
4157936682	10	S1	10/14 - LAB MF
4157936860	10	S1	10/13 - LAB MF
4157937539	10	S1	10/13 - LAB C
4157937739	10	S1	10/14 - LAB B
4157937741	10	S1	10/14 - LAB B

Manatee ID#	Grade	TEST CODE	DATE/LAB
4157937817	10	S1	10/14 - LAB MF
4157937822	10	S3	10/16 - LAB A
4157937891	10	S1	10/14 - LAB MF
4157937918	10	S1	10/13 - LAB MF
4157938085	10	S1	10/14 - LAB MF
4157938212	10	S5	10/16 - LAB B
4157938306	10	S1	10/13 - LAB A
4157938460	10	S1	10/14 - LAB A
4157938695	10	S1	10/15 - LAB MF
4157938909	10	S1	10/13 - LAB A
4157939105	10	S1	10/13 - LAB MF
4157939129	10	S3	10/16 - LAB A
4157939223	10	S3-ELL	10/16 - LAB MF
4157940161	10	S5	10/16 - LAB B
4157940329	10	S1	10/14 - LAB MF
4157940752	10	S1	10/14 - LAB C
4157941275	10	S1	10/15 - LAB A
4157941447	10	S1	10/13 - LAB C
4157942307	10	S1	10/13 - LAB B
4157943137	10	S1	10/13 - LAB A
4157943771	10	S1	10/14 - LAB MF
4157944130	10	S1	10/13 - LAB C
4157944174	10	S1	10/13 - LAB A
4157944375	10	S1	10/15 - LAB MF
4157944667	10	S1	10/13 - LAB A
4157944697	10	S1	10/14 - LAB D
4157944727	10	S1	10/13 - LAB MF
4157944754	10	S1	10/14 - LAB D
4157944941	10	S1	10/14 - LAB MF
4157944994	10	S1	10/15 - LAB A
4157945137	10	S1	10/13 - LAB MF
4157945156	10	S1	10/15 - LAB B
4157945174	10	S1	10/15 - LAB MF
4157945228	10	S1	10/13 - LAB MF
4157945551	10	S1	10/14 - LAB MF
4157945581	10	S1	10/13 - LAB MF
4157945603	10	S1	10/15 - LAB C
4157945739	10	S1	10/15 - LAB C
4157945740	10	S1	10/15 - LAB C
4157945824	10	S1	10/15 - LAB C
4157945829	10	S1	10/15 - LAB C
4157945833	10	S1	10/15 - LAB MF
4157946053	10	S1	10/14 - LAB MF

Manatee ID#	Grade	TEST CODE	DATE/LAB
4157946103	10	S1	10/15 - LAB B
4157946363	10	S1	10/15 - LAB A
4157946705	10	S1	10/15 - LAB A
4157947483	10	S1	10/15 - LAB C
4157947738	10	S1	10/13 - LAB MF
4157948012	10	S1	10/13 - LAB A
4157948054	10	S1	10/14 - LAB A
4157948055	10	S1	10/14 - LAB B
4157948172	10	S1	10/14 - LAB MF
4157948249	10	S1	10/13 - LAB MF
4157950342	10	S1	10/14 - LAB MF
4157950354	10	S1	10/14 - LAB MF
4157950448	10	S1	10/14 - LAB A
4157950483	10	S1	10/15 - LAB C
4157950498	10	S1	10/13 - LAB C
4157950641	10	S5	10/16 - LAB B
4157950824	10	S1	10/14 - LAB MF
4157950858	10	S1	10/15 - LAB MF
4157951049	10	S1	10/15 - LAB B
4157951050	10	S1	10/15 - LAB B
4157951375	10	S1	10/13 - LAB B
4157951381	10	S1	10/14 - LAB MF
4157951705	10	S3	10/16 - LAB A
4157951807	10	S1	10/14 - LAB B
4157952043	10	S1	10/14 - LAB B
4157952044	10	S1	10/13 - LAB MF
4157952098	10	S1	10/14 - LAB A
4157952613	10	S1	10/13 - LAB C
4157952661	10	S3-ELL	10/16 - LAB MF
4157952672	10	S1	10/13 - LAB MF
4157952712	10	S3	10/16 - LAB A
4157953424	10	S1	10/14 - LAB B
4157953856	10	S1	10/13 - LAB MF
4157953874	10	S1	10/15 - LAB C
4157953911	10	S1	10/15 - LAB MF
4157953913	10	S1	10/15 - LAB C
4157954334	10	S1	10/13 - LAB C
4157954372	10	S3-ELL	10/16 - LAB MF
4157954804	10	S1	10/14 - LAB B
4157954838	10	S1	10/15 - LAB MF
4157954886	10	S1	10/13 - LAB B
4157954970	10	S1	10/15 - LAB MF
4157954973	10	S1	10/13 - LAB MF

Manatee ID#	Grade	TEST CODE	DATE/LAB
4157955028	10	S1	10/15 - LAB A
4157955030	10	S1	10/15 - LAB A
4157955238	10	S1	10/13 - LAB MF
4157955350	10	S1	10/13 - LAB MF
4157955539	10	S1	10/15 - LAB B
4157955593	10	S1	10/15 - LAB C
4157955845	10	S1	10/14 - LAB B
4157955906	10	S1	10/14 - LAB MF
4157955912	10	S1	10/15 - LAB MF
4157955923	10	S1	10/13 - LAB C
4157956160	10	S1	10/13 - LAB MF
4157956365	10	S3-ELL	10/16 - LAB MF
4157956576	10	S1	10/13 - LAB A
4157957013	10	S1	10/14 - LAB A
4157957062	10	S1	10/14 - LAB A
4157958102	10	S1	10/13 - LAB D
4157958184	10	S1	10/13 - LAB MF
4157958293	10	S1	10/13 - LAB MF
4157958358	10	S1	10/14 - LAB C
4157958441	10	S1	10/13 - LAB D
4157958772	10	S1	10/15 - LAB C
4157959123	10	S1	10/13 - LAB MF
4157959197	10	S1	10/14 - LAB D
4157959336	10	S1	10/14 - LAB MF
4157959508	10	S1	10/15 - LAB B
4157959511	10	S1	10/13 - LAB B
4157959712	10	S3-ELL	10/16 - LAB MF
4157960096	10	S1	10/14 - LAB B
4157960362	10	S1	10/14 - LAB A
4157960473	10	S1	10/14 - LAB B
4157960889	10	S1	10/15 - LAB MF
4157961295	10	S1	10/14 - LAB A
4157961413	10	S3-ELL	10/16 - LAB MF
4157961444	10	S1	10/14 - LAB MF
4157961821	10	S1	10/15 - LAB MF
4157962352	10	S1	10/13 - LAB D
4157962354	10	S1	10/13 - LAB D
4157962905	10	S1	10/14 - LAB D
4157962923	10	S1	10/15 - LAB MF
4157963228	10	S1	10/13 - LAB MF
4157963233	10	S3	10/16 - LAB A
4157963234	10	S1	10/14 - LAB B
4157963236	10	S1	10/15 - LAB MF

Manatee ID#	Grade	TEST CODE	DATE/LAB
4157963238	10	S3	10/16 - LAB A
4157963343	10	S5	10/16 - LAB B
4157963389	10	S3	10/16 - LAB A
4157963691	10	S1	10/13 - LAB MF
4157963731	10	S3	10/16 - LAB A
4157964330	10	S1	10/14 - LAB C
4157964476	10	S1	10/13 - LAB D
4157964544	10	S1	10/15 - LAB MF
4157964570	10	S1	10/14 - LAB D
4157964707	10	S1	10/14 - LAB MF
4157964742	10	S1	10/14 - LAB MF
4157964774	10	S1	10/14 - LAB A
4157964805	10	S1	10/13 - LAB A
4157964905	10	S5	10/16 - LAB B
4157965028	10	S3	10/16 - LAB A
4157965272	10	S1	10/13 - LAB D
4157965525	10	S1	10/14 - LAB MF
4157965567	10	S1	10/13 - LAB MF
4157965724	10	S1	10/13 - LAB MF
4157965817	10	S1	10/13 - LAB C
4157965935	10	S1	10/15 - LAB MF
4157966188	10	S1	10/13 - LAB B
4157966520	10	S1	10/15 - LAB C
4157966712	10	S1	10/14 - LAB MF
4157966997	10	S5	10/16 - LAB B
4157967148	10	S1	10/14 - LAB D
4157967160	10	S3-ELL	10/16 - LAB MF
4157967312	10	S1	10/13 - LAB B
4157967365	10	S3-ELL	10/16 - LAB MF
4157967586	10	S1	10/14 - LAB B
4157967638	10	S3-ELL	10/16 - LAB MF
4157967716	10	S1	10/15 - LAB A
4157968020	10	S1	10/15 - LAB C
4157968027	10	S1	10/14 - LAB MF
4157968261	10	S1	10/15 - LAB MF
4157968300	10	S1	10/15 - LAB B
4157968324	10	S1	10/13 - LAB C
4157968458	10	S3-ELL	10/16 - LAB MF
4157968916	10	S3-ELL	10/16 - LAB MF
4157968917	10	S3-ELL	10/16 - LAB MF
4157969192	10	S1	10/15 - LAB MF
4157969252	10	S1	10/13 - LAB MF
4157969811	10	S1	10/13 - LAB C

Manatee ID#	Grade	TEST CODE	DATE/LAB
4157969856	10	S1	10/14 - LAB MF
4157970755	10	S1	10/14 - LAB D
4157971034	10	S1	10/14 - LAB MF
4157971035	10	S1	10/14 - LAB MF
4157971049	10	S1	10/15 - LAB A
4157971137	10	S1	10/13 - LAB A
4157971477	10	S1	10/14 - LAB MF
4157971864	10	S1	10/15 - LAB B
4157972133	10	S1	10/14 - LAB MF
4157972968	10	S1	10/14 - LAB A
4157972977	10	S1	10/13 - LAB C
4157973186	10	S1	10/13 - LAB C
4157973189	10	S1	10/15 - LAB C
4157973300	10	S3-ELL	10/16 - LAB MF
4157973515	10	S1	10/14 - LAB C
4157973691	10	S1	10/13 - LAB B
4157973841	10	S1	10/14 - LAB MF
4157973879	10	S1	10/14 - LAB D
4157973937	10	S1	10/15 - LAB MF
4157974011	10	S1	10/14 - LAB D
4157974142	10	S1	10/13 - LAB D
4157974280	10	S1	10/15 - LAB MF
4157974775	10	S3	10/16 - LAB A
4157974944	10	S1	10/14 - LAB D
4157975100	10	S3-ELL	10/16 - LAB MF
4157975256	10	S1	10/15 - LAB B
4157975572	10	S1	10/13 - LAB A
4157975929	10	S3-ELL	10/16 - LAB MF
4157976224	10	S1	10/15 - LAB MF
4157977053	10	S1	10/15 - LAB MF
4157977086	10	S1	10/15 - LAB MF
4157977354	10	S1	10/15 - LAB C
4157977395	10	S1	10/13 - LAB MF
4157977409	10	S1	10/15 - LAB C
4157978310	10	S1	10/13 - LAB D
4157979206	10	S3-ELL	10/16 - LAB MF
4157980896	10	S1	10/15 - LAB MF
4157981033	10	S1	10/13 - LAB MF
4157981466	10	S3	10/16 - LAB A
4157981721	10	S1	10/14 - LAB MF
4157981962	10	S1	10/13 - LAB MF
4157982066	10	S1	10/13 - LAB MF
4157982139	10	S1	10/13 - LAB D

Manatee ID#	Grade	TEST CODE	DATE/LAB
4157982253	10	S1	10/15 - LAB B
4157982256	10	S1	10/13 - LAB MF
4157982282	10	S1	10/14 - LAB D
4157982447	10	S5	10/16 - LAB B
4157982475	10	S3-ELL	10/16 - LAB MF
4157982484	10	S1	10/14 - LAB MF
4157982987	10	S1	10/15 - LAB MF
4157983042	10	S1	10/14 - LAB A
4157983071	10	S1	10/15 - LAB MF
4157983138	10	S1	10/14 - LAB MF
4157983412	10	S1	10/13 - LAB MF
4157983678	10	S1	10/14 - LAB MF
4157983894	10	S3-ELL	10/16 - LAB MF
4157983914	10	S3-ELL	10/16 - LAB MF
4157983930	10	S1	10/15 - LAB B
4157983961	10	S1	10/14 - LAB C
4157984042	10	S1	10/13 - LAB MF
4157984079	10	S1	10/14 - LAB MF
4157984104	10	S3-ELL	10/16 - LAB MF
4157984196	10	S3-ELL	10/16 - LAB MF
4157984437	10	S1	10/14 - LAB B
4157984451	10	S1	10/13 - LAB MF
4157984529	10	S1	10/13 - LAB MF
4157984603	10	S1	10/15 - LAB MF
4157984912	10	S1	10/14 - LAB MF
4157985033	10	S1	10/13 - LAB MF
4157985090	10	S1	10/13 - LAB A
4157985587	10	S1	10/15 - LAB MF
4157985589	10	S1	10/13 - LAB MF
4157985610	10	S3-ELL	10/16 - LAB MF
4157986021	10	S1	10/15 - LAB C
4157986197	10	S1	10/14 - LAB MF
4157986325	10	S1	10/15 - LAB A
4157986760	10	S3-ELL	10/16 - LAB MF
4157986806	10	S1	10/13 - LAB C
4157987011	10	S1	10/14 - LAB C
4157987448	10	S1	10/14 - LAB B
4157987450	10	S1	10/14 - LAB B
4157987453	10	S1	10/15 - LAB B
4157987465	10	S1	10/15 - LAB MF
4157987553	10	S3-ELL	10/16 - LAB MF
4157987639	10	S1	10/13 - LAB C
4157987764	10	S1	10/14 - LAB C

Manatee ID#	Grade	TEST CODE	DATE/LAB
4157988108	10	S3-ELL	10/16 - LAB MF
4157990183	10	S1	10/14 - LAB D
4157990221	10	S1	10/13 - LAB MF
4157990373	10	S1	10/13 - LAB C
4157990431	10	S1	10/14 - LAB MF
4157990523	10	S1	10/13 - LAB MF
4157990527	10	S1	10/15 - LAB A
4157990776	10	S1	10/14 - LAB MF
4157990871	10	S1	10/13 - LAB D
4157990968	10	S1	10/13 - LAB MF
4157991049	10	S5	10/16 - LAB B
4157991111	10	S1	10/15 - LAB MF
4157991140	10	S1	10/14 - LAB MF
4157991208	10	S1	10/14 - LAB MF
4157991426	10	S1	10/13 - LAB B
4157991799	10	S1	10/13 - LAB D
4157991801	10	S1	10/13 - LAB B
4157991808	10	S1	10/15 - LAB C
4157991811	10	S1	10/14 - LAB MF
4157991817	10	S1	10/13 - LAB MF
4157991840	10	S1	10/15 - LAB B
4157991856	10	S1	10/15 - LAB B
4157991887	10	S1	10/13 - LAB B
4157991991	10	S1	10/14 - LAB MF
4157992104	10	S1	10/14 - LAB B
4157992153	10	S1	10/14 - LAB MF
4157992168	10	S1	10/15 - LAB MF
4157992209	10	S1	10/13 - LAB D
4157992284	10	S1	10/14 - LAB D
4157992398	10	S1	10/14 - LAB MF
4157992415	10	S1	10/13 - LAB B
4157992456	10	S1	10/14 - LAB MF
4157992594	10	S1	10/14 - LAB MF
4157992706	10	S1	10/13 - LAB D
4157992950	10	S1	10/14 - LAB MF
4157993236	10	S1	10/13 - LAB MF
4157993240	10	S1	10/14 - LAB D
4157993436	10	S1	10/14 - LAB MF
4157993448	10	S1	10/13 - LAB MF
4157993551	10	S1	10/15 - LAB MF
4157993685	10	S1	10/14 - LAB C
4157993834	10	S1	10/13 - LAB C
4157993896	10	S1	10/13 - LAB MF

Manatee ID#	Grade	TEST CODE	DATE/LAB
4157993932	10	S1	10/14 - LAB C
4157993972	10	S1	10/14 - LAB D
4157993974	10	S1	10/13 - LAB D
4157993980	10	S1	10/15 - LAB B
4157994083	10	S1	10/15 - LAB A
4157994113	10	S1	10/13 - LAB MF
4157994529	10	S1	10/13 - LAB D
4157994608	10	S3-ELL	10/16 - LAB MF
4157994684	10	S1	10/13 - LAB A
4157994694	10	S1	10/13 - LAB MF
4157994767	10	S1	10/13 - LAB C
4157994813	10	S1	10/15 - LAB MF
4157995795	10	S1	10/14 - LAB MF
4157995894	10	S1	10/15 - LAB A
4157996095	10	S1	10/15 - LAB A
4157996537	10	S1	10/15 - LAB A
4157997389	10	S1	10/13 - LAB C
4157998400	10	S1	10/14 - LAB B
4157998870	10	S1	10/13 - LAB A
4157998950	10	S1	10/15 - LAB C
4158009511	10	S1	10/14 - LAB C
4158013801	10	S3-ELL	10/16 - LAB MF
4158017728	10	S1	10/13 - LAB B
4158020006	10	S1	10/13 - LAB B
4158029608	10	S1	10/13 - LAB C
4158029619	10	S1	10/13 - LAB B
4158029839	10	S5	10/16 - LAB B
4158029905	10	S1	10/15 - LAB MF
4158031159	10	S1	10/14 - LAB B
4158034856	10	S3-ELL	10/16 - LAB MF
4158035384	10	S1	10/13 - LAB D
4158036243	10	S1	10/13 - LAB MF
4158037528	10	S1	10/15 - LAB MF
4158039178	10	S1	10/13 - LAB C
4158041674	10	S3-ELL	10/16 - LAB MF
4158041679	10	S3-ELL	10/16 - LAB MF
4158041684	10	S1	10/15 - LAB A
4158041685	10	S1	10/15 - LAB A
4158041686	10	S1	10/15 - LAB A
4158042913	10	S1	10/14 - LAB MF
4158042916	10	S1	10/14 - LAB MF
4158043747	10	S1	10/14 - LAB MF
4158044822	10	S1	10/14 - LAB A

Manatee ID#	Grade	TEST CODE	DATE/LAB
4158046951	10	S1	10/14 - LAB C
4158046953	10	S1	10/14 - LAB MF
4158047766	10	S5	10/16 - LAB B
4158047769	10	S1	10/14 - LAB B
4158047942	10	S1	10/13 - LAB C
4158047958	10	S1	10/15 - LAB MF
4158048453	10	S1	10/13 - LAB D
4158048480	10	S1	10/13 - LAB D
4158048518	10	S1	10/13 - LAB B
4158048703	10	S1	10/15 - LAB MF
4158050003	10	S1	10/14 - LAB MF
4158052139	10	S1	10/13 - LAB B
4158052675	10	S1	10/15 - LAB MF
4158053018	10	S1	10/13 - LAB A
4158056900	10	S1	10/13 - LAB A
4158058153	10	S1	10/14 - LAB A
4158059046	10	S1	10/13 - LAB B
4158060562	10	S1	10/13 - LAB MF
4158064953	10	S1	10/14 - LAB MF